

US009467832B2

(12) United States Patent Haney

(10) Patent No.: US 9,467,832 B2 (45) Date of Patent: Oct. 11, 2016

(54) METHODS AND SYSTEMS FOR TEMPORARILY SHARING POSITION DATA BETWEEN MOBILE-DEVICE USERS

(71) Applicant: **X One, Inc.**, Livermore, CA (US)

(72) Inventor: Richard D. Haney, Union City, CA

(US)

(73) Assignee: X One, Inc., Union City, CA (US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 14/479,226

(22) Filed: Sep. 5, 2014

(65) Prior Publication Data

US 2014/0378167 A1 Dec. 25, 2014

Related U.S. Application Data

- (63) Continuation of application No. 13/188,414, filed on Jul. 21, 2011, now Pat. No. 8,831,635, which is a continuation of application No. 12/075,408, filed on Mar. 11, 2008, now Pat. No. 8,538,458, which is a continuation of application No. 11/099,362, filed on Apr. 4, 2005, now Pat. No. 7,353,034.
- (51) **Int. Cl. H04W 24/00** (2009.01) **H04W 4/20** (2009.01)

 (Continued)
- (52) U.S. Cl.

(Continued)

(58) Field of Classification Search

(56) References Cited

U.S. PATENT DOCUMENTS

1,103,073 A 3,953,720 A 7/1914 O'Connell 4/1976 Kelch (Continued)

FOREIGN PATENT DOCUMENTS

AU 2003901617 4/2003 AU 2003901795 4/2003 (Continued)

OTHER PUBLICATIONS

"Buddy Locator." Jun. 11, 2003. http://www.halfbakery.com/idea/Buddy_20Locator.


(Continued)

Primary Examiner — Kwasi Karikari

(57) ABSTRACT

A system for exchanging GPS or other position data between devices for purposes of group activities, child location monitoring, work group coordination, dispatching of employees etc. Cell phones and other wireless devices with GPS receivers have loaded therein a Buddy Watch application that communicates with a remote Buddy Watch Server. The server gets or maintains position data for the wireless devices. When the server receives a request from a first device to set up a temporary position-sharing relationship between it and a second device, the server facilitates symmetrical position sharing between the two devices. While the relationship is active, the server can receive updated position data from one or both devices, and if necessary calculate or recalculate a path based on the updated data. The server can also alert one of the devices should the other move too close to or too far from a specified location. The request message or messages used to establish the temporary position-sharing relationship may include a timeout specifying when the server is to sever the position-sharing relationship.

26 Claims, 51 Drawing Sheets



(51) I 4 Cl		5 1 C 4 O D 4 A	11/1002	C
(51) Int. Cl.	(2000.04)	5,164,904 A 5,166,972 A	11/1992	Sumner Smith
H04W 12/08	(2009.01)	5,170,165 A	12/1992	Iihoshi et al.
H04W 4/02	(2009.01)	5,173,691 A	12/1992	Sumner
G01C 21/20	(2006.01)	5,177,478 A	1/1993	Wagai et al.
H04L 29/08	(2006.01)	5,177,479 A	1/1993	
H04W 64/00	(2009.01)	5,182,555 A	1/1993	Sumner
H04W 68/12	(2009.01)	5,187,810 A 5,193,215 A	2/1993 3/1993	Yoneyama et al. Olmer
H04M 1/725	(2006.01)	5,195,031 A		Ordish
H04M 3/42	(2006.01)	5,208,756 A	5/1993	
(52) U.S. Cl.	(=====)	5,208,763 A		Hong et al.
	7/24 (2013.01); H04M 1/72519	5,214,789 A		George
	04M 1/72572 (2013.01); H04M	5,218,367 A 5,218,629 A	6/1993	Sheffer et al. Dumond, Jr. et al.
	013.01); H04W 4/ 02 (2013.01);	5,223,844 A	6/1993	
`	(4/021 (2013.01); H04W 4/023	5,227,874 A		Von Kohorn
	H04W 4/025 (2013.01); H04W	5,239,570 A		Koster et al.
	13.01); H04W 64/00 (2013.01);	5,243,652 A	9/1993	Teare et al.
`		5,245,314 A	9/1993	Kah, Jr. Von Kohorn
	64/003 (2013.01); H04W 68/12	5,249,044 A 5,265,120 A	11/1993	
	04M 3/42093 (2013.01); H04M	5,266,944 A	11/1993	Carroll et al.
`	01); <i>H04M 3/42365</i> (2013.01);	5,274,560 A	12/1993	
	88 (2013.01); H04M 2203/2044	5,276,311 A		Hennige
	04M 2207/18 (2013.01); H04M	5,283,570 A 5,289,527 A	2/1994 2/1994	DeLuca et al. Tiedemann, Jr.
2242/04 (2013	0.01); H04M 2242/30 (2013.01)	5,289,572 A 5,289,572 A	2/1994	Yano et al.
(56) Defense	nces Cited	5,293,642 A	3/1994	
(56) Refere	nces Ched	5,295,064 A	3/1994	
U.S. PATENT	Γ DOCUMENTS	5,299,132 A	3/1994	Wortham
		5,301,354 A 5,303,297 A	4/1994 4/1994	Schwendeman et al.
	Cataldo	5,307,278 A	4/1994	
· · · · · · · · · · · · · · · · · · ·	Behnke	5,311,516 A	5/1994	Kuznicki et al.
	Taylor et al. Wimbush	5,317,311 A	5/1994	
	Moore	5,325,302 A 5,327,529 A	6/1994 7/1994	Izidon et al. Fults et al.
	Zabarsky et al.	5,334,974 A	8/1994	Simms et al.
	Martinez	5,335,246 A	8/1994	Yokev et al.
	Francini et al. Kamil	5,337,044 A	8/1994	
	McMahon et al.	5,339,391 A 5,343,493 A	8/1994 8/1994	Wroblewski et al. Karimullah
4,799,062 A 1/1989	Sanderford, Jr. et al.	5,347,568 A	9/1994	Moody et al.
	Apsell et al.	5,351,235 A	9/1994	Lahtinen
	Hargrove et al. Lessin et al.	5,361,212 A	11/1994	Class et al.
	Morris et al.	5,363,425 A	11/1994	Mufti et al.
	Davis	5,365,451 A 5,371,678 A	11/1994 12/1994	
	Sheffer	5,374,933 A	12/1994	Kao
	Yokouchi et al. Mauge et al.	5,374,936 A	12/1994	
	Brugliera et al.	5,379,057 A		Clough et al.
4,939,662 A 7/1990	Nimura et al.	5,379,451 A 5,381,338 A	1/1993	Nakagoshi et al. Wysocki et al.
	Carroll et al.	5,387,993 A	2/1995	Heller et al.
4,972,484 A 11/1990 4,980,913 A 12/1990	Theile et al.	5,388,147 A	2/1995	Grimes
	Tenmoku et al.	5,390,125 A 5,390,339 A		Sennott et al.
5,014,040 A 5/1991	Weaver et al.	5,394,158 A	2/1993	Bruckert et al.
	Scribner et al.	5,396,227 A		Carroll et al.
	Lawrence Ikeda et al.	5,398,190 A		Wortham
	Aggers et al.	5,406,490 A		Braegas
	Darnell et al.	5,406,614 A 5,408,217 A		нага Sanderford, Jr.
	Ellis et al.	5,412,388 A		Attwood
	Kakihara et al.	5,414,432 A	5/1995	Penny, Jr. et al.
	Sheffer Person	5,416,712 A		Geier et al.
	Sutherland	5,416,890 A 5,418,537 A	5/1995 5/1995	Beretta Bird
5,068,891 A 11/1991	Marshall	5,418,537 A 5,422,813 A	6/1995	
	Jasinaki Drani at al	5,423,076 A	6/1995	Westergren et al.
	Drori et al. Shapira	5,432,841 A	7/1995	Rimer
	Heller	5,434,789 A		Fraker et al.
5,119,396 A 6/1992	Snderford, Jr.	5,438,321 A		Bernard et al.
	Gurmu et al.	5,442,557 A 5,444,444 A		Kaneko
	Von Kohorn Arens et al.	5,444,444 A 5,444,450 A		Olds et al.
	Engira	5,454,024 A		Lebowitz
	Chavous	5,457,689 A		Marvit et al.

(56	5)		Referen	ces Cited	5,629,678			Gargano et al.
		U.S.	PATENT	DOCUMENTS	5,629,693 5,630,206		5/1997 5/1997	Janky Urban et al.
		0.5.	121112111	DOCOMENTS	5,633,912	A	5/1997	Tsoi
	5,457,713			Sanderford, Jr. et al.	5,636,245			Ernst et al.
	5,461,365			Schlager et al.	5,636,276 5,642,303		6/1997 6/1997	Brugger Small et al.
	5,461,390 5,469,362		10/1995 11/1995	Hunt et al.	5,646,853		7/1997	Takahashi et al.
	5,470,233			Fruchterman et al.	5,646,992		7/1997	Subler et al.
	5,479,408		12/1995		5,650,770 5,652,570		7/1997	Schlager et al. Lepkofker
	5,479,482 5,479,600		12/1995	Wroblewski et al.	5,654,908			Yokoyama
	5,485,161		1/1996	Vaughn	5,655,013	A	8/1997	Gainsboro
	5,485,163	A	1/1996	Singer et al.	5,661,460		8/1997	Sallen et al.
	5,488,563		1/1996 3/1996	Chazelle et al.	5,661,652 5,661,755		8/1997 8/1997	Sprague et al. Van De Kerkhof et al.
	5,497,149 5,504,482			Schreder	5,663,732		9/1997	Stangeland et al.
	5,506,886			Maine et al.	5,666,215			Fredlund et al.
	5,508,707			LeBlanc et al.	5,675,362 5,677,837		10/1997	Clough et al. Reynolds
	5,508,931 5,510,801		4/1996 4/1006	Snider Engelbrecht et al.	5,682,525		10/1997	
	5,512,879		4/1996		5,682,600	A	10/1997	Salin
	5,513,243		4/1996	Kage	5,684,859		11/1997	Chanroo et al.
	5,515,287			Hakoyama et al.	5,689,245 5,689,252		11/1997 11/1997	Noreen et al. Ayanoglu et al.
	5,515,419 5,517,199		5/1996 5/1996	DiMattei	5,689,270		11/1997	
	5,519,403			Bickley et al.	5,689,431		11/1997	Rudow et al.
	5,519,760			Borkowski et al.	5,697,058 5,699,053		12/1997 12/1997	Paavonen Jonsson
	5,523,950 5,530,655			Peterson Lokhoff et al.	5,699,244		12/1997	Clark, Jr. et al.
	5,530,033			McPheters	5,704,029	A	12/1997	· · · · · · · · · · · · · · · · · · ·
	5,532,690	A	7/1996	Hertel	5,705,980		1/1998	Shapiro
	5,535,434		7/1996	Siddoway et al.	5,708,478 5,712,619		1/1998 1/1998	Tognazzini Simkin
	5,537,460 5,539,395			Holliday, Jr. et al. Buss et al.	5,712,679		1/1998	Coles
	5,539,398			Hall et al.	5,712,899			Pace, II
	5,539,647			Shibata et al.	5,717,392 5,721,781			Eldridge Deo et al.
	5,539,829 5,539,924			Lokhoff et al. Grube et al.	5,724,660			Kauser et al.
	5,543,776			L'Esperance et al.	5,727,057	A	3/1998	Emery et al.
	5,543,789	A	8/1996	Behr et al.	5,731,757			Layson, Jr.
	5,546,445			Dennison et al.	5,731,785 5,732,074		3/1998 3/1998	Lemelson et al. Spaur et al.
	5,548,726 5,552,772		8/1996 9/1996	Janky et al.	5,732,354		3/1998	MacDonald
	5,552,989			Bertrand	5,736,962		4/1998	Tendler
	5,555,286			Tendler	5,740,534 5,740,549		4/1998 4/1998	Ayerst et al. Reilly et al.
	5,559,520 5,559,707			Barzegar et al. DeLorme et al.	5,742,233		4/1998	Hoffman et al.
	5,561,704			Salimando	5,742,509	A	4/1998	Goldberg et al.
	5,561,799	A		Khalidi et al.	5,742,635		4/1998	Sanderford, Jr.
	5,568,119			Schipper et al.	5,742,666 5,745,865		4/1998 4/1998	Alpert Rostoker et al.
	5,568,153 5,570,412		10/1996	Beliveau LeBlanc	5,748,109			Kosaka et al.
	5,574,648		11/1996		5,752,186			Malackowski et al.
	5,574,772			Scalisi et al.	5,754,430 5,754,939			Sawada Herz et al.
	5,579,372 5,579,535		11/1996	Astrom Orlen et al.	5,758,049		5/1998	Johnson et al.
	5,588,009		12/1996		5,758,257			Herz et al.
	5,590,396		12/1996		RE35,829 5,760,773		6/1998	Sanderford, Jr. Berman et al.
	5,592,382 5,592,535		1/1997 1/1997		5,760,773		6/1998	Sheridan
	5,594,780		1/1997	Wiedeman et al.	5,761,618	A	6/1998	Lynch et al.
	5,598,572	A	1/1997	Tanikoshi et al.	5,764,686		6/1998	Sanderford et al.
	5,604,486			Lauro et al.	5,765,152 5,767,795		6/1998	Erickson Schaphorst
	5,606,313 5,606,618			Allen et al. Lokhoff et al.	5,768,509		6/1998	Gunluk
	5,606,850	A	3/1997	Nakamura	5,771,353		6/1998	Eggleston et al.
	5,610,815			Gudat et al.	5,774,170 5,774,533		6/1998	Hite et al.
	5,614,890 5,615,116		3/1997 3/1997	Fox Gudat et al.	5,774,670		6/1998	Montulli
	5,617,074		4/1997		5,774,824		6/1998	Streit et al.
	5,619,571	A	4/1997	Sandstrom et al.	5,774,829		6/1998	Cisneros et al.
	5,621,384			Crimmins et al.	5,777,580		7/1998	Janky et al.
	5,621,793 5,627,547			Bednarek et al. Ramaswamy et al.	5,778,304 5,787,357		7/1998 7/1998	Grube et al. Salin
	5,627,548			Woo et al.	5,793,630		8/1998	Theimer et al.
	5,627,549	A	5/1997	Park	5,794,142	Α	8/1998	Vanttila et al.
	5,628,050			McGraw et al.	5,796,365		8/1998	
	5,628,051	A	5/1997	Salin	5,796,613	A	8/1998	Kato et al.

(56)]	Referen	ces Cited	5,938,721			Dussell et al.
	1	IIC D	ATENIT	DOCUMENTS	5,940,004 5,940,834		8/1999 8/1999	Fulton Pinard et al.
	'	U.S. P.	ALENI	DOCUMENTS	5,941,930		8/1999	Morimoto et al.
	5,797,094	Α	8/1998	Houde et al.	5,941,934		8/1999	Sato
	5,797,096	A		Lupien et al.	5,943,399		8/1999	Bannister et al.
	5,798,732	A		Eshenbach	5,945,944		8/1999	Krasner
	5,802,492			DeLorme et al.	5,946,618 5,946,626		8/1999 8/1999	Agre et al. Foladare et al.
	5,805,460 5,806,000			Greene et al. Vo et al.	5,946,629		8/1999	Sawyer et al.
	5,806,018			Smith et al.	5,946,630		8/1999	Willars et al.
	5,809,415			Rossmann	5,946,646 5,948,040		8/1999 9/1999	Schena et al.
	5,812,086			Bertiger et al.	5,948,040		9/1999	DeLorme et al. Abo et al.
	5,812,087 5,822,700			Krasner Hult et al.	5,948,061			Merriman et al.
	5,825,306			Hiyokawa et al.	5,950,130			Coursey
	5,825,884			Zdepski et al.	5,950,137 5,953,398	A	9/1999	
	5,826,195			Westerlage et al.	5,953,706		9/1999 9/1999	
	5,828,740 5,831,552			Khuc et al. Sogawa et al.	5,955,973		9/1999	Anderson
	5,835,061		11/1998		5,959,577		9/1999	Fan et al.
	5,835,376			Smith et al.	5,959,580		9/1999	Maloney et al. van Hoff et al.
	5,835,907			Newman	5,959,623 5,960,362		9/1999	Grob et al.
	5,839,086 5,839,088		11/1998 11/1998	Hancock et al.	5,963,130		10/1999	Schlager et al.
	5,841,396		11/1998		5,964,821		10/1999	Brunts et al.
	5,845,227	A :		Peterson	5,966,696		10/1999	Giraud
	5,848,373			DeLorme et al.	5,968,109 5,969,678		10/1999 10/1999	Israni et al. Stewart
	5,852,775 5,854,793		12/1998 12/1998		5,974,054			Couts et al.
	5,857,201			Wright, Jr. et al.	5,978,685	A	11/1999	
	5,859,869		1/1999	Sanderford	5,978,747		11/1999	Craport et al.
	5,862,244			Kleiner et al.	5,978,768 5,982,281		11/1999	McGovern et al. Layson, Jr.
	5,864,667 5,867,110		1/1999	Naito et al.	5,982,298			Lappenbusch et al.
	5,870,686			Monson	5,982,324	A	11/1999	Watters et al.
	5,872,526		2/1999	Tognazzini	5,983,099	A		Yao et al.
	5,873,068			Beaumont et al.	5,987,323 5,987,381		11/1999 11/1999	Huotari Oshizawa
	5,874,914 5,883,580			Krasner Briancon et al.	5,991,692		11/1999	Spencer, II et al.
	5,884,322			Sidhu et al.	5,991,827	A	11/1999	Ellenby et al.
	5,887,269		3/1999	Brunts et al.	5,995,015		11/1999	DeTemple et al.
	5,890,064			Widergen et al.	5,999,124 5,999,126	Α Δ	12/1999 12/1999	Sheynblat Ito
	5,890,068 5,892,454			Fattouche et al. Schipper et al.	5,999,561		12/1999	Naden et al.
	5,893,898			Tanimoto	6,002,393		12/1999	Hite et al.
	5,895,471	A	4/1999	King et al.	6,002,932		12/1999	Kingdon et al.
	5,896,369			Warsta et al.	6,002,936 6,002,982		12/1999 12/1999	Roel-Ng et al. Fry
	5,898,680 5,899,954		4/1999 5/1999	Johnstone et al. Sato	6,004,061	A	12/1999	Manico et al.
	5,905,248			Russell et al.	6,005,928	A	12/1999	Johnson
	5,905,451	A		Sakashita	6,006,159		12/1999	Schmier et al.
	5,905,460			Odagiri et al. Ito et al.	6,006,260 6,009,409		12/1999	Barrick, Jr. et al. Adler et al.
	5,908,465 5,910,799	A		Carpenter et al.	6,009,410	A	12/1999	LeMole et al.
	5,913,040			Rakavy et al.	6,014,090			Rosen et al.
	5,913,170			Wortham	6,014,602 6,014,607			Kithil et al. Yagyu et al.
	5,914,668 5,914,675			Chavez, Jr. et al. Tognazzini	6,018,619			Allard et al.
	5,914,073		6/1999		6,018,718		1/2000	Walker et al.
	5,917,913		6/1999		6,023,653			Ichimura et al.
	5,918,180		6/1999		6,026,304 6,026,370			Hilsenrath et al. Jermyn
	5,920,589 5,920,821			Rouquette et al. Seazholtz et al.	6,026,375			Hall et al.
	5,922,074			Richard et al.	6,028,514	A		Lemelson et al.
	5,923,861	A		Bertram et al.	6,028,550		2/2000	Froeberg et al.
	5,926,116			Kitano et al.	6,029,069 6,031,490		2/2000 2/2000	Takaki Forssen et al.
	5,926,765 5,930,250		7/1999 7/1999	Sasakı Klok et al.	6,032,051	A	2/2000	Hall et al.
	5,930,474			Dunworth et al.	6,035,025	A	3/2000	Hanson
	5,930,699	A	7/1999	Bhatia	6,038,295		3/2000	
	5,930,701		7/1999		6,041,280			Kohli et al.
	5,933,080 5,933,094		8/1999	Nojima Goss et al.	6,044,403 6,047,236		3/2000 4/2000	Gerszberg et al. Hancock et al.
	5,933,100			Goss et al. Golding	6,047,327		4/2000	Tso et al.
	5,933,811			Angles et al.	6,049,710		4/2000	Nilsson
	5,936,572	A	8/1999	Loomis et al.	6,049,711			Ben-Yehezkel et al.
	5,937,037			Kamel et al.	6,049,778			Walker et al.
	5,937,392	A	8/1999	Aiberts	6,052,081	A	4/2000	Krasner

(56)			Referen	ces Cited	6,134,483	A	10/2000	Vayanos et al.
	ī	II Q D	ATENT	DOCUMENTS	6,134,548 6,138,003			Gottsman et al. Kingdon et al.
	,	0.5. 1	AIDNI	DOCUMENTS	6,138,142		10/2000	
6.05	52,122	A	4/2000	Sutcliffe et al.	6,140,957	A		Wilson et al.
	52,645		4/2000		6,141,347		10/2000	
	55,434		4/2000		6,144,336 6,148,197			Preston et al. Bridges et al.
	58,300			Hanson Agashe et al.	6,148,198		11/2000	Anderson et al.
	58,338 58,350		5/2000		6,148,262		11/2000	
	61,018			Sheynblat	6,149,353		11/2000	
	61,346			Nordman	6,150,980		11/2000	
	61,681		5/2000		6,151,309 6,151,498			Busuioc et al. Roel-Ng et al.
	64,335 64,336			Eschenbach Krasner	6,154,152		11/2000	
	64,398			Ellenby et al.	6,154,172	A	11/2000	Piccionelli et al.
	64,875			Morgan	6,154,658		11/2000	
	67,045		5/2000	Castelloe et al.	6,157,381 6,157,841			Bates et al. Bolduc et al.
	67,502			Hayashida et al.	6,157,935		12/2000	
	69,570 70,067			Herring Nguyen et al.	6,163,749	A		McDonough et al.
	70,083			Watters et al.	6,166,627	A	12/2000	Reeley
6,07	73,013	A	6/2000	Agre et al.	6,167,266			Havinis et al.
	73,062			Hoshino et al.	6,167,274 6,167,277		12/2000	Smith Kawamoto
	75,982 76,041			Donovan et al. Watanabe	6,169,515		1/2001	Mannings et al.
	78.818			Kingdon et al.	6,169,552		1/2001	
,	81,206		6/2000	Kielland	6,169,891			Gorham et al.
6,08	81,229	A		Soliman et al.	6,169,901			Boucher
,	81,508			West et al.	6,169,902 6,173,181		1/2001	Kawamoto Losh
	81,803 85,090			Ashby et al. Yee et al.	6,175,740			Souissi et al.
	85,148			Jamison et al.	6,175,922		1/2001	
	85,320			Kaliski, Jr.	6,177,905		1/2001	
	87,965			Murphy	6,177,938		1/2001	
	88,040			Oda et al.	6,178,505 6,178,506		1/2001	Schneider et al. Quick, Jr.
	88,594 88,722			Kingdon et al. Herz et al.	6,181,934			Havinis et al.
	91,956			Hollenberg	6,181,935	B1	1/2001	Gossman et al.
	91,957			Larkins et al.	6,184,802		2/2001	
	92,076			McDonough et al.	6,184,829 6,185,427		2/2001	Stilp Krasner et al.
	94,607		7/2000		6,188,354			Soliman et al.
	97,958 98,118		8/2000 8/2000	Ellenby et al.	6,188,752		2/2001	
	00,806		8/2000		6,188,909		2/2001	Alanara et al.
	01,378			Barabash et al.	6,188,959			Schupfner
	01,443			Kato et al.	6,189,098 6,195,557		2/2001	Kaliski, Jr. Havinis et al.
	04,090 04,931			Unger et al. Havinis et al.	6,195,609		2/2001	
	08,533			Brohoff	6,195,646	B1	2/2001	
6,10	08,555	A	8/2000	Maloney et al.	6,198,390		3/2001	Schlager et al.
	08,709			Shinomura et al.	6,198,431 6,198,927		3/2001	Gibson Wright et al.
	11,541			Karmel Sanderford, Jr. et al.	6,199,014			Walker et al.
6.11	11,911 12,186	A		Bergh et al.	6,199,045	B1	3/2001	Giniger et al.
	13,649			Govindaraj	6,199,099			Gershman et al.
6,11	15,481	A	9/2000		6,199,113 6,202,008		3/2001	Alegre et al. Beckert et al.
6,1	15,611 15,667	A		Kimoto et al.	6,202,003			Hancock et al.
	15,680			Nakamura Coffee et al.	6,202,058			Rose et al.
	15,709			Gilmour et al.	6,204,812			Fattouche
6,11	15,754	A		Landgren	6,205,330			Winbladh
	18,404			Fernekes et al.	6,208,290 6,208,297		3/2001	Krasner Fattouche et al.
	19,014 19,098			Alperovich et al. Guyot et al.	6,208,854			Roberts et al.
	21,922		9/2000		6,208,857	B1	3/2001	Agre et al.
6,12	22,503	A	9/2000		6,208,866		3/2001	Rouhollahzadeh et al.
6,12	22,520	A		Want et al.	6,208,934 6,212,392		3/2001	Bechtolsheim et al.
	22,521			Wilkinson et al.	6,212,392		4/2001 4/2001	Fitch et al. Stefan et al.
	23,259 24,810			Ogasawara Segal et al.	6,215,441		4/2001	Moeglein et al.
	27,945			Mura-Smith	6,216,086		4/2001	Seymour et al.
	28,482			Nixon et al.	6,219,557	В1	4/2001	Havinis
	28,571			Ito et al.	6,222,483		4/2001	Twitchell et al.
	28,599			Walker et al.	6,222,607		4/2001	
	31,028			Whitington	6,222,939 6,223,042	B1 BI	4/2001	Wiskott et al.
	31,067 33,874		10/2000	Girerd et al. Krasner	6,223,042		4/2001 4/2001	Hamill-Keays et al.
	33,876			Fullerton et al.	6,223,122			Hancock et al.
0,11	_ ,	-			, ,	-		**

(56)	Referen	nces Cited	6,317,684 6,317,718		11/2001 11/2001	Roeseler et al.
U.S	. PATENT	DOCUMENTS	6,321,091	B1	11/2001	Holland
	_,,	_	6,321,092			Fitch et al.
6,226,529 B1 6,232,915 B1		Bruno et al. Dean et al.	6,321,158 6,321,250			DeLorme et al. Knape et al.
6,233,430 B1		Helferich	6,321,257	B1	11/2001	Kotola et al.
6,233,518 B1	5/2001	Lee	6,323,846			Westerman et al.
6,236,365 B1		LeBlanc et al.	6,324,542 6,324,692		11/2001	Wright, Jr. et al.
6,236,933 B1 6,239,700 B1	5/2001 5/2001	Lang Hoffman et al.	6,326,918		12/2001	
6,239,742 B1		Krasner	6,327,473			Soliman et al.
6,240,069 B1		Alperovich et al.	6,327,479 6,327,573			Mikkola Walker et al.
6,240,360 B1 6,240,425 B1		Phelan Naughton	6,327,580			Pierce et al.
6,243,039 B1	6/2001	Elliot	6,330,452			Fattouche et al.
6,243,588 B1		Koorapaty et al.	6,330,454 6,332,127			Verdonk Bandera et al.
6,243,657 B1 6,246,376 B1		Tuck et al. Bork et al.	6,333,919		12/2001	
6,246,861 B1		Messier et al.	6,339,437			Nielsen
6,246,882 B1		Lachance	6,340,928 6,341,255			McCurdy Lapidot
6,246,948 B1 6,247,135 B1		Thakker Feague	6,343,317			Glorikian
6,249,252 B1		Dupray	6,345,288			Reed et al.
6,249,282 B1		Sutcliffe et al.	6,347,230 6,351,235		2/2002	Koshima et al.
6,249,680 B1 6,249,742 B1		Wax et al. Friederich et al.	6,353,398			Amin et al.
6,249,744 B1		Morita	6,353,743			Karmel
6,249,772 B1		Walker et al.	6,353,837 6,356,192			Blumenau Menard et al.
6,249,783 B1 6,249,873 B1		Crone et al. Richard et al.	6,356,543			Hall et al.
6,252,543 B1	6/2001		6,356,659			Wiskott et al.
6,252,544 B1		Hoffberg	6,356,761 6,356,763			Huttunen et al. Kangas et al.
6,253,091 B1 6,253,203 B1		Naddell et al. O'Flaherty et al.	6,356,834			Hancock et al.
6,256,498 B1		Ludwig	6,356,836	В1	3/2002	Adolph
6,259,405 B1		Stewart et al.	6,356,838 6,356,905		3/2002	Paul Gershman et al.
6,259,923 B1 6,260,147 B1		Lim et al. Quick, Jr.	6,359,557		3/2002	
6,266,014 B1		Fattouche et al.	6,360,093	B1		Ross et al.
6,266,432 B1		Wiens	6,360,101 6,360,102		3/2002	Irvin Havinis et al.
6,266,612 B1 6,266,614 B1		Dussell et al. Alumbaugh	6,360,164			Murayama
6,266,615 B1	7/2001		6,363,254			Jones et al.
6,269,343 B1		Pallakoff	6,363,255 6,366,568			Kuwahara Bolgiano et al.
6,272,231 B1 6,272,342 B1		Maurer et al. Havinis et al.	6,367,019			Ansell et al.
6,272,467 B1		Durand et al.	6,367,037			Remer et al.
6,275,692 B1	8/2001		6,370,389 6,370,475			Isomursu et al. Breed et al.
6,275,849 B1 6,278,701 B1		Ludwig Ayyagari et al.	6,370,523			Anderson
6,278,884 B1	8/2001		6,370,629			Hastings et al.
6,281,807 B1		Kynast et al.	6,373,430 6,374,176	BI B1		Beason et al. Schmier et al.
6,282,491 B1 6,282,496 B1		Bochmann et al. Chowdhary	6,377,179		4/2002	
6,286,005 B1		Cannon	6,377,209			Krasner
6,288,716 B1		Humpleman et al.	6,377,210 6,377,793		4/2002	Moore Jenkins
6,289,212 B1 6,289,373 B1		Stein et al. Dezonno	6,377,810	B1		Geiger et al.
6,292,657 B1		Laursen et al.	6,377,886			Gotou et al.
6,292,671 B1		Mansour	6,381,465 6,381,539			Chern et al. Shimazu
6,292,799 B1 6,295,454 B1		Peek et al. Havinis et al.	6,381,603		4/2002	Chan et al.
6,295,502 B1	9/2001	Hancock et al.	6,385,458			Papadimitriou et al.
6,297,768 B1		Allen, Jr.	6,385,465 6,385,535			Yoshioka Ohishi et al.
6,298,306 B1 6,300,903 B1		Suarez et al. Richards et al.	6,385,541			Blumberg et al.
6,301,370 B1	10/2001	Steffens et al.	6,385,622			Bouve et al.
6,304,758 B1		lierbig et al.	6,388,612 6,389,288		5/2002	Nener Kuwahara et al.
6,307,504 B1 6,308,269 B2	10/2001	Sheynblat Proidl	6,393,292		5/2002	
6,313,761 B1	11/2001	Shinada	6,396,819	B1	5/2002	Fleeter et al.
6,313,786 B1		Sheynblat et al.	6,397,040			Titmuss et al.
6,314,365 B1 6,314,369 B1	11/2001	Smith Ito et al.	6,397,057 6,397,208		5/2002	Malackowski et al.
6,314,406 B1		O'Hagan et al.	6,397,208		5/2002	
6,317,029 B1	11/2001	Fleeter	6,400,270	B1	6/2002	Person
6,317,594 B1		Gossman et al.	6,400,314			Krasner
6,317,604 B1	11/2001	Kovach, Jr. et al.	6,400,320	BI	6/2002	Stilp et al.

(56)	Refere	ences Cited	6,505,048			Moles et al.	
7	II C DATEN	T DOCUMENTS	6,505,049 6,505,123			Dorenbosch Root et al.	
,	U.S. PATEN	T DOCUMENTS	6,507,802			Payton et al.	
6,400,374	P2 6/200	2 Lanier	6,509,830		1/2003		
6,400,958		2 Isomursu et al.	6,510,387			Fuchs et al.	
6,401,032		2 Jamison et al.	6,512,455			Finn et al.	
6,401,034		2 Kaplan et al.	6,512,922			Burg et al.	
6,401,085		2 Gershman et al.	6,512,930			Sandegren	
6,404,388		2 Sollenberger et al.	6,515,575			Kataoka	
6,404,408		2 Emerson, III	6,515,623 6,516,197			Johnson Havinis et al.	
6,405,034 6,405,037		2 Tijerino 2 Rossmann	6,518,889			Schlager et al.	
6,405,123		2 Rossillatii 2 Rennard et al.	6,519,241			Theimer	
6,405,132		2 Breed et al.	6,519,463	B2		Tendler	
6,408,307		2 Semple et al.	6,519,466			Pande et al.	
6,408,309		2 Agarwal	6,519,771		2/2003		
6,411,254		2 Moeglein et al.	6,522,266 6,522,682			Soehren et al. Kohli et al.	
6,411,899		2 Dussell et al.	6,526,026		2/2003		
6,414,629 6,414,635		2 Curcio 2 Stewart et al.	6,526,335			Treyz et al.	
6,415,207		2 Jones	6,526,352			Breed et al.	
6,415,220		2 Kovacs	6,529,136			Cao et al.	
6,415,227		2 Lin	6,529,143			Mikkola et al.	
6,415,291	B2 7/200	2 Bouve et al.	6,529,490			Oh et al.	
6,421,002		2 Krasner	6,529,500 6,529,722			Pandharipande Heinrich et al.	
6,421,669		2 Gilmour et al.	6,529,829			Turetzky et al.	
6,424,840 6,427,001		Fitch et al. Contractor et al.	6,531,982			White et al.	
6,427,115	B1 7/200	2 Sekiyama	6,535,140			Goss et al.	
6,427,120	B1 7/200	2 Garin et al.	6,538,757			Sansone	
6,430,409		2 Rossmann	6,539,200		3/2003		
6,430,411		2 Lempio et al.	6,539,232			Hendrey et al.	
6,430,496		2 Smith et al.	6,539,304 6,539,424		3/2003	Chansarkar Dutta	
6,433,734		2 Krasner	6,542,464			Takeda et al.	
6,434,381 6,434,530		2 Moore et al. 2 Sloane et al.	6,542,734			Abrol et al.	
6,438,490		2 Ohta	6,542,743		4/2003		
6,442,241		2 Tsumpes	6,542,748		4/2003	Hendrey et al.	
6,442,391		2 Johansson et al.	6,542,749			Tanaka et al.	
6,442,573		2 Schiller et al.	6,542,750			Hendrey et al.	
6,449,473		2 Raivisto	6,542,812 6,542,814			Obradovich et al. Polidi et al.	
6,449,476		2 Hutchison, IV et al.	6,542,819			Kovacs et al.	
6,449,485 6,452,498		2 Anzil 2 Stewart	6,546,360			Gilbert et al.	
6,453,161		2 Touati et al.	6,549,522	B1	4/2003	Flynn	
6,456,207		2 Yen	6,549,625			Rautila et al.	
6,456,234	B1 9/200	2 Johnson	6,549,768			Fraccaroli	
6,456,852		2 Bar et al.	6,549,776 6,549,844		4/2003	Joong Egberts	
6,456,854		Chern et al.	6,552,682		4/2003		
6,456,956 6,459,782		2 Xiong 2 Bedrosian et al.	6,553,236			Dunko et al	455/456.1
6,459,913		2 Cloutier	6,553,310		4/2003		
6,462,675	B1 10/200	2 Humphrey et al.	6,556,832			Soliman	
6,463,142	B1 10/200	2 Kilp	6,560,323			Gainsboro	
6,463,272		2 Wallace et al.	6,560,456 6,560,461			Lohtia et al. Fomukong et al.	
6,463,289		2 Havinis et al.	6,560,534			Abraham et al.	
6,466,695 6,469,664		Potzsch et al. Michaelson et al.	6,560,588		5/2003		
6,473,031		2 Harris	6,563,430			Kemink et al.	
6,473,790		2 Tagi	6,563,459			Takenaga	
6,477,150	B1 11/200	2 Maggenti et al.	6,563,460			Stilp et al.	
6,477,363	B1 11/200	2 Ayoub et al.	6,563,950			Wiskott et al. Steele et al.	
6,477,581		2 Carpenter et al.	6,564,047 6,564,143			Alewine et al.	
6,480,147 6,480,713	B2 11/200	2 Durst et al. 2 Jenkins	6,564,261			Gudionsson et al.	
6,484,035		2 Allen, Jr.	6,567,068			Rekimoto	
6,487,305		2 Kambe et al.	6,570,530	B2		Gaal et al.	
6,487,495	B1 11/200	2 Gale et al.	6,570,557			Westerman et al.	
6,487,538		2 Gupta et al.	6,571,095			Koodli	
6,490,454		2 Kangas et al.	6,571,279			Herz et al.	
6,490,519		2 Lapidot et al.	6,574,484		6/2003 6/2003		
6,490,698 6,496,776		2 Horvitz et al. 2 Blumberg et al.	6,574,558 6,577,946		6/2003		
6,501,393		2 Richards et al.	6,578,079		6/2003		
6,501,421		2 Dutta et al.	6,580,390		6/2003		
6,504,491		3 Christians	6,580,811			Maurer et al.	
6,504,503		3 Saint-Hilaire et al.	6,580,914		6/2003		
6,505,046	B1 1/200	3 Baker	6,581,072	B1	6/2003	Mathur et al.	

(56)		Refere	nces Cited	6,665,715		12/2003	
	U	.S. PATEN	T DOCUMENTS	6,667,963 6,671,377 6,671,620	B1	12/2003	Rantalainen et al. Havinis et al. Garin et al.
	< 504 207 P			6,671,625			McFadden
	6,584,307 B		Antonucci et al.	6,671,698			Pickett et al.
	6,584,552 B 6,587,688 B		Nishimura et al. Chambers et al.	6,674,849			Froeberg
	6,587,691 B		Granstam et al.	6,675,012		1/2004	
	6,587,782 B		Nocek et al.	6,675,014	B1	1/2004	Sundquist
	6,587,835 B		Treyz et al.	6,677,894		1/2004	Sheynblat et al.
	6,590,533 B		Sollenberger et al.	6,677,968		1/2004	Appelman
	6,591,103 B	31 7/2003	Dunn et al.	6,678,357		1/2004	Stumer et al.
	6,591,190 B		Nishida et al.	6,678,516			Nordman et al.
	6,594,480 B		Montalvo et al.	6,680,694 6,680,695			Knockeart et al. Turetzky et al.
	6,594,483 B		Nykanen et al.	6,681,107			Jenkins et al.
	6,594,498 B		McKenna et al. Bender et al.	6,681,114			Chang et al.
	6,594,500 B 6,594,576 B		Fan et al.	6,681,120		1/2004	
	6,594,691 B		McCollum et al.	6,683,538		1/2004	Wilkes, Jr.
	6,597,305 B		Szeto et al.	6,684,087	B1	1/2004	Yu et al.
	6,597,311 B		Sheynblat et al.	6,684,250			Anderson et al.
	6,597,983 B	32 7/2003	Hancock	6,684,269			Wagner
	6,600,919 B		Kawase	6,687,360			Kung et al.
	6,600,927 B		Hamilton et al.	6,687,504 6,687,608		2/2004 2/2004	Raith Sugimoto et al.
	6,601,046 B		Epstein	6,687,734		2/2004	Sellink et al.
	6,601,060 B		Tomaru	6,690,268			Schofield et al.
	6,603,428 B 6,603,968 B		Stilp Anvekar et al.	6,690,322		2/2004	
	6,603,973 B		Foladare et al.	6,691,114		2/2004	Nakamura
	6,606,495 B		Korpi et al.	6,691,155	B2	2/2004	Gottfried
	6,606,554 B		Edge	6,693,586			Walters et al.
	6,608,556 B		De Moerloose et al.	6,694,258			Johnson et al.
	6,609,004 B		Morse et al.	6,694,352		2/2004	
	6,609,062 B		Hancock	6,694,387 6,697,018		2/2004	Wagner Stewart
	6,611,273 B		Stokes et al. Baker et al.	6,697,629			Grilli et al.
	6,611,498 B 6,611,687 B		Clark et al.	6,697,730			Dickerson
	6,611,751 B		Warren	6,697,731	B2	2/2004	Takayama et al.
	6,611,757 B		Brodie	6,697,734			Suomela
	6,611,788 B		Hussa	6,698,020			Zigmond et al.
	6,615,131 B		Rennard et al.	6,700,534		3/2004	Harris Dukach et al.
	6,615,134 B		Ando	6,701,143 6,701,144			Kirbas et al.
	6,615,213 B		Johnson	6,701,307			Himmelstein et al.
	6,618,593 B 6,618,670 B		Drutman et al. Chansarkar	6,703,971			Pande et al.
	6,618,822 B		Loaiza et al.	6,703,972		3/2004	van Diggelen
	6,621,452 B		Knockeart et al.	6,704,651			van Diggelen
	6,621,810 B	9/2003	Leung	6,707,421			Drury et al.
	6,624,754 B		Hoffman et al.	6,707,581			Browning Raith
	6,625,447 B		Rossmann	6,711,408 6,711,474		3/2004 3/2004	Treyz et al.
	6,625,457 B 6,628,233 B		Raith Knockeart et al.	6.714.661			Buddenmeier et al.
	6,628,938 B		Rachabathuni et al.	6,714,791			Friedman
	6,629,104 B		Parulski et al.	6,714,793	B1	3/2004	Carey et al.
	6,629,136 B	9/2003	Naidoo	6,714,797	В1	3/2004	Rautila
	6,633,255 B		Krasner	6,718,174			Vayanos
	6,633,763 B	32 10/2003	Yoshioka	6,718,344		4/2004	
	6,639,516 B	10/2003	Copley	6,718,503 6,720,915		4/2004 4/2004	Lerner et al. Sheynblat
	6,639,939 B		Naden et al.	6,720,913			Breed et al.
	6,640,184 B			6,721,572		4/2004	
	6,647,257 B 6,647,269 B		Owensby Hendrey et al.	6,721,578			Minear et al.
	6,650,284 B		Mannings et al.	6,721,871		4/2004	Piispanen et al.
	6,650,288 B		Pitt et al.	6,724,342			Bloebaum et al.
	6,650,901 B		Schuster et al.	6,724,382			Kenyon et al.
	6,650,902 B		Richton	6,725,159			Krasner
	6,650,997 B			6,728,701 6,731,236		4/2004	Hager et al.
	6,650,998 B		Rutledge et al.	6,731,238			Johnson
	6,654,786 B 6,654,800 B		Fox et al. Rieger, III	6,731,612		5/2004	
	6,657,661 B		Cazier	6,731,940			Nagendran
	6,661,372 B		Girerd et al.	6,732,120		5/2004	
	6,661,409 B		Demartines et al.	6,734,821		5/2004	
	6,662,015 B	32 12/2003	Furlong	6,735,568		5/2004	Buckwalter et al.
	6,662,016 B		Buckham et al.	6,735,585			Black et al.
	6,662,023 B		Helle	6,735,630			Gelvin et al.
	6,665,539 B		Sih et al.	6,737,989		5/2004	
	6,665,541 B 6,665,613 B		Krasner et al.	6,738,013 6,738,635			Orler et al. Lewis et al.
	0,003,013 E	oz 12/2003	Duvall	0,730,033	DΙ	5/2004	Lewis et al.

(56)) Reference		ces Cited	6,804,524			Vandermeijden
	II S	PATENT	DOCUMENTS	6,804,657 6,804,726		10/2004 10/2004	Ellenby et al.
	0.5.	17111111	DOCCIMENTS	6,806,813	B1	10/2004	Cheng et al.
	6,738,800 B1		Aquilon et al.	6,806,830			Panasik et al.
	6,738,808 B1		Zellner et al.	6,807,479 6,807,534	B2 B1		Watanabe et al. Erickson
	6,741,188 B1 6,741,842 B2		Miller et al. Goldberg et al.	6,810,323			Bullock et al.
	6,741,926 B1		Zhao et al.	6,812,851			Dukach et al.
	6,744,856 B2		Karnik et al.	6,812,888			Drury et al.
	6,744,858 B1		Ryan et al.	6,813,264 6,813,346			Vassilovski Gruchala et al.
	6,745,038 B2		Callaway, Jr. et al. Medema et al.	6,813,395		11/2004	
	6,747,556 B2 6,747,596 B2		Orler et al.	6,813,501			Kinnunen et al.
	6,748,195 B1		Phillips	6,813,503			Zillikens et al.
	6,748,225 B1	6/2004		6,813,560 6,816,111			van Diggelen et al. Krasner
	6,748,226 B1	6/2004 6/2004	Wortham	6,816,580			Timmins
	6,748,318 B1 6,750,813 B2		Vargas-Hurlston et al.	6,816,710			Krasner
	6,750,883 B1		Parupudi et al.	6,816,719			Heinonen et al.
	6,751,464 B1		Burg et al.	6,816,734			Wong et al.
	6,751,626 B2		Brown et al.	6,816,782 6,816,850		11/2004	Walters et al.
	6,754,636 B1 6,754,904 B1		Walker et al. Cooper et al.	6,819,267			Edmark et al.
	6,756,913 B1	6/2004	Aved	6,819,301	B2		Nagamatsu et al.
	6,756,938 B2	6/2004	Zhao et al.	6,819,919		11/2004	
	6,757,156 B2		Adams et al.	6,820,269 6,823,188		11/2004	Baucke et al.
	6,757,517 B2 6,757,544 B2	6/2004	Chang Rangarajan et al.	6,823,189			Akhteruzzaman et al.
	6,757,545 B2		Nowak et al.	6,823,257	B2	11/2004	Clapper
	6,758,812 B2	7/2004		6,826,473			Burch et al.
	6,759,956 B2		Menard et al.	6,826,598 6,826,607			Titmuss et al. Gelvin et al.
	6,759,960 B2		Stewart	6,828,908		12/2004	
	6,762,772 B1 6,765,492 B2	7/2004	Imamura et al. Harris	6,829,475			Lee et al.
	6,765,998 B2		Bruce et al.	6,829,532			Obradovich et al.
	6,766,174 B1		Kenyon	6,832,251			Gelvin et al.
	6,766,245 B2		Padmanabhan	6,832,373 6,834,115		12/2004	Maurer et al.
	6,768,944 B2 6,769,002 B2	7/2004	Breed et al.	6,834,195	B2	12/2004	Brandenberg et al.
	6,771,742 B2		McCalmont et al.	6,839,020	B2	1/2005	Geier et al.
	6,771,970 B1	8/2004		6,839,021			Sheynblat et al.
	6,771,971 B2	8/2004		6,839,417 6,839,561		1/2005	Weisman et al.
	6,772,213 B2 6,772,340 B1		Glorikian Peinado et al.	6,839,628		1/2005	
	6,774,797 B2		Freathy et al.	6,842,620			Smith et al.
	6,775,255 B1	8/2004	Roy	6,842,715	B1	1/2005	
	6,775,267 B1		Kung et al.	6,842,774 6,845,318			Piccioni Moore et al.
	6,775,534 B2 6,775,613 B2		Lindgren et al. Burt et al.	6,845,400			Macpherson et al.
	6,775,655 B1		Peinado et al.	6,847,376	B2	1/2005	Engeldrum et al.
	6,775,802 B2	8/2004		6,847,618			Laursen et al.
	6,778,136 B2		Gronemeyer	6,847,822 6,847,891			Dennison et al. Pietras et al.
	6,778,524 B1 6,778,885 B2	8/2004	Augart Agashe et al.	6,847,969	B1		Mathai et al.
	6,781,963 B2		Crockett et al.	6,848,542	B2	2/2005	Gailey et al.
	6,782,264 B2	8/2004	Anderson	6,850,188			Lee et al.
	6,782,278 B2		Chen et al.	6,850,209 6,850,837			Mankins et al. Paulauskas et al.
	6,788,199 B2 6,788,249 B1		Crabtree et al. Farmer et al.	6,853,332			Brookes
	6,788,288 B2	9/2004		6,853,911	B1		Sakarya
	6,788,946 B2		Winchell et al.	6,853,916			Fuchs et al.
	6,789,012 B1		Childs et al.	6,853,917 6,853,955		2/2005	Burrell et al.
	6,789,102 B2 6,795,444 B1		Gotou et al. Vo et al.	6,856,282			Mauro et al.
	6,795,686 B2		Master et al.	6,859,149	B1		Ohta et al.
	6,795,699 B1		McCraw et al.	6,859,721			Runquist et al.
	6,795,700 B2		Karaoguz et al.	6,859,831 6,861,980			Gelvin et al. Rowitch et al.
	6,795,710 B1 6,795,770 B1		Creemer Hanshew et al.	6,865,171			Nilsson
	6,798,358 B2		Joyce et al.	6,865,394			Ogino et al.
	6,799,032 B2	9/2004	McDonnell et al.	6,865,395	B2	3/2005	Riley
	6,799,049 B1		Zellner et al.	6,865,483			Cook, III et al.
	6,799,050 B1		Krasner	6,867,733 6,867,734			Sandhu et al.
	6,801,159 B2 6,801,763 B2		Swope et al. Elsey et al.	6,868,074			Voor et al. Hanson
	6,801,703 B2		Koorapaty et al.	6,868,333		3/2005	
	6,801,850 B1		Wolfson	6,868,396		3/2005	Smith et al.
	6,801,855 B1	10/2004	Walters et al.	6,871,144	B1	3/2005	Lee

(56)		Referen	ces Cited	6,944,760		9/2005	
	HC	DATENT	DOCUMENTO	6,947,772 6,947,880			Minear et al. Johnson et al.
	U.S.	PATENT	DOCUMENTS	6.948.656			Williams
	6,873,290 B2	3/2005	Anderson et al.	6,950,058			Davis et al.
	6,873,850 B2		Dowling et al.	6,950,326		9/2005	Suzuki
	6,873,851 B2		Brown et al.	6,950,535			Sibayama et al.
	6,873,854 B2		Crockett et al.	6,952,181			Karr et al.
	6,876,734 B1		Summers et al.	6,952,574 6,954,442			
	6,879,244 B1	4/2005		6,954,641			McKenna et al.
	6,879,574 B2 6,879,835 B2		Naghian et al. Greene et al.	6,954,735			Djupsjobacka et al.
	6,879,836 B2		Nakamoto et al.	6,954,790		10/2005	
	6,879,838 B2		Rankin et al.	6,956,564			Williams
	6,882,313 B1		Fan et al.	6,956,573 6,957,068		10/2005	Bergen et al. Hutchison, IV et al.
	6,882,348 B2	4/2005		6.957.072			Kangras et al.
	6,882,850 B2 6,885,874 B2		McConnell et al. Grube et al.	6,957,073		10/2005	
	6,885,940 B2		Brodie et al.	6,957,076			Hunzinger
	6,886,750 B2		Rathus et al.	6,957,393			Fano et al.
	6,888,497 B2		King et al.	6,961,019 6,961,312			McConnell et al. Kubler et al.
	6,888,536 B2		Westerman et al.	6,961,562		11/2005	
	6,888,932 B2 6,891,500 B2		Snip et al. Hall et al.	6,963,283			Gonzalez
	6,895,238 B2		Newell et al.	6,963,557	B2	11/2005	
	6,895,240 B2		Laursen et al.	6,963,748			Chithambaram et al.
	6,895,249 B2	5/2005		6,963,900		11/2005	
	6,898,416 B2		Saarinen et al.	6,965,754 6,965,767		11/2005	Maggenti et al.
	6,898,436 B2 6,898,516 B2		Crockett et al. Pechatnikov et al.	6,965,816		11/2005	
	6,898,518 B2		Padmanabhan	6,965,868			Bednarek
	6,898,526 B2		Doyle et al.	6,968,044			Beason et al.
	6,900,758 B1		Mann et al.	6,968,179			De Vries
	6,901,260 B1	5/2005		6,968,195 6,970,130		11/2005	Walters et al.
	6,901,304 B2	5/2005 5/2005	Swan et al.	6,970,130			Walker et al.
	6,901,444 B1 6,903,684 B1		Simic et al.	6,970,917			Kushwaha et al.
	6,903,685 B1		Arndt et al.	6,970,922		11/2005	
	6,904,029 B2		Fors et al.	6,973,320			Brown et al.
	6,904,360 B2		Pechatnikov et al.	6,973,384 6,975,266			Zhao et al. Abraham et al.
	6,904,364 B2 6,907,224 B2	6/2005	Randazzo et al.	6,975,873			Banks et al.
	6,907,224 B2	6/2005		6,975,874			Bates et al.
	6,909,902 B1		Sawada et al.	6,975,941			Lau et al.
	6,912,230 B1		Salkini et al.	6,975,959 6,978,258			Dietrich et al. Chithambaram
	6,912,395 B2 6,912,398 B1		Benes et al. Domnitz	6,978,453			Rao et al.
	6,912,545 B1		Lundy et al.	6,980,813			Mohi et al.
	6,914,626 B2		Squibbs	6,980,816			Rohles et al.
	6,915,208 B2		Garin et al.	6,980,909			Root et al.
	6,917,331 B2		Gronemeyer	6,981,029 6,982,656			Menditto et al. Coppinger et al.
	6,917,703 B1 6,917,878 B2		Steffens et al. Pechatnikov et al.	6,983,313			Korkea-Aho
	6,917,968 B2		Nakamura	6,985,747	B2	1/2006	Chithambaram
	6,920,328 B2		Wollrab	6,985,839			Motamedi et al.
	6,920,391 B2		Daubert et al.	6,985,879 6,987,976			Walker et al. Kohar et al.
	6,920,430 B1		Berton et al.	6,989,765			Gueziec
	6,920,464 B2 6,922,566 B2	7/2005 7/2005	Puranik et al.	6,990,462			Wilcox et al.
	6,925,378 B2		Tzamaloukas	6,990,472			Rosenhaft et al.
	6,925,381 B2	8/2005	Adamczyk	6,990,495			Grason et al.
	6,928,294 B2		Maggenti et al.	6,993,327 6,993,355		1/2006	Mathis Pershan
	6,930,634 B2 6,933,841 B2		Peng et al. Muramatsu et al.	6.993,718			Fujihara
	6,934,634 B1	8/2005		6,996,087		2/2006	
	6,937,187 B2		van Diggelen et al.	6,996,251			Malone et al.
	6,937,569 B1		Sarkar et al.	6,996,387		2/2006	
	6,937,597 B1		Rosenberg et al.	6,996,720 6,999,779			DeMello et al. Hashimoto
	6,937,872 B2 6,938,076 B2		Krasner Meyer et al.	6,999,782			Shaughnessy et al.
	6,940,454 B2		Paetzold et al.	6,999,783			Toyryla et al.
	6,940,826 B1		Simard et al.	7,003,289	B1	2/2006	Kolls
	6,940,950 B2		Dickinson et al.	7,003,571			Zombek et al.
	6,941,144 B2	9/2005		7,003,604 7,006,829	B2	2/2006	
	6,943,671 B2 6,944,443 B2		McGee et al. Bates et al.	7,006,829			Zhao et al. Cooper
	6,944,447 B2		Portman et al.	7,007,010		2/2006	
	6,944,540 B2		King et al.	7,009,556			Stewart
	6,944,704 B2	9/2005	Brelin	7,010,144	B1	3/2006	Davis et al.

(56)		Referen	ces Cited	7,072,645			Schwinke et al.
	IJ	S. PATENT	DOCUMENTS	7,072,665 7,072,667			Blumberg et al. Olrik et al.
	Ü		Bocomerin	7,072,672			Vanska et al.
	7,012,901 B	3/2006	Jagadeesan et al.	7,072,963			Anderson et al.
	7,013,148 B		Ganesh	7,075,900		7/2006	
	7,013,216 B		Walters et al.	7,076,235 7,076,255			Esque et al. Parupudi et al.
	7,013,391 B		Herle et al. Demos et al.	7,076,257		7/2006	
	7,016,717 E		Eaton et al.	7,076,737		7/2006	Abbott et al.
	7,020,460 B		Sherman et al.	7,079,857		7/2006	Maggenti et al.
	7,020,494 B		Spriestersbach et al.	7,079,947			Runquist et al.
	7,020,701 B		Gelvin et al.	7,080,124 7,082,365			Shankar Sheha et al.
	7,023,383 E 7,023,465 E		Stilp et al. Stephens, Jr.	7,082,363		8/2006	
	7,023,403 E		Lenard	7,084,771			Gonzalez
	7,024,200 B		McKenna et al.	7,085,365			Kauppinen
	7,024,205 B			7,085,555 7,085,637			Zellner et al. Breed et al.
	7,024,207 B 7,024,214 B		Gorday et al. Loveland	7,085,678			Burrell et al.
	7,024,214 B		Chiappetta et al.	7,085,818		8/2006	Brown et al.
	7,024,321 B		Deninger et al.	7,089,110			Pechatnikov et al.
	7,024,393 B		Peinado et al.	7,089,214		8/2006	
	7,026,926 B		Walker, III	7,089,264 7,091,851			Guido et al. Mason et al.
	7,026,928 B 7,027,564 B			7,091,851			Mason et al.
	7,027,304 E		Ozturk et al.	7,092,385		8/2006	Gallant et al.
	7,031,724 B		Ross et al.	7,092,573			Luo et al.
	7,031,725 B		Rorabaugh	7,092,702			Cronin et al. Jones et al.
	7,031,728 B		Beyer, Jr.	7,095,871 7,096,029			Parupudi et al.
	7,031,875 B 7,032,030 B		Ellenby et al. Codignotto	7,096,030		8/2006	
	7,034,678 B		Burkley et al.	7,096,233			Mori et al.
	7,034,681 B		Yamamoto et al.	7,099,770			Naden et al.
	7,035,618 B		Schnurr	7,103,018 7,103,368			Hansen et al. Teshima
	7,035,647 B 7,035,731 B		de Verteuil	7,103,308			Creemer
	7,033,731 E		Hoffman et al.	7,103,470		9/2006	
	7,039,596 B			7,103,471			Levi et al.
	7,039,599 B		Merriman et al.	7,103,574 7,103,806			Peinado et al. Horvitz
	7,039,603 B		Walker et al.	7,103,800			Rousseau et al.
	7,042,338 B 7,042,361 B		Kazdin et al.	7,106,843			Gainsboro et al.
	7,042,391 B		Meunier et al.	7,107,038			Fitch et al.
	7,043,256 B		Ozugur et al.	7,107,065			Overy et al. Walker et al.
	7,043,362 B		Krull et al.	7,107,228 7,107,285			von Kaenel et al.
	7,044,372 B 7,047,030 B		Okuda et al. Forsyth	7,110,749			Zellner et al.
	7,047,203 B		Johnson	7,110,753			Campen
	7,047,411 B	5/2006	DeMello et al.	7,110,773			Wallace et al.
	7,047,549 B		Schein et al.	7,110,880 7,113,110			Breed et al. Horstemeyer
	7,050,624 B 7,050,655 B		Dialameh et al. Ho et al.	7,113,717			Kelley et al.
	7,050,797 B			7,113,806	B2	9/2006	Gray
	7,050,818 B		Tendler	7,116,977			Moton, Jr. et al.
	7,053,780 B		Straub et al.	7,116,985 7,117,015			Wilson et al. Scheinert et al.
	7,053,822 B 7,054,741 B		Rickerson, Jr. Harrison et al.	7,117,013			Hanshew et al.
	7,057,556 B		Hall et al.	7,119,716			Horstemeyer
	7,057,591 B		Hautanen et al.	7,120,444			Silvester
	7,058,208 B		Chang et al.	7,120,450 7,120,459			Hines et al. Sawada et al.
	7,058,594 B		Stewart Albertsson et al.	7,120,439			Urakawa
	7,062,269 B 7,062,279 B		Cedervall et al.	7,123,189	B2		Lalik et al.
	7,062,491 B		McNulty et al.	7,123,693			Nelson et al.
	7,062,510 B		Eldering	7,123,926 7,124,174			Himmelstein
	7,062,530 B		Scheinkman	7,124,174	B2 B2	10/2006	Wyke et al.
	7,064,681 B 7,065,351 B		Horstemeyer Carter et al.	7,127,257			Riley et al.
	7,065,507 B		Mohammed et al.	7,127,261	B2	10/2006	Van Erlach
	7,065,548 B	6/2006	van Oldenborgh et al.	7,128,274			Kelley et al.
	7,069,016 B		Crisler et al.	7,130,385		10/2006	
	7,069,023 B 7,069,026 B		Maanoja et al. McClure	7,130,406 7,130,646		10/2006	Pines et al.
	7,069,020 B		Abrams	7,130,040			Klinker et al.
	7,069,319 B		Zellner et al.	7,133,909		11/2006	
	7,071,821 B	7/2006	Adamczyk et al.	7,135,992	B2	11/2006	Karlsson et al.
	7,071,842 B		Brady, Jr.	7,136,466		11/2006	
	7,072,454 B	31 7/2006	ward	7,136,663	B 2	11/2006	Metais et al.

US 9,467,832 B2

Page 12

(56)		Referen	ces Cited	7,213,048			Parupudi et al.
	HC	DATENIT	DOCUMENTS	7,215,967 7,216,109		5/2007	Kransmo et al.
	U.S.	PAIENI	DOCUMENTS	7,218,242		5/2007	Scalisi et al.
7 136 9	838 B1	11/2006	Peinado et al.	7,218,940			Niemenmaa et al.
	915 B2		Rieger, III	7,219,303	B2	5/2007	
	913 B2		Mackenzie et al.	7,221,937			Lau et al.
7,139,	252 B2		Babu et al.	7,221,948			Tokkonen
	553 B2	11/2006		7,221,959 7,222,018			Lindqvist et al. Uyeki et al.
	565 B2	11/2006	Fiatal et al.	7,222,018			Anderson et al.
	564 B2 858 B2		Kelly et al. Aoki et al.	7,224,966		5/2007	Caspi et al.
	900 B1	11/2006		7,224,978			Zellner et al.
7,143.	130 B2	11/2006		7,224,987	B1	5/2007	Bhela et al.
, ,	900 B2	12/2006	Nix et al.	7,224,995		5/2007	
	129 B2		Bostrom et al.	7,225,207			Ohazama et al.
	503 B2		Aarnio et al.	7,228,136 7,231,218			Myllymaki et al. Diacakis et al.
	533 B2 525 B2		Laird et al. Mathews et al.	7,231,219			Curtis et al.
	030 B1		Eldering et al.	7,231,423			Horstmann et al.
	921 B2	12/2006		7,233,786	B1		Harris et al.
	946 B2		Maggenti et al.	7,234,117			Zaner et al.
7,155,	238 B2	12/2006	Katz	7,234,942			Hu et al.
	339 B2	12/2006		7,236,742 7,236,799			Hall et al. Wilson et al.
	521 B2		Lahti et al.	7,236,799			Kalthoff et al.
	883 B2 980 B2	1/2007	Fuchs et al.	7,237,019			Sogabe et al.
	221 B2		Spitz et al.	7,237,201		6/2007	
	256 B2	1/2007	Seligmann et al.	7,239,759			Nam et al.
7,162,	454 B1		Donner et al.	7,239,943		7/2007	
	117 B2		Breed et al.	7,240,036			Mamdani et al.
	883 B2		Rappaport et al.	7,242,303 7,242,950		7/2007 7/2007	Patel et al. Suryanarayana et al.
	921 B2		Owens et al.	7,242,350		7/2007	
	986 B2 725 B2	1/2007	Humphries et al.	7,246,371			Diacakis et al.
	711 B1	1/2007		7,248,677		7/2007	Randall et al.
	713 B2		Anderson	7,248,884			Miyamoto
	863 B1	1/2007	Denman et al.	7,248,965			Tanizaki et al.
	190 B2		Ye et al.	7,250,907			Krumm et al.
	198 B2		Paila et al.	7,251,312 7,251,561			D'Evelyn et al. Dotan et al.
	153 B2 277 B2	2/2007	Vock et al.	7,251,696			Horvitz
	397 B2		McCalmont et al.	7,254,388			Nam et al.
	398 B2		Meer et al.	7,254,406			Beros et al.
	399 B2		Dawson et al.	7,254,481			Yamada et al.
	904 B1		Mathur et al.	7,256,711			Sheha et al.
7,181,	189 B2		Hotta et al.	7,256,737 7,257,392		8/2007	Hall et al. Tang et al.
	200 B2 227 B2		Malackowski et al. Wilson et al.	7,257,416			Lee et al.
	750 B2		Tervo et al.	7,260,186			Zhu et al.
	790 B2		Dorenbosch et al.	7,260,378			Holland et al.
	352 B2		Hallford et al.	7,260,384			Bales et al.
	997 B2		Johnson	7,263,437			Hirose et al.
7,190,9	948 B2		Donley et al.	7,266,376 7,266,378	B2		Nakagawa Norta et al.
	960 B2 273 B2		Wilson et al. Vaudreuil	7,266,379			Blight et al.
	639 B2		Joyce et al.	7,266,836			Anttila et al.
	321 B2		Erskine et al.	7,269,425			Valko et al.
7,199,	754 B2		Krumm et al.	7,269,590			Hull et al.
	815 B2		Aoyama	7,269,601			Kinno et al.
	380 B2		Havlark et al.	7,269,636 7,269,821			McCollum et al. Sahinoja et al.
	394 B2 409 B1		Aoki et al. Ichikawa et al.	7,271,742		9/2007	
	566 B1		Moore et al.	7,271,765		9/2007	
	776 B2	4/2007		7,273,172			Olsen, III et al.
7,202,	814 B2	4/2007	Caspi et al.	7,274,299		9/2007	
	502 B2		Wilson et al.	7,274,332		9/2007	
	574 B2	4/2007		7,274,924 7,274,939			Yoshioka Ruutu et al.
	752 B2		Rice et al.	7,277,912			Corboy et al.
	388 B2 568 B2	4/2007	Diacakis Sudit	7,277,923			Rensin et al.
	828 B1		Bourke-Dunphy et al.	7,280,822			Fraccaroli
	571 B2		Davis et al.	7,280,975		10/2007	
7,209,	753 B2	4/2007		7,283,846	B2	10/2007	Spriestersbach et al.
	755 B2		Gorday et al.	7,284,033		10/2007	Jĥanji
	758 B1		Moll et al.	7,284,064			Connelly
	969 B2		Lahti et al.	7,289,617			Barnes et al.
	111 B2		Tupler et al.	7,289,813 7,289,814			Karaoguz Amir et al.
/,∠1∠,	806 B2	3/200/	Karaoguz	1,209,014	DZ	10/2007	Anill Ct al.

(56)		Referen	ces Cited	7,376,433		5/2008	
	II C	DATENIT	DOCUMENTS	7,376,591 7,376,640		5/2008 5/2008	Owens Anderson et al.
	0.5.	FAILINI	DOCUMENTS	7,379,889			Ratzlaff et al.
	7,289,904 B2	10/2007	Uveki	7,382,770	B2	6/2008	Bergman et al.
	7,292,142 B2		Simon et al.	7,382,773			Schoeneberger et al.
	7,292,685 B2	11/2007		7,383,316 7,385,499			Koch et al. Horton et al.
	7,292,935 B2	11/2007		7,385,499			Lopponen et al.
	7,295,556 B2 7,298,327 B2	11/2007	Roese et al. Dupray et al.	7,386,392			Kabel et al.
	7,299,008 B2	11/2007		7,386,477		6/2008	
	7,301,469 B1		Hoffman et al.	7,388,519		6/2008	
	7,301,536 B2		Ellenby et al.	7,389,179 7,389,275			Jin et al. Kemper et al.
	7,302,254 B2 7,302,634 B2		Valloppillil Lucovsky et al.	7,389,351			Horvitz
	7,304,966 B2		Phan-Anh et al.	7,394,896		7/2008	
	7,305,365 B1		Bhela et al.	7,395,031		7/2008	
	7,305,442 B1	12/2007		7,395,045 7,395,259			Jijina et al. Bailey et al.
	7,305,700 B2 7,307,636 B2		Boynton et al. Matraszek et al.	7,397,379			Richards et al.
	7,308,356 B2		Melaku et al.	7,398,151			Burrell et al.
	7,310,676 B2	12/2007		7,401,057		7/2008	
	7,315,746 B2		Caspi et al.	7,403,221 7,403,786			Yamazaki et al. Caspi et al.
	7,317,705 B2 7,317,927 B2		Hanson Staton et al.	7,403,908			Jaramillo
	7,318,041 B2		Walker et al.	7,403,942	B1	7/2008	
	7,319,414 B2		Horstemeyer	7,403,972			Lau et al.
	7,319,931 B2		Uyeki et al.	7,406,507 7,406,665		7/2008	Piccioni Vokota
	7,321,773 B2 7,324,987 B2		Hines et al. Hsieh et al.	7,409,384			Szeto et al.
	7,327,245 B2		Krumm et al.	7,412,260	B2		Gailey et al.
	7,327,312 B1	2/2008		7,412,313		8/2008	
	7,328,242 B1		McCarthy et al.	7,413,513 7,414,637			Nguyen et al. Fogel et al.
	7,328,455 B2		Jutzi et al.	7,414,037			Hardy et al.
	7,330,112 B1 7,330,895 B1		Emigh et al. Horvitz	7,418,402			McCrossin et al.
	7,330,899 B2	2/2008		7,421,154		9/2008	
	7,333,480 B1		Clarke et al.	7,421,422			Dempster et al.
	7,333,819 B2		Caspi et al. Sheha et al.	7,421,486 7,421,577			Parupudi et al. Ichikawa et al.
	7,333,820 B2 7,333,956 B2		Malcolm	7,423,538			Gonzalez
	7,334,728 B2		Williams	7,424,293		9/2008	
	7,336,819 B2		Gallagher et al.	7,424,363 7,426,380			Cheng et al. Hines et al.
	7,336,928 B2		Paalasmaa et al. Nasielski	7,426,380			Sundararajan et al.
	7,336,949 B2 7,337,061 B2		Naden et al.	7,428,417			Caspi et al.
	7,337,210 B2		Barsness	7,428,571			Ichimura
	7,337,465 B2		Kiyoto et al.	7,433,672 7,433,694		10/2008	Wood Morgan et al.
	7,339,496 B2 7,340,057 B2		Endo et al. Martin, Jr. et al.	7,435,094			McMullen et al.
	7,340,037 B2 7,340,240 B2		McDonald	7,437,413			Okuyama et al.
	7,340,389 B2	3/2008		7,437,444		10/2008	
	7,340,691 B2		Bassett et al.	7,439,847 7,440,442			Pederson Grabelsky et al.
	7,343,141 B2 7,343,165 B2		Ellis et al. Obradovich	7,440,573	B2	10/2008	Lor et al.
	7,343,103 B2 7,343,222 B2	3/2008	Solomon	7,440,842	B1	10/2008	Vorona
	7,343,317 B2		Jokinen et al.	7,441,203			Othmer et al.
	7,343,408 B2		Kushwaha et al.	7,441,706 7,447,508		10/2008 11/2008	Schuessler et al.
	7,349,706 B2 7,350,236 B1		Kim et al. Silverbrook et al.	7,450,934			Caspi et al.
	7,350,230 B1 7,350,237 B2		Vogel et al.	7,453,219	B2		Mor et al.
	7,353,016 B2		Roundtree et al.	7,455,586			Nguyen et al.
	7,353,034 B2	4/2008		7,457,628 7,457,634			Blumberg et al. Morinaga et al.
	7,353,139 B1 7,355,528 B2		Burrell et al. Yamane et al.	7,458,080			Parker et al.
	7,359,706 B2	4/2008		7,460,863	B2	12/2008	Steelberg et al.
	7,359,713 B1	4/2008	Tiwari	7,461,528		12/2008	Taniguchi et al.
	7,359,724 B2		Torvinen	7,463,151 7,463,972			Schulte-Kellinghaus Yamada et al.
	7,359,894 B1 7,362,662 B2	4/2008 4/2008	Liebman et al.	7,463,972			Deaton et al.
	7,363,024 B2		Jenkins	7,469,298			Kitada et al.
	7,363,027 B2		Hon et al.	7,472,172		12/2008	Anderson et al.
	7,366,522 B2	4/2008	Thomas	7,472,202			Parupudi et al.
	7,366,606 B2	4/2008		7,472,338		12/2008	
	7,366,779 B1 7,369,508 B2		Crawford Parantainen et al.	7,472,396 7,474,741			Jacobs et al. Brunson et al.
	7,369,508 B2 7,369,530 B2	5/2008		7,474,741			Mohi et al.
	7,370,283 B2		Othmer	7,474,959		1/2009	Singh
	7,373,820 B1	5/2008		7,475,057			Obradovich

(56)		Referen	ces Cited	7,593,718 B		Gorday et al.
	U.S. F	ATENT	DOCUMENTS	7,596,625 B 7,599,580 B	2 10/2009	Manion et al. King et al.
				7,599,790 B		Rasmussen et al.
	7,475,059 B2		Irle et al.	7,599,983 B 7,603,112 B		Harper et al. Huomo et al.
	7,477,694 B2 7,477,873 B2		Sanderford, Jr. et al. Tanaka et al.	7,603,112 B		Goldberg et al.
	7,477,906 B2		Radic et al.	7,606,416 B		Han et al.
	7,478,055 B2	1/2009		7,606,577 B		Caspi et al.
	7,478,078 B2		Lunt et al.	7,606,663 B 7,606,687 B		Neef et al. Galbreath et al.
	7,479,899 B2 7,479,983 B2		Horstemeyer Fisher et al.	7,606,741 B		King et al.
	7,480,566 B2		Laverty	7,610,145 B	2 10/2009	Kantarjiev et al.
	7,480,567 B2	1/2009	Suomela et al.	7,613,634 B		Siegel et al.
	7,483,944 B2		Parupudi et al.	7,613,812 B 7,617,128 B		Manion et al.
	7,483,946 B2 7,484,176 B2	1/2009	Blattner et al.	7,617,176 B		Zeng et al.
	7,486,958 B2		Sheha et al.	7,620,404 B	2 11/2009	Chesnais et al.
	7,487,148 B2	2/2009		7,620,621 B		Fuselier et al.
	7,489,938 B2		Flynn et al.	7,623,848 B 7,623,860 B		Rosenfelt et al.
	7,490,056 B2 7,490,144 B2	2/2009	Carlson et al.	7,623,871 B		Sheynblat
	7,493,363 B2		Huitema et al.	7,623,966 B		Butler, Jr.
	7,496,082 B2	2/2009		7,627,425 B 7,627,498 B		Salmre et al. Walker et al.
	7,496,347 B2 7,496,633 B2		Puranik Szeto et al.	7,630,986 B		Herz et al.
	7,496,648 B2		Manion et al.	7,636,755 B	2 12/2009	Blattner et al.
	7,499,714 B2	3/2009		7,640,009 B		Belkin et al.
	7,502,133 B2		Fukunaga et al.	7,640,300 B 7,643,834 B		Wohlgemuth et al. Ioppe et al.
	7,502,610 B2 7,503,074 B2	3/2009	Dublish et al.	7,644,144 B		Horvitz et al.
	7,509,422 B2		Jaffray et al.	7,644,166 B	2 1/2010	Appelman et al.
	7,512,407 B2		Wu et al.	7,649,872 B		Naghian et al.
	7,512,544 B2		Carter et al.	7,650,142 B 7,653,574 B		Longman et al. Harper et al.
	7,519,372 B2 7,519,548 B2		MacDonald et al. Hanechak et al.	7,657,079 B		Lake et al.
	7,519,703 B1		Stuart et al.	7,663,502 B		
	7,522,627 B2		Lam et al.	7,664,233 B 7,664,509 B		Kirchmeier et al. Zellner et al.
	7,522,911 B2 7,522,995 B2		Ung et al. Nortrup	7,668,649 B		
	7,523,191 B1		Thomas et al.	7,668,832 B	2 2/2010	Yeh et al.
	7,525,484 B2	4/2009	Dupray et al.	7,668,864 B		Benson et al.
	7,525,955 B2		Velez-Rivera et al.	7,670,263 B 7,672,439 B		Ellis et al. Appelman et al.
	7,526,306 B2 7,529,556 B2		Brems et al. Dunko et al.	7,672,440 B		Chen et al.
	7,529,557 B2	5/2009		7,672,639 B		Vaddiparty et al.
	7,529,617 B2		Ono et al.	7,675,889 B 7,680,340 B		Nakao et al. Luo et al.
	7,529,723 B2 7,532,809 B2		Howard et al. Boston et al.	7,680,796 B		Yeh et al.
	7,532,878 B2		Hagebarth	7,680,942 B		Tu et al.
	7,532,899 B2		Wilson et al.	7,685,279 B		Miltonberger et al. Borovoy et al.
	7,536,256 B2 7,536,437 B2		Kelley et al. Zmolek	7,688,211 B 7,688,260 B		Pomerantz et al.
	7,538,745 B2		Borovoy et al.	7,688,811 B	2 3/2010	Kubler et al.
	7,545,784 B2	6/2009	Mgrdechian et al.	7,693,752 B		Jaramillo
	7,545,916 B2		Schwartz	7,693,944 B 7,696,905 B		Appelman et al. Ellenby et al.
	7,546,127 B2 7,551,733 B2		Caspi et al. Denny et al.	7,698,228 B		Gailey et al.
	7,558,584 B2		Yamamoto et al.	7,702,728 B		Zaner et al.
	7,558,696 B2		Vilppula et al.	7,702,739 B 7,706,516 B		Cheng et al. Seligmann
	7,564,348 B2 7,565,153 B2		Staton et al. Alcock et al.	7,706,970 B		
	7,565,155 B2		Sheha et al.	7,706,977 B	2 4/2010	Soehren
	7,568,025 B2		Vasudeva	7,707,109 B		Odijk et al.
	7,568,203 B2		Dotan et al.	7,707,122 B 7,707,262 B		Hull et al.
	7,570,668 B2 7,573,825 B2	8/2009	Mettala et al. Iffland	7,711,604 B		Walker et al.
	7,573,843 B2	8/2009		7,714,712 B		Emigh et al.
	7,573,982 B2		Breen et al.	7,714,778 B		Dupray Appelman et al.
	7,574,222 B2 7,577,131 B2	8/2009 8/2009	Sawada et al. Joseph et al.	7,716,287 B 7,716,585 B		
	7,577,448 B2		Pande et al.	7,710,385 B		Damen
	7,577,747 B2	8/2009	Banet et al.	7,721,084 B	2 5/2010	Salminen et al.
	7,580,384 B2		Kubler et al.	7,724,743 B		Razdan et al.
	7,584,114 B2		Estrada et al.	7,725,550 B		
	7,586,861 B2 7,587,345 B2		Kubler et al. Mann et al.	7,728,724 B 7,729,691 B		Scalisi et al. Newville
	7,590,589 B2		Hoffberg	7,729,091 B		Arrouye et al.
	7,593,605 B2		King et al.	7,730,014 B		Hartenstein et al.

(56)		Referen	ces Cited	7,941,162		5/2011 5/2011	Ioppe et al.
	H	DATENIT	DOCUMENTS	7,944,909 7,945,276			Pedersen
	0.3.	PATENT	DOCUMENTS	7,945,494			Williams
	7,730,063 B2	6/2010	Eder	7,958,457		6/2011	Brandenberg et al.
	7,730,129 B2		Wang et al.	7,967,678			Dougherty et al.
	7,730,389 B2		Rasmussen et al.	7,969,306			Ebert et al.
	7,738,896 B2		Patel et al.	7,970,749 7,974,388		7/2011	Uhlir et al.
	7,743,074 B1 7,747,258 B2	6/2010	Parupudi et al.	7,974,868			Tseng et al.
	7,747,719 B1		Horvitz et al.	7,983,226			Oommen et al.
	7,756,253 B2		Breen et al.	7,996,025		8/2011	
	7,756,537 B2		Laurila et al.	7,996,465			Cromp et al.
	7,756,639 B2		Colley et al.	8,000,724 8,010,100			Rayburn et al. Kushwaha et al.
	7,761,309 B2 7,764,231 B1		Sacco et al. Karr et al.	RE42,738			Williams
	7,764,944 B2		Rollender	8,019,355		9/2011	Shim
	7,764,950 B2		Patel et al.	8,019,630		9/2011	
	7,764,961 B2		Zhu et al.	8,023,958 8,027,333			Wang et al. Grabelsky et al.
	7,765,206 B2		Hillis et al.	8,032,149			Kennedy et al.
	7,769,975 B2 7,774,158 B2		Ripberger Domingues Goncalves et al.	8,043,159			Bae et al.
	7,774,418 B2		Tang et al.	8,046,000		10/2011	
	7,774,453 B2		Babu et al.	RE42,927			Want et al.
	7,783,297 B2	8/2010		8,065,235 8,073,895			Narayanaswami et al. Hamzeh et al.
	7,784,684 B2 7,787,896 B2		Labrou et al. Kundu et al.	8,078,189			Chang et al.
	7,788,260 B2		Lunt et al.	8,126,889		2/2012	
	7,792,273 B2		Fano et al.	8,140,658			Gelvin et al.
	7,793,316 B2		Mears et al.	8,150,617 8,280,624			Manber et al. Riise et al.
	7,797,204 B2 7,797,367 B1	9/2010	Balent Gelvin et al.	8,312,083			Ahn et al.
	7,802,724 B1	9/2010		8,417,763			Stewart
	RE41,899 E		Rose et al.	8,706,542			O'Meara et al.
	7,812,766 B2		Leblanc et al.	2001/0011247			O'Flaherty et al.
	7,813,722 B2		Patel et al.	2001/0029465 2001/0033286			Strisower Stokes et al.
	7,813,741 B2 7,813,873 B2		Hendrey et al. Smartt et al.	2001/0040886			Jimenez et al.
	7,814,502 B2		Blomqvist et al.	2001/0041021			Boyle et al.
	7,818,317 B1	10/2010	Emigh et al.	2001/0044310		11/2001	
	7,822,425 B2		Shim et al.	2001/0048364 2001/0049274			Kalthoff et al. Degraeve
	7,822,426 B1 7,827,176 B2		Wuersch Korte et al.	2001/0049274		12/2001	
	7,827,170 B2 7,827,279 B2		Xu et al.	2001/0055976			Crouch et al.
	7,828,655 B2		Uhlir et al.	2002/0000930			Crowson et al.
	7,831,668 B2	11/2010		2002/0002504 2002/0002899			Engel et al. Gjerdingen et al.
	7,840,224 B2	11/2010	Vengroff et al. Acharya et al.	2002/0002899			Candelaria
	7,840,681 B2 7,840,699 B2		Fujita et al.	2002/0019829		2/2002	Shapiro
	7,844,132 B2		Boese et al.	2002/0022993			Miller et al.
	7,844,254 B2		Arnold et al.	2002/0026289			Kuzunuki et al.
	7,844,687 B1		Gelvin et al.	2002/0030665 2002/0035493		3/2002	Mozayeny et al.
	7,848,760 B2 7,848,761 B2		Caspi et al. Caspi et al.	2002/0035609			Lessard et al.
	7,848,948 B2		Perkowski et al.	2002/0036122		3/2002	Fayette et al.
	7,853,268 B2		Karaoguz et al.	2002/0037735			Maggenti et al.
	7,853,272 B2		Tipnis et al.	2002/0042266 2002/0046069			Heyward et al. Mozayeny et al.
	7,856,311 B2 7,860,519 B2		Matsuura et al. Portman et al.	2002/0046077			Mozayeny et al.
	7,869,816 B2		Merheb et al.	2002/0046084			Steele et al.
	7,870,240 B1		Horvitz	2002/0046232			Adams et al.
	7,873,639 B2		Shipman	2002/0052214 2002/0052786			Maggenti et al. Kim et al.
	7,877,275 B2 7,885,898 B2	1/2011	Narayanaswami et al.	2002/0052780			Abbott et al.
	7,893,826 B2		Stenlund	2002/0055373			King et al.
	7,895,263 B1		Kirchmeier et al.	2002/0055924			Liming
	7,899,473 B2		Pohutsky et al.	2002/0055926			Dan et al.
	7,899,682 B2		Sacco et al.	2002/0061760 2002/0077119			Maggenti et al. Fitch et al.
	7,900,039 B2 7,904,244 B2	3/2011	Shim et al. Sugla	2002/0077144			Keller et al.
	7,904,511 B2		Ryan et al.	2002/0077897	Al		Zellner et al.
	7,917,153 B2	3/2011	Orwant et al.	2002/0091991		7/2002	
	7,917,157 B2		Muhonen	2002/0094787			Avnet et al.
	7,917,414 B2 7,920,871 B2	3/2011 4/2011	Nathanson	2002/0098832 2002/0099769			Fleischer et al. Yasui et al.
	7,930,342 B2		Mattila et al.	2002/0099769			Eldering et al.
	7,937,066 B2		Kaltsukis	2002/0111172			DeWolf et al.
	7,940,746 B2	5/2011	Livingood	2002/0112047	A1	8/2002	Kushwaha et al.
	7,941,161 B2	5/2011	Ioppe et al.	2002/0112237	A1	8/2002	Kelts

(56)	Referen	nces Cited	2003/0200192			Bell et al.
ZII	PATENT	DOCUMENTS	2003/0210265 2003/0216960		11/2003	Haimberg Postrel
0.5.	TAILMI	DOCOMENTS	2003/0217150			Roese et al.
2002/0115453 A1	8/2002	Poulin et al.	2003/0218539		11/2003	
2002/0116336 A1		Diacakis et al.	2003/0220835 2003/0223381			Barnes, Jr. Schroderus
2002/0123327 A1		Vataja	2004/0002359			Deas et al.
2002/0126146 A1 2002/0126656 A1	9/2002	Burns et al. Park	2004/0010358			Oesterling et al.
2002/0127530 A1		Weakly	2004/0010489		1/2004	
2002/0128773 A1		Chowanic et al.	2004/0019584 2004/0021567		1/2004 2/2004	Greening et al.
2002/0140560 A1 2002/0154213 A1		Altman et al. Sibyama et al.	2004/0021307		2/2004	
2002/0154215 A1 2002/0160815 A1		Patel et al.	2004/0044574		3/2004	Cochran et al.
2002/0161633 A1	10/2002	Jacob et al.	2004/0044623			Wake et al.
2002/0164993 A1	11/2002		2004/0044674 2004/0068439			Mohammadioun et al. Elgrably
2002/0165771 A1 2002/0165773 A1		Walker et al. Natsuno et al.	2004/0068724			Gardner, III et al.
2002/0167442 A1	11/2002		2004/0072583		4/2004	Weng
2002/0169539 A1		Menard et al.	2004/0073361			Tzamaloukas et al.
2002/0173905 A1		Jin et al.	2004/0083050 2004/0102201		4/2004 5/2004	
2002/0177449 A1 2002/0178088 A1		McDonnell et al. Lurie et al.	2004/0103182			Krabel et al.
2002/0183059 A1		Noreen et al.	2004/0139049			Hancock et al.
2002/0183072 A1		Steinbach et al.	2004/0158584 2004/0176907			Necsoiu et al. Nesbitt
2002/0186164 A1		Hsu et al. Mar et al.	2004/01/0907			Theiste et al.
2002/0191595 A1 2003/0003933 A1		Deshpande et al.	2004/0186854		9/2004	
2003/0013449 A1	1/2003	Hose et al.	2004/0192349		9/2004	
2003/0023586 A1	1/2003		2004/0192351 2004/0198332			Duncan Lundsgaard
2003/0032404 A1 2003/0033582 A1		Wager et al. Klein et al.	2004/0198332		10/2004	
2003/0035567 A1		Chang et al.	2004/0198379	A1	10/2004	Magee et al.
2003/0037110 A1	2/2003	Yamamoto	2004/0198386		10/2004	
2003/0040272 A1		Lelievre et al. Hileman	2004/0198397 2004/0203630		10/2004 10/2004	
2003/0040944 A1 2003/0055560 A1		Phillips	2004/0203746			Knauerhase et al.
2003/0055983 A1	3/2003	Callegari	2004/0203845		10/2004	
2003/0056218 A1		Wingard et al.	2004/0203847 2004/0203854		10/2004	Knauerhase et al.
2003/0060213 A1 2003/0060215 A1		Heinonen et al. Graham	2004/0203890			Karaoguz et al.
2003/0060976 A1		Sato et al.	2004/0203909		10/2004	Koster
2003/0061206 A1	3/2003		2004/0203923 2004/0204842		10/2004	Mullen Shinozaki
2003/0061211 A1 2003/0064705 A1	3/2003	Shultz et al. Desiderio	2004/0204842			Sprigg et al.
2003/0004703 A1 2003/0065788 A1		Salomaki	2004/0215516		10/2004	Denoon et al.
2003/0065934 A1		Angelo et al.	2004/0219933		11/2004	
2003/0069683 A1		Lapidot et al.	2004/0235493 2004/0236504			Ekerborn Bickford et al.
2003/0074136 A1 2003/0078064 A1	4/2003	Hancock et al.	2004/0242149		12/2004	
2003/0078886 A1		Minear et al.	2004/0243307		12/2004	
2003/0087647 A1	5/2003		2004/0248586 2004/0250212		12/2004 12/2004	Patel et al.
2003/0087648 A1 2003/0096621 A1		Mezhvinsky et al. Jana et al.	2004/0253964			Zhu et al.
2003/0096628 A1		Bar-On et al.	2004/0254811	A1	12/2004	Horstemeyer
2003/0097468 A1		Hamadi	2004/0259641		12/2004	Ho De Luca et al.
2003/0100316 A1 2003/0100320 A1		Odamura Ranjan	2004/0267445 2005/0002419			Doviak et al.
2003/0100320 A1*		Grube et al 455/515	2005/0015197		1/2005	Ohtsuji et al.
2003/0100334 A1	5/2003	Mazzara, Jr.	2005/0027666			Beck, Jr. et al.
2003/0101225 A1		Han et al.	2005/0028034 2005/0032527			Gantman et al. Sheha et al.
2003/0101341 A1 2003/0101450 A1		Kettler, III et al. Davidsson et al.	2005/0032527			Kalevik et al.
2003/0104782 A1		Wong et al.	2005/0039140		2/2005	
2003/0109245 A1		McCalmont et al.	2005/0039178 2005/0041578			Marolia et al. Huotari et al.
2003/0119528 A1 2003/0126150 A1	6/2003 7/2003	Pew et al.	2005/0041578			Ioppe et al.
2003/0120130 A1 2003/0134648 A1		Reed et al.	2005/0043042		2/2005	Hwang et al.
2003/0148774 A1	8/2003	Naghian et al.	2005/0048948			Holland et al.
2003/0149527 A1	8/2003		2005/0048961 2005/0049789			Ribaudo et al. Kelly et al.
2003/0153340 A1 2003/0153341 A1		Crockett et al. Crockett et al.	2005/0049789			Karaizman
2003/0153343 A1		Crockett et al.	2005/0054361		3/2005	Turcanu et al.
2003/0163287 A1		Vock et al.	2005/0055374		3/2005	
2003/0177058 A1		Needham Kaghazian	2005/0060162 2005/0063563			Mohit et al. Soliman
2003/0185357 A1 2003/0191682 A1	10/2003	č	2005/0065959			Smith et al.
2003/0196105 A1		Fineberg	2005/0071702	A 1	3/2005	Morisawa
2003/0200128 A1	10/2003	Doherty	2005/0086261	A1	4/2005	Mammone

(56)	Referen	nces Cited	2006/0046761			Bishop et al.
U.S.	PATENT	DOCUMENTS	2006/0047419 2006/0047825			Diendorf et al. Steenstra et al.
0.00			2006/0053048			Tandetnik
2005/0086467 A1		Asokan et al.	2006/0053225		3/2006 3/2006	Poikselka et al.
2005/0096042 A1		Habeman et al.	2006/0058042 2006/0058955			Mehren
2005/0096840 A1 2005/0096978 A1		Simske Black	2006/0059023			Mashinsky
2005/0101314 A1	5/2005		2006/0061488			Dunton
2005/0102098 A1		Montealegre et al.	2006/0064346 2006/0068753			Steenstra et al. Karpen et al.
2005/0104976 A1 2005/0108643 A1		Currans Schybergson et al.	2006/0008733		4/2006	
2005/0103043 A1 2005/0112030 A1	5/2005		2006/0080286	A1	4/2006	Svendsen
2005/0114527 A1		Hankey et al.	2006/0085392			Wang et al.
2005/0116027 A1		Algiene et al. Hu et al.	2006/0085477 2006/0094353			Phillips et al. Nielsen et al.
2005/0120084 A1 2005/0125343 A1		Mendelovich	2006/0111944			Sirmans, Jr. et al.
2005/0134504 A1		Harwood et al.	2006/0128411			Turcanu
2005/0134578 A1		Chambers et al.	2006/0129451 2006/0148490			Kohanim et al. Bates et al.
2005/0143094 A1 2005/0144333 A1		Reed et al. Kotzin	2006/0149606			Goan et al.
2005/0149443 A1		Torvinen	2006/0150119	A1	7/2006	Chesnais et al.
2005/0153724 A1	7/2005	Vij et al.	2006/0170956			Jung et al.
2005/0154793 A1		Khartabil	2006/0174203 2006/0179160			Jung et al. Uehara et al.
2005/0169248 A1 2005/0171954 A1		Truesdale et al. Hull et al.	2006/0173100			Jung et al.
2005/0174242 A1		Cohen	2006/0187228		8/2006	Jung et al.
2005/0176411 A1		Taya et al.	2006/0187230			Jung et al.
2005/0185060 A1		Neven et al.	2006/0189337 2006/0190812			Farrill et al. Ellenby et al.
2005/0186954 A1 2005/0192999 A1		Kenney Cook et al.	2006/0211453		9/2006	Schick
2005/0198305 A1		Pezaris et al.	2006/0212558			Sahinoja et al.
2005/0202830 A1	9/2005		2006/0212562 2006/0217127			Kushwaha et al. Drane et al.
2005/0202831 A1 2005/0202832 A1	9/2005 9/2005		2006/0217127		9/2006	
2005/0202832 A1 2005/0202834 A1	9/2005		2006/0218181		9/2006	
2005/0203698 A1	9/2005	Lee	2006/0221197			Jung et al.
2005/0209815 A1		Russon et al.	2006/0224662 2007/0019614			Richardson et al. Hoffmann
2005/0209995 A1 2005/0210104 A1		Aksu et al. Torvinen	2007/0022011			Altberg et al.
2005/0216457 A1		Walther et al.	2007/0041513		2/2007	
2005/0221843 A1		Friedman et al.	2007/0049288 2007/0121601			Lamprecht et al. Kikinis et al.
2005/0222756 A1 2005/0222905 A1	10/2005	Davis et al.	2007/0121001			Wilson et al.
2005/0222961 A1		Staib et al.	2007/0263560	A1	11/2007	Saarisalo et al.
2005/0227705 A1	10/2005	Rousu et al.	2007/0276591			Lea et al.
2005/0228719 A1		Roberts et al.	2008/0046516 2008/0086240		4/2008	Hyoung et al. Breed
2005/0228853 A1 2005/0228860 A1		Yamamura et al. Hamynen et al.	2008/0129528			Guthrie
2005/0232252 A1		Hoover	2008/0287116			Drane et al.
2005/0233776 A1*		Allen et al 455/567	2009/0019532 2009/0030605		1/2009 1/2009	Jacobsen et al.
2005/0234891 A1 2005/0245232 A1		Walther et al. Jakober et al.	2009/0030003			MacNaughtan et al.
2005/0243232 A1 2005/0250440 A1		Zhou et al.	2009/0197612		8/2009	Kiiskinen
2005/0250516 A1	11/2005		2009/0215465			Macnaughtan et al.
2005/0255857 A1		Kim et al.	2010/0125498 2011/0205054			Jaramillo Ioppe et al.
2005/0256866 A1 2005/0256867 A1		Lu et al. Walther et al.	2011/0203034			Ioppe et al.
2005/0259675 A1		Tuohino et al.	2014/0018102			Brewer et al.
2005/0261829 A1		Furukawa				
2005/0262081 A1 2005/0265318 A1		Newman Khartabil et al.	FC	DREIG	N PATE	NT DOCUMENTS
2005/0203318 A1 2005/0278749 A1		Ewert et al.	AU 2	003903	2790	8/2003
2005/0282518 A1		D'Evelyn et al.		00390.		9/2004
2005/0286421 A1		Janacek		00590		3/2005
2005/0288036 A1 2005/0289097 A1		Brewer et al. Trossen et al.		00590		3/2005
2006/0003777 A1*		Nonoyama et al 455/457	BR CA		4979 A 3215	12/2000 11/1994
2006/0003804 A1	1/2006		CA		9515 A1	7/1997
2006/0004834 A1 2006/0021009 A1	1/2006 1/2006	Pyhalammi et al.	CA	228'	7596 A1	4/2000
2006/0021009 A1 2006/0023747 A1		Koren et al.	CA DE		2239 A1	1/1088
2006/0025071 A1		Yamazaki et al.	DE DE		1456 A1 7360 A1	1/1988 4/1996
2006/0030339 A1		Zhovnirovsky et al.	DE		6890 A1	8/1996
2006/0030347 A1		Biswaas	DE		4257 A1	1/2000
2006/0035647 A1 2006/0036680 A1	2/2006	Eisner et al.	DE EP		1695 A1 8068 B1	3/2003 7/1992
2006/0030080 A1 2006/0040676 A1	2/2006		EP		5867 A1	12/1996
2006/0040710 A1		Ruetschi et al.	EP		3749 A1	3/1997

(56)	Referen	ces Cited	WO 2006014439 A2 2/2006
	FOREIGN PATE	NT DOCUMENTS	WO 2006054340 A1 5/2006 WO 2006/065856 A1 6/2006 WO 2006108071 A2 10/2006
EP	0785535 A1	7/1997	WO 2006108071 A3 10/2006
EP	0786646 A2	7/1997	WO 2008065245 6/2008
EP	0809117 A2	11/1997	
EP	0813072 B1	12/1997	OTHER PUBLICATIONS
EP	699330 B1	4/1998	
EP EP	0908835 A2 0997808 A2	4/1999 5/2000	"Hansel and Gretel" a German folk tale recorded by the Brothers
EP	1083764 B1	3/2001	Grimm and published in 1812. Illustrated by Arthur Rackham in
EP	1300652 A2	4/2003	1909. Specifically, we would like to cite the "white pebbles" and
EP	1457928 A1	9/2004	"bread crumbs" used as a form of tracking in the folk tale.
EP EP	1465041 A2 1469287 A2	10/2004 10/2004	"Mobile Phone Utility." Jan. 8, 2004. http://www.halfbakery.com/
EP	1496338 A2	1/2005	idea/mobile_20phone_20utility.
EP	1659817 A2	5/2006	"Mobile Proximity Link." Sep. 30, 2001. http://www.halfbakery.
FR	2730083 A1	8/1996	com/idea/Mobile_20Proximity_20Link.
FR FR	2754093 A1	4/1998	"Networks in Motion Named Semi-Finalist for Wireless LBS Chal-
GB	2810183 A1 2278196 A	12/2001 11/1994	lenge." Mar. 18, 2004. http://www.tmcnet.com/usubmit/2004/Mar/
GB	2322248 A	8/1998	1025200.htm.
GB	2359888 A	9/2001	"Proposal for Free, Open Source Cell Phone Location Service."
GB GB	0324800.2 2407230 A	10/2003 4/2005	Mar. 6, 2004. http://george.hotelling.net/90percent/geekery/proposal_for_free_open_source_cell_phone_location_service.
JР	62142215 A	6/1987	php.
ĴР	05-071974	3/1993	"SignalSoft Corporation Has Been Awarded a Location-Based Ser-
JP	08-005394	1/1996	vices Patent." Apr. 27, 2001. http://www.cellular.co.za/news_2001/
JР	08-069436	3/1996	04282001-signalsoft-patent.htm.
JP JP	08-069436 A 08-510578	3/1996 11/1996	"Star Trek Communicator" the prop utilized in the Star Trek
JР	09-054895	2/1997	television series. The first appearance was in "The Cage" episode
JP	09-054895 A	2/1997	airing in 1964. The Science Fiction series was created by Gene
JР	09-062993 A	3/1997	Roddenberry.
JP JP	04-354149 2005-006081	12/2004 1/2005	Want, Roy et al. "The Active Badge Location System." Olivetti
JР	2006-260338	9/2006	Research Ltd., Cambridge, England. ACM Transactions on Infor-
KR	10-2004-0036490	5/2004	mation Systems (TOIS), vol. 10, Issue 1. Jan. 1992. 10 pages.
KR	2004-102440 A	12/2004	"The Tetra System." Ashcom Systems Ltd.—TETRA Communica-
KR KR	10-2005-14287 2005-096746 A	2/2005 10/2005	tions Networks. Feb. 1, 2011. 2 pages. (Editor) Saint-Andre, Peter; (Contributors) Adachi, Shin et al.
KR	10-2004-112991	7/2006	"Liberty ID-SIS Presence Service Specification." Version 1.0-10.
KR	10-2004-115411	7/2006	Liberty Alliance Project. Copyright 2005. 14 pages.
KR	2005-1675	7/2006	"Complete Coverage—Unrivalled Coverage with Lower Costs."
KR KR	10-2004-0064538 10-2005-0024544	9/2006 9/2006	Nokia TB3 TETRA Base Station—Data Sheet. Copyright Nokia
TW	2004-26387	12/2004	2004. 2 pages.
TW	2006-27985 A	6/2006	"Complete Nokia TETRA for Public Safety." Nokia Code: 11113.
TW TW	9315920 94102945	6/2006 6/2006	Copyright 2003 Nokia. 20 pages. Cuervo, F. et al. "Megaco Protocol Version 1.0." Network Working
TW	93141508	7/2006	Group; Request for Comments: 3015; Obsoletes: 2885, 2886;
WO	93/20546	10/1993	Category: Standards Track. Copyright The Internet Society. Nov.
WO	9320546 A1	10/1993	2000. 179 pages.
WO WO	94/08250 97/07467	4/1994 2/1997	Day, M. et al. "A Model for Presence and Instant Messaging."
WO	9707467 A1	2/1997	Network Working Group; Request for Comments: 2778; Category:
WO	9854682 A1	12/1998	Informational. Copyright the Internet Society. Feb. 2000. 17 pages.
WO	9916036 A1	4/1999	Groves, C. et al. "H.24B / MEGACO Registration Procedures." Network Working Group; Request for Comments: 5615; BCP:151;
WO WO	01/31966 A1 01/37597 A1	5/2001 5/2001	Category: Best Current Practice. Copyright IETF Trust and the
wo	0208863 A2	1/2002	persons identified as the document authors. Aug. 2009. 14 pages.
WO	02/054813 A1	7/2002	"Improving TETRA Base Station Coverage with Revolutionary
WO	03005747 A1	1/2003	Radio Access Solution." White Paper. 0604 PMIR. Copyright Nokia
WO WO	03009605 A2 03/023593 A1	1/2003 3/2003	2004. 9 pages.
wo	03/096055 A2	11/2003	Klyne, G. et al. "Date and Time on the Internet: Timestamps." Network Working Group; Request for Comments: 3339; Category:
WO	2004/008792 A1	1/2004	Standards Track. Copyright the Internet Society. Jul. 2002. 18
WO	2004/021730 A1	3/2004	pages.
WO WO	2004/061576 A2 2004073217 A1	7/2004 8/2004	Leighton, Paul "TETRA Security—2nd ETSI Security Workshop:
wo	2004/076977 A1	9/2004	Future Security." Jan. 16-17, 2007. Sophia-Antipolis, France. 31
WO	2004093348 A1	10/2004	pages.
WO	2005/006258 A1	1/2005	"Location Architecture Overview Requirements." Historic Version
WO WO	2005038400 A1	4/2005 6/2005	1.0. "Open Mobile Alliance." OMA-RD-LOC_ArchOverview-V1_0-20041118-H. Nov. 18, 2004. 49 pages.
WO	2005052802 A1 2005/084052 A1	6/2005 9/2005	Makelainen, Sami I. et al. "OMA IMPS (Previously Wireless
wo	2006001412 A1	1/2006	Village)." A paper for instant messaging and presence-seminar,
WO	2006010977 A1	2/2006	University of Helsinki. 2005. 12 pages.

OTHER PUBLICATIONS

"Network Wide TETRA Services." Press Backgrounder for Nokia. Sep. 2004. pp. 1-3.

"Nokia NetAct for TETRA—Ensuring a Reliable and Always Available Service." Copyright Nokia 2001. 2 pages.

"Operational Best Practices for Managing Trunked Land Mobile Radio Systems." PSWN—Public Safety Program Wireless Network. Final Version. May 2003. 77 pages.

Salinas, Arturo. "Advantages and Disadvantages of Using Presence Service." Helsinki University of Technology. May 4-5, 2006. 8 pages.

"TETRA is the Winner in Bahrain." Nokia TETRA is proving its worth in Bahrain, including the challenge of the first Middle Eastern Grand Prix. Copyright 2004. 2 pages.

"TETRA Touch." Nokia TETRA customer newsletter. www.nokia.com/tetra_touch. vol. 4. 2004. 28 pages.

"What is TETRA?" TETRA Quick Guide. Press Backgrounder. Sep. 2004. 9 pages.

Wireless Village—The Mobile IMPS Initiative. Client-Server Protocol Session and Transactions. Version 1.1. WV Internal Tracking No. WV-022. Copyright 2001-2002 Ericsson, Motorola and Nokia. Cover page, i-ii, pp. 1-92.

Wireless Village—The Mobile IMPS Initiative. Command Line Protocol. Version 1.1. WV Internal Tracking No. WV-031. Copyright 2001-2002. Ericsson, Motorola and Nokia. Cover page, i-iii, pp. 1-31.

Wireless Village—The Mobile IMPS Initiative. Presence Attributes. Version 1.1. WV Internal Tracking No. WV-029. Copyright 2001-2002. Ericsson, Motorola and Nokia. Cover page, i-ii, pp. 1-23.

Wireless Village—The Mobile IMPS Initiative. SSP—Server to Server Protocol Semantics Document. Version 1.1. WV Internal Tracking No. WV-032. Copyright 2001-2002 Ericsson, Motorola and Nokia. Cover page, i-ix, pp. 1-125.

Wireless Village—The Mobile IMPS Initiative. System Architecture Model. Version 1.1. WV Tracking No. WV-020. Copyright 2001-2002 Ericsson, Motorola and Nokia. Cover page, i-ii, pp. 1-10.

"Wireless Village Initiative Announces Intent to Join the Open Mobile Alliance." Business, Wire (Vancouver, Canada), Business & High-Tech Editors. Jun. 13, 2002. 3 pages.

"Location Baed Services." GSM Association, Permanent Reference Document: SE.23. Version 3.1.0. Jan. 2003. 75 pages.

"Location-Based Services System (LBSS)." 3GPP2 S.R0019 v 1.0.0. Stage 1 Description. 3rd Generation Partnership Project 2 "3GPP2." Sep. 22, 2000. 56 pages.

"Senior Projects Garner Awards at Spring 2001 Design Expo." Department of Computer Science, University of Colorado at Boulder. 2004. 1 page.

"The World in Your Hand." Newsweek. May 31, 1999. 1 page. Bahl, Paramvir et al. "Radar: An In-Building RF-based User Location and Tracking System." IEEE INFOCOM. 2000. pp. 775-784. Barkhuus, Louise. "Privacy in Location-Based Services, Concern vs. Coolness." Department of Design and Use of IT, The IT University of Copenhagen. Sep. 2004. 6 pages.

Beresford, Alastair R. et al. "Location Privacy in Pervasive Computing." Published by the IEEE CS and IEEE Communications Society, Jan.-Mar. 2003. pp. 46-55.

Bisdikian, C. et al. "Enabling Location-Based Services Through Passive Monitoring Techniques: Mobile Positioning with the HINTON Locator Probe." A White Paper from Telesoft Technologies, 1st Workshop on Mobile Commerce. 2001. pp. 1-20.

Burak, Assaf et al. "Usage Patterns of FriendZone—Mobile Location-Based Community Services." MUM '04 Proceedings of the 3rd International Conference on Mobile and Ubiquitous Multimedia. 2004. 8 pages.

Colbert, Martin. "A Diary Study of Rendezvousing: Implications for Position-Aware Computing and Communications for the General Public." Kingston University, Group '01. ACM Press. Sep. 30-Oct. 3, 2001. 10 pages.

Cuellar, J. et al. "Geopriv Requirements." Internet Draft. Jun. 2002. pp. 1-23.

Cuellar, J. et al. "Geopriv Requirements." Internet Draft. Nov. 2001. pp. 1-13.

Dobson, Jerome E. et al. "Geoslavery." IEEE Technology and Society Magazine, Spring 2003. pp. 47-52. Gruteser, Marco et al. "Anonymous Usage of Location-Based

Gruteser, Marco et al. "Anonymous Usage of Location-Based Services Through Spatial and Temporal Cloaking." Department of Computer Science, University of Colorado at Boulder. Proc. MobiSys 2003, ACM Press. 12 pages.

Jose, Rui et al. "Scalable and Flexible Location-Based Services for Ubiquitous Information Access." First International Symposium on Handheld and Ubiquitous Computing, HUC'99, Karlsruhe, Germany. Sep. 27-29, 1999. Published by Springer, Lecture Notes in Computer Science. vol. 1707. pp. 1-15.

Kottman, Cliff. "Geospatial Sciences in support of Digital Government." Open GIS Consortium, Inc. Nov. 16, 2000. 36 pages.

U.S. Appl. No. 60/574,988, filed May 26, 2004. First named inventor: Randolph A. Jaramillo. Entitled "Hot-Merchant Network (Mobile-Commerce or M-Merchant Network)."

U.S. Appl. No. 60/576,092, filed Jun. 2, 2004. First named inventor: Krishnakant Patel. Entitled, "Pre-Provisioning for P2T Over the Air Activation."

U.S. Appl. No. 60/576,094, filed Jun. 2, 2004. First named inventor: F. Craig Farrill. Entitled, "Technique for Zero Delay Call Set-Up in Press to Talk (P2T) Systems."

U.S. Appl. No. 60/577,971, filed Jun. 8, 2004. First named inventor: Dan Illowsky. Entitled, "Architecture, Apparatus and Methods Thereof for an Efficient Low Cost Seamless Device Interoperability Software Platform."

U.S. Appl. No. 60/579,309, filed Jun. 14, 2004. First named inventor: Ravi Ayyasamy. Entitled, "Client Specification and Architecture for Supporting Press to Talk and Other Premium Voice Services in Wireless Networks."

U.S. Appl. No. 60/579,322, filed Jun. 15, 2004. First named inventor: Ahmad, Ahmad M. Entitled, "Method and system for Modeling People Traveling Behavior."

U.S. Appl. No. 60/581,466, filed Jun. 21, 2004. First named inventor: Arianna Bassoli. Entitled, "Synchronized media streaming between distributed peers."

U.S. Appl. No. 60/581,954, filed Jun. 22, 2004. First named inventor: F. Craig Farrill. Entitled, "Press-to-Connect (PTC) for Wireless Communications Systems."

U.S. Appl. No. 60/582,280, filed Jun. 22, 2004. First named inventor: Tony F. Rodriguez. Entitled, "Digital asset management and targeted searching using digital watermarks."

U.S. Appl. No. 60/582,313, filed Jun. 23, 2004. First named inventor: Julian Bourne. Entitled, "Method and System for Identifying, Locating and Contacting Like-Minded People."

U.S. Appl. No. 60/588,464, filed Jul. 16, 2004. First named inventor: Deepankar Biswaas; and Title: "Virtual Push to Talk (PTT) and Push to Share (PTS)".

U.S. Appl. No. 60/590,152, filed Jul. 21, 2004. First named inventor: Brian Roundtree. Entitled, "Mobile Device Assistance, Mobile Device Management, and Call Interceptor for Mobile Devices."

U.S. Appl. No. 60/592,838, filed Jul. 30, 2004. First named inventor: David S. Breed. Entitled, "System for obtaining vehicular information."

U.S. Appl. No. 60/595,805, filed Aug. 4, 2004. First named inventor: Igor Zhovnirovksy. Entitled, "System for Implementing Serverless Applications Over the Public Wireless Network."

U.S. Appl. No. 60/602,642, filed Aug. 19, 2004. First named inventor: Harper; Gregory W. Entitled, "Digital Music Download." U.S. Appl. No. 60/605,345, filed Aug. 27, 2005, First named inventor: Scott Shamp. Entitled, "Wireless communication of context sensitive content, systems methods and computer program product."

U.S. Appl. No. 60/605,498, filed Aug. 31, 2004. First named inventor: William Meadow. Entitled, "Video and data processing system."

U.S. Appl. No. 60/606,590, filed Sep. 2, 2004. First named inventor: Diendorf; John R.; et al. Entitled, "Telematic method and apparatus for managing shipping logistics."

OTHER PUBLICATIONS

- U.S. Appl. No. 60/609,948, filed Sep. 15, 2004. First named inventor: Phil Stanhope. Entitled, "System and method for synchronizing data."
- U.S. Appl. No. 60/609,989, filed Sep. 15, 2004. First named inventor: John Landry. Entitled, "System and method for sharing content."
- U.S. Appl. No. 60/609,990, filed Sep. 15, 2004. First named inventor: John Landry. Entitled, "System and method for linking data"
- U.S. Appl. No. 60/610,016, filed Sep. 15, 2004. First named inventor: Phil Stanhope. Entitled, "System and method for sharing content."
- U.S. Appl. No. 60/610,079, filed Sep. 15, 2004. First named inventor: Phil Stanhope. Entitled, "System and method for auditing data."
- U.S. Appl. No. 60/611,607, filed Sep. 21, 2004. First named inventor: Brian Roundtree. Entitled, "Secure Mobile Device Software Execution, Help-Support-Care Initiation for Mobile Devices, and Smart Network Configuration Selection for Mobile Devices." U.S. Appl. No. 60/613,646, filed Sep. 27, 2004. First named inventor: Morris Lee. Entitled, "Methods and apparatus for using location information to manage spillover in an audience monitoring system."
- U.S. Appl. No. 60/614,939, filed Sep. 29, 2004. First named inventor: Morris Lee. Entitled, "Methods and apparatus for using location information to manage spillover in an audience monitoring system."
- U.S. Appl. No. 60/618,201, filed Oct. 12, 2004. First named inventor: Wendy Wan-Lin Yang. Entitled, "Systems and methods for managing and presenting entity information."
- U.S. Appl. No. 60/618,748, filed Oct. 15, 2004. First named inventor: Blumberg; et al. Entitled, "Mobile location aware search engine and method of providing content for same."
- U.S. Appl. No. 60/620,456, filed Oct. 19, 2004. First named inventor: Rosen; James S. Entitled, "System and method for location based social networking."
- U.S. Appl. No. 60/622,797, filed Oct. 29, 2004. First named inventor: Bill. Entitled, "Dynamically Predicting an Event at a Location."
- U.S. Appl. No. 60/623,108, filed Oct. 29, 2004. First named inventor: Edward James Morgan. Entitled, "Wireless data Scanning Network for Building Location Beacon Database."
- U.S. Appl. No. 60/624,281, filed Jan. 29, 2005. First named inventor: Ching-Fang Lin. Entitled, "Interruption free navigator."
- U.S. Appl. No. 60/625,467, filed Nov. 5, 2004. First named inventor: Houston Staton. Entitled, "Method and System for Remote Monitoring and Control of Movable Entities."
- U.S. Appl. No. 60/626,573, filed Nov. 10, 2004. First named inventor: Chung, Wing Yeung; et al. Entitled, "Locomotive wireless video recorder and recording system."
- U.S. Appl. No. 60/626,977, filed Nov. 12, 2004. First named inventor: Lyn Seidler. Entitled, "System and method for automated friend-to-friend delivery item."
- U.S. Appl. No. 60/627,785, filed Nov. 12, 2004. First named inventor: Gagan Puranik. Entitled, "Two-way messaging with encryption."
- U.S. Appl. No. 60/629,721, filed Nov. 19, 2004. First named inventor: Wong; Raymond et al. Entitled, "Bid Write-Up."
- U.S. Appl. No. 60/631,602, filed Nov. 30, 2004. First named inventor: Jeffrey Lynn MecKley. Entitled, "Phase persistent agile signal source."
- U.S. Appl. No. 60/631,876, filed Dec. 1, 2004. First named inventor: Barry Appelman. Entitled, "Automatically Enabling the Forwarding of Instant Messages."
- U.S. Appl. No. 60/634,951, filed Dec. 10, 2004. First named inventor: Andre Gueziec. Entitled, "Real-time and predictive traveler information for routing."

- U.S. Appl. No. 60/635,856, filed Dec. 13, 2004. First named inventor: Dan Burkhart. Entitled, "Instant Messaging Method and Apparatus."
- U.S. Appl. No. 60/636,953, filed Dec. 17, 2004. First named inventor: Coch; et al. Entitled, "Geo-Collaboration System."
- U.S. Appl. No. 60/639,267, filed Dec. 27, 2004. First named inventor: Andrew Levi. Entitled, "Method and system for peer-to-peer advertising between mobile devices."
- U.S. Appl. No. 60/643,721, filed Jan. 13, 2005. First named inventor: Baowei Ji. Entitled, "Medium access control (MAC) protocol for use in ad hoc wireless networks."
- U.S. Appl. No. 60/647,897, filed Jan. 28, 2005. First named inventor: Baowei Ji. Entitled, "Asynchronous wireless collision detection with acknowledgment for use in ad hoc wireless networks."
- U.S. Appl. No. 60/649,180, filed Feb. 3, 2005. First named inventor: Cyril Houri. Entitled, "System and Method for Geographically Locating Computing Devices in a Wireless Network."
- U.S. Appl. No. 60/650,840, filed Feb. 7, 2005. First named inventor: Jens Eilstrup Rasmussen. Entitled, "Method and Apparatus for Generating Tiles in a Digital Mapping System."
- U.S. Appl. No. 60/652,144, filed Feb. 11, 2005. First named inventor: Brian Roundtree. Entitled, "Call Intercept Methods, Such as for Customer Self-Support on a Mobile Device."
- U.S. Appl. No. 60/654,271, filed Feb. 18, 2005. First named inventor: Krishnakant Patel. Entitled, "Enhanced Features on an Advanced Voice Services (AVS) Framework."
- U.S. Appl. No. 60/654,811, filed Feb. 22, 2005. First named inventor: Edward James Morgan. Entitled, "Continuous Data Optimization in Positioning System."
- Lamarca, Anthony et al. "Place Lab: Device Positioning Using Radio Beacons in the Wild." 2005. 18 pages.
- Mulligan, Morris et al. "Framework for Location Computation Scenarios." Internet-Draft. Nov. 2001. pp. 1-11.
- Priyantha, Nissanka B. "The Cricket Location-Support System." MIT Laboratory for Computer Science. The 6th ACM International Conference on Mobile Computing and Networking (ACM MOBICOM). Aug. 2000. 12 pages.
- Reed, Jeffrey H. et al. "An Overview of the Challenges and Progress in Meeting the E-911 Requirement for Location Service." IEEE Communications Magazine. Apr. 1998. pp. 30-37.
- Sen, Sumit. "Open Standards in Location Based Services." Applied Technology Group, Tata Infotech Limited. 2002. 6 pages.
- Abowd et al., "Cyberguide: A mobile context-aware tour guide." Baltzer Journals. Sep. 23, 1996. pp. 1-21.
- Kim H. Veltman "Frontiers in Electronic Media", Interactions Journal of the ACM, New York, Jul.-Aug. 1997, pp. 32-64.
- Henning Maass "Location-aware mobile applications based on directory services." Mobile Networks and Applications 3 (1998) 157-173.
- Sinclair "Integrating Hypermedia Techniques with Augmented Reality Environments" University of Southampton. Jun. 2004. pp. 1-155.
- Eija Kaasinen "User needs for location-aware mobile services." Springer-Verlag London Limited. Aug. 2002. pp. 70-79.
- Broadbent et al. "Location Aware Mobile Interactive Guides: usability issues." Proceedings of the Fourth International Conference on Hypermedia and Interactivity in Museums. (ICHIM97) (Paris, 1997). pp. 1-15.
- "DaimlerCrysler Guide5 Usecases Overview Map." Oct. 2001. 1 page.
- "GPS 12 Personal NavigatorTM Owner's Manual & Reference." Garmin Corporation. 1999. 66 pages.
- "Travel Time Data Collection Handbook—Chapter 5: ITS Probe Vehicle Techniques." FHWA-PL98-035 Report, Department of Transport, University of Texas. Mar. 1998. 70 pages.
- Hoogenraad "Location Dependent Services." 3rd AGILE Conference on Geographic Information Science, Helsinki/Espoo, Finland, May 2000. pp. 74-77.
- Balsiger et al., "MOGID: Mobile Geo-depended Information on Demand." Workshop on Position Dependent Information Services (W3C-WAP), 2000, 8 pages.

OTHER PUBLICATIONS

Efstratiou et al. "Reflection: A Solution for Highly Adaptive Mobile Systems," 2000 Workshop on Reflective Middleware, 2000, 2 pages.

Popescu-Zeletin et al., "Applying Location-Aware Computing for Electronic Commerce: Mobile Guide" Proc. 5th Conference on Computer Communications, AFRICOM-CCDC'98,Oct. 20-22, 1998, 14 pages.

Zhao, "Mobile Phone Location Determination and Its Impact on Intelligent Transportation Systems," IEEE Transactions on Intelligent Transportation Systems, Mar. 2000, 1(1):55-64.

Popescu-Zeletin et al., "Applying Location-Aware Computing for Electronic Commerce: Mobile Guide," Proc. 5th Conference on Computer Communications, AFRICOM-CCDC'98, Oct. 20-22, 1998, 14 pages.

Yokote, "The Apertos Reflective Operating System: The Concept and Its Implementation," SCSL TR 92 014, Jun. 26, 1992, 23 pages. Long et al., "Rapid Prototyping of Mobile Context-Aware Applications: The Cyberguide Case Study," MobiCom '96, 1996, 11 pages.

Leonhardt et al., "Towards a general location service for mobile environments," Proc. Third International Workshop on Services in Distributed and Networked Environments, Jun. 3-4, 1996, 8 pages. Leonhardt et al., "Multi-Sensor Location Tracking," MOBICOM 98, Dallas, TX, 12 pages.

Kreller et al., "UMTS: A Middleware Architecture and Mobile API/Approach," IAPRS, vol. XXXIII, Amsterdam, 2000, 7 pages. Klinec and Volz, "Nexus-Positioning and Communication Environment for Spatially Aware Applications," IAPRS, vol. XXXIII, Amsterdam, 2000, 7 pages.

"Digital cellular telecommunications system (Phase 2+); Specification of the SIM Application Toolkit for the Subscriber Identity Module—Mobile Equipment (SIM—ME) interface (GSM 11.14)" Global System for Mobile Communications, Dec. 1996, 56 pages. "Estonian operator to launch world's first Network-based location services," Ericsson Press Release, Oct. 11, 1999, 1 page.

Efstratiou et al., "Architectural Requirements for the Effective Support of Adaptive Mobile Applications," 2000, 12 pages.

Drane et al., "Positioning GSM Telephones," IEEE Communications Magazine, Apr. 1998, pp. 46-59.

Dix et al., "Exploiting Space and Location as a Design Framework for Interactive Mobile Systems," ACM Transactions on Computer-Human Interaction (TOCHI)—Special issue on human-computer interaction with mobile systems, 2000, 36 pages.

Davies et al., "'Caches in the Air': Disseminating Tourist Information in the Guide System," Second IEEE Workshop on Mobile Computer Systems and Applications, Feb. 25-26, 1999, 9 pages. Davies et al., "L2imbo: A distributed systems platform for mobile computing," Mobile Networks and Applications, 1998, 21 pages. Cheverst et al., "Supporting Collaboration in Mobile-aware Groupware," Workshop on Handheld CSCW, 1998, 6 pages.

Cheverst et al., "Sharing (Location) Context to Facilitate Collaboration Between City Visitors," 2000, 5 pages.

Cheverst et al., "Services to Support Consistency in Mobile Collaborative Applications," Proc. 3rd International Workshop on Services in Distributed Networked Environments, 1996, 8 pages.

Cheverst et al., "Experiences of Developing and Deploying a Context-Aware Tourist Guide: The GUIDE Project," 2000, 12 pages.

Cheverst et al., "Developing Interfaces for Collaborative Mobile Systems," 1999, 15 pages.

Cheverst et al., "Design of an Object Model for a Context Sensitive Tourist Guide,", 1999, 4 pages.

Efstratiou et al., "Reflection: A Solution for Highly Adaptive Mobile Systems," 2000 Workshop on Reflective Middleware, 2000, 2 pages.

Cheverst et al., "The Role of Connectivity in Supporting Context-Sensitive Applications," HUC'99, LNCS 1707, 1999, 15 pages.

Cheverst et al., "Architectural Ideas for the Support of Adaptive Context-Aware Applications," Proceedings of Workshop on Infra-structure for Smart Devices—How to Make Ubiquity an Actuality, HUC'00, Bristol, Sep. 2000, 3 pages.

Balsiger et al., "MOGID: Mobile Geo-depended Information on Demand," [online] Retrieved from the Internet on May 25, 2012: URL: http://www.w3.org/Mobile/posdep/wap-v2.htm, Workshop on Position Dependent Information Services (W3C-WAP), 2000, 9 pages.

Borsodi, "Super Resolution of Discrete Arrivals in a Cellular Geolocation System," University of Calgary Thesis, Apr. 2000, 164 pages.

Akerblom, "Tracking Mobile Phones in Urban Areas," Goteborg University Thesis, Sep. 2000, 67 pages.

Digital cellular telecommunications system (Phase 2+); Location Services (LCS); Service description, Stage 1 (GSM 02.71) ETSI, Apr. 1999, 22 pages.

"3rd Generation Partnership Project (3GPP); Technical Specification Group (TSG) RAN; Working Group 2 (WG2); Report on Location Services," TS RAN R2.03 V0.1.0, Apr. 21-23, 1999, 43 pages.

"Enabling UMTS / Third Generation Services and Applications," No. 11 Report from the UMTS Forum, Oct. 2000, 72 pages.

"3rd Generation Partnership Project; Technical Specification Group Radio Access Network; Stage 2 Functional Specification of Location Services in UTRAN," 3G TS 25.305 v.3.1.0, Mar. 2000, 47 pages.

"3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Functional stage 2 description of location services in UMTS," 3G TS 23.171 v.3.11.0, 1999, 55 pages. U.S. Appl. No. 60/471,743, filed May 20, 2003. First named inventor: Edmund J. Fish. Entitled, "Presence and Geo-Location Information for Mobile Devices and Computing Devices."

U.S. Appl. No. 60/474,207, filed May 30, 2003. First named inventor: Stephen Vaughan Murphy. Entitled, "Spoken User Identifier."

U.S. Appl. No. 60/480,532, filed Jun. 23, 2003. First named inventor: Ho, David Yc. Entitled, "Game to Fame—An Internet Game that helps players become famous."

U.S. Appl. No. 60/482,362, filed Jun. 25, 2003. First named inventor: Steve Kirchmeier. Entitled, "Telephony notification system."

U.S. Appl. No. 60/488,399, filed Jul. 21, 2003. First named inventor: Andrew Weaver. Entitled, "Multiple Personalities."

U.S. Appl. No. 60/488,638, filed Jul. 18, 2003. First named inventor: F. Craig Farrill. Entitled, "Real-Time Exchange."

U.S. Appl. No. 60/488,784, filed Jul. 22, 2003. First named inventor: Kreft. Entitled, "Improved Information Mapping Program." U.S. Appl. No. 60/492,650, filed Aug. 5, 2003. First named inven-

tor: Bruce D. Lawler. Entitled, "CDMA Press-to-Talk (P2T) Proof-of-Concept Demonstration."

U.S. Appl. No. 60/493,704, filed Aug. 8, 2003. First named inventor: Michael A. Sheha. Entitled, "Method and System for Collecting, Synchronizing, and Reporting Telecommunication Call Events and Work Flow Related Information."

U.S. Appl. No. 60/494,644, filed Aug. 11, 2003. First named inventor: Konstantin Othmer. Entitled, "Bandwidth Usage Optimization and Enhanced Performance for Wireless Networks."

U.S. Appl. No. 60/503,260, filed Sep. 16, 2003. First named inventor: Steve Kirchmeier. Entitled, "Telephony notification system."

U.S. Appl. No. 60/503,530, filed Sep. 16, 2003. First named inventor: William J. Sacco. Entitled, "Method and System of Rule-Based Triage."

U.S. Appl. No. 60/507,110, filed Oct. 1, 2003. First named inventor: Robert Khedour. Entitled, "Portable internet-linked subscription-capable audio-visual player apparatus and system and method for distribution and use thereof."

U.S. Appl. No. 60/512,852, filed Oct. 22, 2003. First named inventor: Patrick Blattner. Entitled, "Providing Video, Sound, or Animated Content with Instant Messages."

OTHER PUBLICATIONS

- U.S. Appl. No. 60/516,351, filed Oct. 31, 2003. First named inventor: Habeman, William E.; et al. Entitled, "Instantaneous Wireless Communicative Display and Interface System."
- U.S. Appl. No. 60/517,657, filed Nov. 5, 2003. First named inventor: Prabhakar R. Chitrapu. Entitled, "Mobile Wireless Presence and Situation Management System and Method."
- U.S. Appl. No. 60/518,333, filed Nov. 10, 2003 First named inventor: Uri Levi. Entitled, "Wireless communication system."
- U.S. Appl. No. 60/520,846, filed Nov. 18, 2003. First named inventor: Sugla. Entitled, "Method of Improving Location Accuracy, Achieving Seamless Tracking and Enabling Novel Applications Using Information From Multiple Location and Positioning Technologies."
- U.S. Appl. No. 60/522,490, filed Oct. 6, 2004. First named inventor: Otman A. Basir. Entitled, "Spatial Calendar."
- U.S. Appl. No. 60/524,343, filed Nov. 21, 2003. First named inventor: Poitras, Jean-Guy. Entitled, "Virtually Interlinked Collaborative Information System Based on Physical Locations of Tangible Real Property."
- U.S. Appl. No. 60/525,420, filed Nov. 25, 2003. First named inventor: Lars Eilstrup Rasmussen. Entitled, "System for automatically integrating a digital map system with world wide web sites." U.S. Appl. No. 60/528,055, filed Dec. 8, 2003. First named inventor: Doug Brams. Entitled, "Push to Talk User Interface."
- U.S. Appl. No. 60/530,935, filed Dec. 19, 2003. First named inventor: Brian E. Smartt Entitled, "Geocoding locations near a specified city."
- U.S. Appl. No. 60/533,052, filed Dec. 30, 2003. First named inventor: Harper, et al. Entitled, "Universal Digital Music Licensing and Download System."
- U.S. Appl. No. 60/540,505, filed Jan. 29, 2004. First named inventor: Mark Hull. Entitled, "System and Method for Social Networking."
- U.S. Appl. No. 60/543,105, filed Feb. 9, 2004. First named inventor: Julian Bourne. Entitled, "Method and Computer System for Social Networking."
- U.S. Appl. No. 60/544,209, filed Feb. 11, 2004. First named inventor: Richard Mgrdechian. Entitled, "Method and Apparatus for Wirelessly Communication and Messaging Between Previously Known and Unknown Parties."
- U.S. Appl. No. 60/544,639, filed Feb. 13, 2004. First named inventor: Mark Hull. Entitled, "System and Method for Social Networking."
- U.S. Appl. No. 60/546,687, filed Feb. 20, 2004. First named inventor: Brian Roundtree. Entitled, "Call Intercept Methods for Customer Self Support and Methods for Navigating Dara Screens." U.S. Appl. No. 60/549,484, filed Mar. 1, 2004. First named inventor: Richard Mgrdechian. Entitled, "Method and Apparatus for Wirelessly Communicating and Messaging Between Previously Known and Unknown Parties."
- U.S. Appl. No. 60/549,937, filed Mar. 5, 2004. First named inventor: Barry Appelman. Entitled, "Passive Population of Buddy List form a Contact List."
- U.S. Appl. No. 60/550,262, filed Mar. 3, 2004. First named inventor: Richard Mgrdechian. Entitled, "Method and Apparatus for Wirelessly Communicating and Messaging Between Previously Known and Unknown Parties."
- U.S. Appl. No. 60/550,300, filed Mar. 4, 2004. First named inventor: Tom Miltonberger. Entitled, "Method and System to Facilitate Geo-Location and Geo-Compliance Utilizing a Client Agent."
- U.S. Appl. No. 60/552,406, filed Mar. 10, 2004. First named inventor: Greg Tseng. Entitled, "Enhancing virally marketed facilities."
- U.S. Appl. No. 60/552,718, filed Mar. 15, 2004. First named inventor: Jeremy Liew. Entitled, "Social Networks."
- U.S. Appl. No. 60/553,240, filed Mar. 15, 2004. First named inventor: Isaias Sudit, and Title: "Telephone User Interface for Efficient Self-Location of Mobile Phone".

- U.S. Appl. No. 60/553,241, filed Mar. 15, 2004. First named inventor: Isaias, Sudit; and Title: "Meet Function for Telephone Auto Location System Based on Geographic Location and User Profiles".
- U.S. Appl. No. 60/555,501, filed Mar. 22, 2004. First named inventor: Jens Eilstrup Rasmussen. Entitled, "Sub-Pixel Bitmaps and Their Use in Generating, Storing and Displaying Maps."
- U.S. Appl. No. 60/560,087, filed Apr. 6, 2004. First named inventor: Cesar Cabral. Entitled, "Method and system for traffic management between a vehicle and a remote location."
- U.S. Appl. No. 60/560,468, filed Apr. 7, 2004. First named inventor: Brian Lawler. Entitled, "Trust-metric network methods and apparatus."
- U.S. Appl. No. 60/562,785, filed Apr. 15, 2004. First named inventor: Brian Wilson. Entitled, "System for Providing Location-Based Services in a Wireless Network, Such as Locating Sets of Desired Locations."
- U.S. Appl. No. 60/566,644, filed Apr. 29, 2004. First named inventor: John N. Gross. Entitled, "System & method of identifying and predicting innovation dissemination."
- U.S. Appl. No. 60/567,598, filed May 3, 2004. First named inventor: Klassen, Gerhard D. Entitled, "System and method for interrupt control on a handheld device."
- U.S. Appl. No. 60/567,946, filed May 3, 2004. First named inventor: Jens Eilstrup Rasmussen. Entitled, "An Image Tile-Based, Digital Mapping System for the World Wide Web."
- U.S. Appl. No. 60/568,482, filed May 6, 2004. First named inventor: Nathan Norfleet Eagle. Entitled, "Combined Short Range Radio Network and Cellular Telephone Network for Interpersonal Communications."
- U.S. Appl. No. 60/569,953, filed May 11, 2004. First named inventor: Ravi Ayyasamy. Entitled, "Press to Talk Client Application Programming Interface (PCAPI)."
- U.S. Appl. No. 60/570,410, filed May 12, 2004. First named inventor: Dennis P. Crowley. Entitled, "Location-Based Social Software for Mobile Devices."
- U.S. Appl. No. 60/571,075, filed May 14, 2004. First named inventor: Krishnakant Patel. Entitled, "Roaming Gateway for Support of Advanced Voice Services While Roaming."
- U.S. Appl. No. 60/573,059, filed May 21, 2004. First named inventor: Krishnakant Patel. Entitled, "SMSC Bypass (SB) for Expedited Presence Messaging."
- U.S. Appl. No. 60/573,780, filed May 24, 2004. First named inventor: Krishnakant Patel. "SIM Toolkit."
- "Report on Location Service feature (LCS) 25.923 v1.0.0," TSG-RAN Working Group 2 (Radio layer 2 and Radio layer 3), Berlin, May 25-28, 1999, 45 pages.
- Wang et al., "Location Aware Information Agent over WAP," Tamkang Journal of Science and Engineering, 2000, 3 (2):107-115. Tarumi et al., "Public Applications of SpaceTag and Their Impacts," Digital Cities, LNCS 1765, 2000, 14 pages.
- O'Grady et al., "A Tourist-Centric Mechanism for Interacting with the Environment," Proceedings of the First International Workshop on Managing Interactions in Smart Environments (MANSE '99), Dublin, Ireland, Dec. 1999, 12 pages.
- McCarthy et al., "ACTIVEMAP: A Visualization Tool for Location Awareness to Support Informal Interactions," HUC '99, LNCS 1707, 1999, 13 pages.
- Hodes et al., "Composable Ad hoc Location-based Services for Heterogeneous Mobile Clients," University of California, Berkeley, May 5, 1998, 16 pages.
- Dey et al., "CyberDesk: a framework for providing self-integrating context-aware services," ACM, Inc, 1998, 8 pages.
- Brown, "Triggering Information by Context," [online] Retrieved from the Internet on May 25, 2012: URL: http://kar.kent.ac.uk/21602/2/pdf.pdf, The University of Kent at Canterbury, 1998, 10
- Brown, "The stick-e document: a framework for creating context-aware applications," Electronic Publishing, 1995, 8:259-272.

OTHER PUBLICATIONS

Clarke et al., "Development of Human Factors Guidelines for Advanced Traveler Information Systems (ATIS) and Commercial Vehicle Operations (CVO): Comparable Systems Analysis," U.S. Department of Transportation Federal Highway Administration, Publication No. FHWA-RD-95-197, Dec. 1996, 212 pages.

"LaBarge in joint venture on bus system," [online] Retrieved from the Internet on May 25, 2012: URL: http://www.bizjournals.com/stlouis/stories/1998/08/10/focus2.html, Aug. 9, 1998, 1 page.

Shekhar et al., "Genesis and Advanced Traveler Information Systems (ATIS): Killer Applications for Mobile Computing?" NSF Mobidata Workshop on Mobile and Wireless Information Systems, Nov. 1994, 20 pages.

Serafin et al., "Functions and Features of Future Driver Information Systems," Technical Report UMTRI-91-16, May 1991, 104 pages. Ni et al., "On-Board Advanced Traveler Information Systems," Earlier Faculty Research, University of California Transportation Center, UC Berkeley, Dec. 1, 2002, 11 pages.

"School Buses to Carry Noticom's First Application," [online] Retrieved from the Internet on May 25, 2012: URL: http://findarticles.com/p/articles/mi_m0BMD/is_1999_Feb_17/ai_n27547754/?tag=content;col1, Communications Today, Feb. 17, 1999, 2 pages.

Mahmassani et al., "Providing Advanced and Real-Time Travel/Traffic Information to Tourists," Center for Transportation Research, Bureau of Engineering Research, The University of Texas at Austin, Oct. 1998, 15 pages.

Yim et al., "Travinfo Field Operational Test: Work Plan for the Target, Network, and Value Added Reseller (VAR) Customer Studies," Working Papers, California Partners for Advanced Transit and Highways (PATH), Institute of Transportation Studies, UC Berkeley, Apr. 1, 1997, 48 pages.

Khattak et al., "Bay Area ATIS Testbed Plan," Research Reports, California Partners for Advanced Transit and Highways (PATH), Institute of Transportation Studies, UC Berkeley, Aug. 1992, 83 pages.

Burnett, "Usable Vehicle Navigation Systems: Are We There Yet?" Vehicle Electronic Systems 2000, Jun. 29-30, 2000, pp. 3.1.1-3.1. 12.

Noonan et al., "Advanced Traveler Information Systems," Intelligent Transportation Systems Field Operational Test Cross-Cutting Study, Sep. 1998, 27 pages.

Bonsignore, "A Comparative Evaluation of the Benefits of Advanced Traveler Information System (ATIS) Operational Tests," MIT Masters Thesis, Feb. 1994, 140 pages.

Hoogenraad, "Location Dependent Services," 3rd Agile Conference on Geographic Information Science, Helsinki/Espoo, Finland, May 25-27, 2000, pp. 74-77.

Miller et al., "Integrating Hierarchical Navigation and Querying: A User Customizable Solution," ACM Multimedia Workshop on Effective Abstractions in Multimedia Layout, Presentation, and Interaction, San Francisco, CA, Nov. 1995, 8 pages.

Wheeler et al., "Development of Human Factors Guidelines for Advanced Traveler Information Systems and Commercial Vehicle Operations: Task Analysis of ATIS/CVO Functions," US Dept. Transportation Federal Highway Administration Research and Development, Publication No. FHWA-RD-95-176, Nov. 1996, 124 pages.

Benefon ESCI GSM+GPS Personal Navigation Phone, benefon. com, Copyright 2001, 4 pages.

Dey, "Context-Aware Computing: The CyberDesk Project," [online] Retrieved from the Internet on May 25, 2012: URL: http://www.cc.gatech.edu/fce/cyberdesk/pubs/AAAI98/AAAI98. html; AAAI '98 Spring Symposium, Stanford University, Mar.

23-25, 1998, 8 pages.

Ygnace et al., "Travel Time Estimation on the San Francisco Bay Area Network Using Cellular Phones as Probes", Working Paper, Institute of Transportation Studies, University of California, Berkeley, 2000, 56 pages.

Civilis et al., "Efficient Tracking of Moving Objects with Precision Guarantees", A DB Technical Report TR-5, Feb. 21, 2004, 23 pages. Clarke et al., "An Architecture for Dynamically Extensible Operating Systems," Distributed Multimedia Research Group, Department of Computing, Lancaster University, 1998, 20 pages.

Veltman, "Frontiers in Electronic Media", Interactions Journal of the ACM, New York, Jul.-Aug. 1997, pp. 32-64.

Goran M. Djuknie, Robert E. Richton, "Geolocation and Assisted GPS," Computer, vol. 34, No. 2, pp. 123-125, Feb. 2001.

Rozier et al., "Hear & There: An Augmented Reality System of Linked Audio", Proceedings of the International Conference on Auditory Display, Atlanta, GA, Apr. 2000, 6 pages.

Rekimoto et al., "Augment-able Reality: Situated Communication through Physical and Digital Spaces", iswc, Second International Symposium on Wearable computers (ISWC'98), 1998, 8 pages.

Nardi et al., "Integrating Communication and Information through Contact Map", Communications of the ACM, vol. 45, No. 4, Apr. 2002, 9 pages.

Meier et al., "Location-Aware Event-Base Middleware: A Paradigm for Collaborative Mobile Applications?", Department of Computer Science, Trinity College Dublin, Ireland, Sep. 2003, 5 pages.

"Map Reading and Land Navigation Field Manual No. 3-25.26", Headquarters Department of the Army, Washington, DC, [online] Retrieved from the Internet on May 25, 2012: URL: http://155.217. 58.58/cgi-biniatdl.dl1/fm/3-25.26/toc.htm, Jul. 20, 2001, pp. 1-7 and J-1 to J-3.

Dibdin, "Where are mobile location based services?", CM316 Multimedia Systems Paper, Dec. 14, 2001, 8 pages.

Charny, "AT&T puts 411 to the text", [online] Retrieved from the Internet on May 25, 2012: URL: http://news.cnet.com/2100-1039_3-1000669.html; May 8, 2003; 5 pages.

Bederson, "Audio Augmented Reality: A Prototype Automated Tour Guide", [online] Retrieved from the Internet on May 25, 2012: URL: http://www.cs.umd.edu~bederson/papers/chi-95-aar/, ACM Human Computer in Computing Systems conference (CHI'95) 1995, 4 pages.

Feddema; et al., "Cooperative Sentry Vehicles and Differential GPS Leapfrog," 2000, United States Department of Energy, pp. 1-12. Maxwell; et al., "Alfred: The Robot Waiter Who Remembers You," AAAI Technical Report WS-99-15, 1999, 12 pages.

Shibata; et al., "Development and Integration of Generic Components for a Teachable Vision-Based Mobile Robot," IEEE/ASME Transactions on Mechatronics, 1996, 1(3):230-236.

"27 Countries in your pocket"; [online] [Retrieved on Sep. 29, 2005] Retrieved from the Internet URL: http://www.mio-tech.be/en/printview/press-releases-2005-09-29.htm; 1 page.

"Mio 269+ Users Manula"; 2005; 44 pages.

Balliet, "Transportation Information Distribution System", IBM Technical Disclosure Bulletin, [online] [Retrieved Nov. 7, 2008] Retrieved from the Internet, URL: https://www.delphion.com/tdbs/tdb?order=86A+61395; Jun. 1986; 2 pages.

Beard; et al., "Estimating Positions and Paths of Moving Objects", IEEE 2000, pp. 1-8.

Berman; et al., "The Role of Dead Reckoning and Inertial Sensors in Future General Aviation Navigation", IEEE, 1998, pp. 510-517. Boonsrimuang; et al., "Mobile Internet Navigation System", IEEE, 2002, pp. 325-328.

Camp; et al., "A computer-based method for predicting transit time systems", Decision Sciences, vol. 5, pp. 339-346, 1974.

Christie; et al., "Development and Deployment of GPS wireless devices for E911 and Location based services", IEEE 2002.

U.S. Appl. No. 60/170,914, filed Dec. 15, 1999. First named inventor: Semyon Dukach. Entitled, "Apparatuses Methods and Computer Programs for Displaying Information on Signs."

U.S. Appl. No. 60/196,099, filed Apr. 11, 2000. First named inventor: Dara Ung. Entitled, "Wireless chat status tracking." U.S. Appl. No. 60/196,104, filed Apr. 11, 2000. First named

inventor: Erik Wallace. Entitled, "Mobile activity status tracker." U.S. Appl. No. 60/382,909, filed May 22, 2002. First named inventor: Myra Hight. Entitled, "Child locator system."

OTHER PUBLICATIONS

- U.S. Appl. No. 60/387,482, filed Jun. 10, 2002. First named inventor: Suman Beros. Entitled, "Method and apparatus for effecting a detection of mobile devices that are proximate and exhibit commonalities between specific data sets associated with each mobile device."
- U.S. Appl. No. 60/400,603, filed Aug. 2, 2002. First named inventor: Alex Mashinsky. Entitled, "Method, system and apparatus for providing transportation service."
- U.S. Appl. No. 60/473,738, filed May 28, 2003. First named inventor: Scott A. Horstemeyer. Entitled, "Advertisement business methods for notification systems."
- U.S. Appl. No. 60/473,742, filed May 28, 2003. First named inventor: Scott A. Horstemeyer. Entitled, "Response systems and methods for notification systems for modifying future notifications."
- U.S. Appl. No. 60/473,949, filed May 28, 2003. First named inventor: Scott A. Horstemeyer. Entitled, "Response systems and methods for notification systems."
- U.S. Appl. No. 60/486,768, filed Jul. 11, 2003. First named inventor: Scott A. Horstemeyer. Entitled, "Stop location determination systems and methods based upon user-defined timing criteria."
- U.S. Appl. No. 60/498,084, filed Aug. 27, 2003. First named inventor: Charles S. Ribaudo. Entitled, "System and method for personal area matching."
- U.S. Appl. No. 60/498,819, filed Aug. 29, 2003. First named inventor: Scott A. Horstemeyer. Entitled, "Notification systems and methods enabling a response to change particulars of a delivery or pickup."
- U.S. Appl. No. 60/540,346, filed Feb. 2, 2004. First named inventor: Philip E. Cohen. Entitled, "Monitoring method and system."
- U.S. Appl. No. 60/547,509, filed Feb. 25, 2004. First named inventor: Charles S. Ribaudo. Entitled, "Personal area matching." U.S. Appl. No. 60/563,639, filed Apr. 20, 2004. First named inventor: Keith A. Kreft. Entitled, "Information mapping methods, systems and applications."
- U.S. Appl. No. 60/611,801, filed Sep. 22, 2004. First named inventor: Jim Karpen. Entitled, "Emergency call handling system." U.S. Appl. No. 60/621,345, filed Oct. 22, 2004. First named inventor: Purva R. Rajkotia. Entitled, "System and method for provisioning broadcast and multicast services in a wireless network."
- U.S. Appl. No. 60/631,293, filed Nov. 24, 2004. First named inventor: Gregory J. Winter. Entitled, "Mobile resource management system."
- U.S. Appl. No. 60/650,927, filed Feb. 8, 2005. First named inventor: Michael F. Gende. Entitled, "Procedures for provisioning and routing 9-1-1 voice over IP (VoIP) and/or wireless voice calls to the proper public safety answering point (PSAP)."
- U.S. Appl. No. 60/655,230, filed Feb. 22, 2005. First named inventor: Kathy Pierce. Entitled, "Geographic redundancy or back up switch."
- U.S. Appl. No. 60/657,560, filed Feb. 28, 2005. First named inventor: Thomas Breen. Entitled, "Methods and systems for foreign call back number compatibility for VoIP E 9-1-1 calls."
- U.S. Appl. No. 60/658,223, filed Mar. 3, 2005. First named inventor: Robert F. Cromp. Entitled, "Incident command system."
- U.S. Appl. No. 60/661,506, filed Mar. 15, 2005. First named inventor: Rakesh Kushwaha. Entitled, "System and method for monitoring and measuring end-to-end performance using wireless devices."
- U.S. Appl. No. 60/661,507, filed Mar. 15, 2005. First named inventor: Rakesh Kushwaha. Entitled, "System and method for trap management and monitoring on wireless terminals."
- U.S. Appl. No. 60/668,242, filed Apr. 4, 2005. First named inventor: Hermann Schulte-Kellinghaus. Entitled, "Home zone solution using radio frequency identification (RFID) technology."

- U.S. Appl. No. 09/494,553, filed Jan. 31, 2000. First named inventor: James M. Zombek. Entitled, "Messaging method and apparatus for sending and receiving messages in a client server environment over multiple wireless networks."
- U.S. Appl. No. 09/694,297, filed Oct. 24, 2000. First named inventor: James M. Zombek. Entitled, "Messaging method and apparatus for sending and receiving messages in a client server environment over multiple wireless and wireline networks."
- Huff, "Macro Management: New Advancements in Wireless Technology Automate Driver Input and Turn Volumes of Vehicle and Driver Data Into Byte-Size Pieces That Help Drivers and Managers Alike," Commercial carrier journal for professional fleet managers. May 2003, vol. 169 No. 5, pp. 36-40.
- Dunn; et al., "Wireless Emergency Call System", IBM TDB, Sep. 1994.
- Ebine, "Dual Frequency resonant base station antennas for PDC systems in Japan", IEEE, pp. 564-567, 1999.
- Evans, "In-Vehicle Man-Machine Interaction the Socrates Approach", Vehicle Navigation & Information System Conference Proceedings, Aug. 31-Sep. 2, 1994, pp. 473-477.
- Helal; et al., "Drishti: An Integrated Navigation System for Visually Impaired and Disabled", Fifth International Symposium on Wearable Computers (ISWC'01), IEEE, 2001, pp. 149-156.
- Hohman; et al., "GPS Roadside Integrated Precision Positioning System", Position Location and Navigation Symposium (IEEE 2000), pp. 221-230.
- Jain, R., "Potential Networking Applications of Global Positioning Systems (GPS)", [online] [retrieved on Nov. 18, 2008] [retrieved from http://arxiv.org/ftp/cs/papers/9809/9809079.pdf] OSU Technical Report TR-24, Apr. 1996, pp. 1-40.
- Jirawimut; et al., "A Method for Dead Reckoning Parameter Correction in Pedestrian Navigation System", IEEE Transactions on Instrumentation and Measurement, vol. 52, No. 1, Feb. 2003, pp. 209-215
- Lloyd; et al., "Cellular phone base stations installation violate the Electromagnetic Compatibility regulations", IEEE, 2004.
- Miller, et al., "Synchronization of Mobile XML Databases by Utilizing Deferred Views", IEEE 2004.
- Nardi; et al., "Integrating Communication and Information through Contact Map", Communications of the ACM, vol. 45, No. 4, Apr. 2002
- Northard, "Docking Station Communication Link", IBM TDB, Feb. 1994.
- Oh; et al., "Spatial Applications Using 4S Technology for Mobile Environment", IEEE 2002.
- Paksoy; et al., "The Global Position System—Navigation Tool of the Future", Journal of Electrical & Electronics, 2002, vol. 2, No. 1, pp. 467-476.
- Parikh, "Tele Locate", IBM Technical Disclosure Bulletin, [online] [Retrieved Nov. 7, 2008] Retrieved from the Internet, URL: https://www.delphion.com/tdbs/tdb?order=92A+62775; Sep. 1992; 1 page. RD 409052, Research Disclosure Alerting Abstract, "Location dependent information for satellite based vehicle communication-required application of Global Position System (GPS) to automatically extract relevant portions of data package as vehiclechanges position," May 10, 1998, 1 page.
- Rogers; et al., "Adaptive User Interfaces for Automotive Environments", IEEE Intelligent Vehicles Symposium 2000, Oct. 3-5, 2000, pp. 662-667.
- Samadani; et al., "PathMaker: Systems for Capturing Trips", IEEE (2004) International Conference on Multimedia and Expo., Publication Date: Jun. 27-30, 2004, vol. 3, pp. 2123-2126, 2004.
- Spohrer. "New Paradigms for Using Computers", 1997; retrieved from the Internet, URL: http://almaden.ibm.com/npuc97/1997/spohrer.htm>.
- Yang; et al. "Global Snapshots for Distributed Debugging", IEEE, pp. 436-440, 1992.
- Yanyan; et al., "The model of optimum route selection in vehicle automatic navigation system based on unblocked reliability analyses", IEEE 2003.

OTHER PUBLICATIONS

Civilis; et al., "Efficient Tracking of Moving Objects with Precision Guarantees", IEEE, Proceedings of the First Annual International Conference on Mobile and Ubiquitous Systems: Networking and Services, 2004, 10 pages.

Budka; et al., "A Bayesian method to Improve Mobile Geolocation Accuracy", IEEE, 2002, pp. 1021-1025.

Yamamoto; et al., "Position Location Technologies Using Signal Strength in Cellular Systems", IEEE, 2001, pp. 2570-2575.

Drane; et al., "The accurate location of mobile telephones", Third Annual World Congress on Intelligent Transport Systems, Orlando, Florida, Oct. 1996.

Wang; et al., "A Unified Vehicle Supervising and Traffic Information System", IEEE, 1996, pp. 968-972.

US 6,731,928, 5/2004, Tanaka (withdrawn).

Challe, "CARMINAT—An Integrated information and guidance system," Vehicle Navigation and Information Systems Conference, Oct. 20-23, 1991, Renault—Direction de la Recherche, Rueil-Malmaison, France.

Pungel, "Traffic control—beat the jam electronically," Funkschau, 1988, 18:43-45.

Rillings and Betsold, "Advanced driver information systems," Vehicular Technology, IEEE Vehicular Technology Society, 1991, 40:31-40

Tsuzawa and Okamoto, "Advanced Mobile Traffic Information and Communication System," First Vehicle Navigation and Information Systems Conference, Sep. 11-13, 1989, Toronto, Canada, Abstract only.

Wong, "GPS: making roads safer and solving traffic tangles," Asia Engineer, 1995, 23(9):31-32.

Ayatsuka; et al., "UbiquitousLinks: Hypermedia Links Embedded in the Real World, Technical Report of Information Processing Society, 96-HI-67," Information Processing Society of Japan, Jul. 11, 1996, 96(62):23-30.

Nagao; et al., Walk Navi: A Location-Aware Interactive Navigation/Guideline System and Software III, First edition, pp. 9-48, published by Kindai-Kagaku-Sya Co. Ltd., Dec. 10, 1995.

Freundschuh, "Does 'Anybody' Really Want (or Need) Vehicle Navigation Aids?" First Vehicle Navigation and Information System Conference, Sep. 11-13, 1989, Toronto, Canada, 5 pages.

Gould, "The Provision of Usable Navigation Assistance: Considering Individual Cognitive Ability," First Vehicle Navigation and Information System Conference, Sep. 11-13, 1989, Toronto, Canada, 7 pages.

Mark, "A Conceptual Model for Vehicle Navigation Systems," First Vehicle Navigation and Information System Conference, Sep. 11-13, 1989, Toronto, Canada, 11 pages.

Burnett, "Usable Vehicle Navigation Systems: Are We There Yet?" Vehicle Electronic Systems 2000, Jun. 29-30, 2000, 3.1.1-3.1.12. "New Handsets Strut Their Stuff at Wireless '99," Internet: URL: http://findarticles.com/p/articles/mi.sub.--mOBMD/is.sub.--1999. sub.--Feb-.sub.--11/ai.sub.--n27547656/ downloaded from Internet

on Feb. 11, 1999, 3 pages. Green; et al., "Suggested Human Factors Design Guidelines for Driver Information Systems," Technical Report UMTRI-93-21,

Nov. 1993, 119 pages. Tijerina; et al., "Driver Workload Assessment of Route Guidance System Destination Entry While Driving: A Test Track Study," Proceedings of the 5th ITS World Congress, Oct. 12-16, 1998,

Seoul, Korea, 9 pages.

Muraskin, "Two-Minute Warnings for School Bus Riders,"
[retrieved on Feb. 27, 2013] Internet: URL: http://www.embedded.
com/electronics-news/4129835/TWO-MINUTE-WARNINGS-

FOR-SCHOOL-BUS-RIDERS# Jul. 1, 1999, 2 pages.

Kreller; et al., "A Mobile-Aware City Guide Application," ACTS Mobile Communication Summit, 1998, Rhodes, Greece, 7 pages. Pascoe; et al., "Developing Personal Technology for the Field," Personal Technologies, 1998, 2:28-36.

Tebbutt, "Dial your way out of the woods," the Australian, Feb. 2000, 1 page.

Tso; et al., "Always On, Always Connected Mobile Computing," Mobile Communications Operation—Mobile Handheld Products Group, 1996, pp. 918-924.

Abowd; et al., "Context-awareness in wearable and ubiquitous computing," 1st International Symposium on Wearable Computers, Oct. 13-14, 1997, Cambridge, MA, 9 pages.

Cheverst; et al., "The Support of Mobile-Awareness in Collaborative Groupware," Personal Technologies, 1999, 3:33-42. Cheverst; et al., "Exploiting Context to Support Social Awareness

Cheverst; et al., "Exploiting Context to Support Social Awareness and Social Navigation," Siggroup Bulleting Dec. 2000, 21(3):43-48

Cheverst; et al., "Services to Support Consistency in Mobile Collaborative Applications," Proc. 3rd International Workshop on Services in Distributed Networked Environments, 1996, 8 pages.

Costa; et al., "Experiments with Reflective Middleware," Proceedings of the ECOOP'98 Workshop on Reflective Object-Oriented Programming and Systems, ECOOP'98 Workshop Reader, 1998, 13 pages.

Davies; et al., "'Caches in the Air': Disseminating Tourist Information in the Guide System," Second IEEE Workshop on Mobile Computer Systems and Applications, Feb. 25-26, 1999, 9 pages. Drane and Rizos, "Role of Positioning Systems in ITS," Positioning Systems in Intelligent Transportation Systems, Dec. 1997, pp. 312,

Fischer; et al., "System Performance Evaluation of Mobile Positioning Methods," IEEE, Aug. 2002, pp. 1962-1966.

Flinn and Satyanarayanan, "PowerScope: A Tool for Profiling the Energy Usage of Mobile Applications," Proc. WMCSA '99 Second IEEE Workshop on Mobile Computing Systems and Applications, Feb. 25-26, 1999, 9 pages.

French and Driscoll, "Location Technologies for ITS Emergency Notification and E911," Proc. 1996 National Technical Meeting of the Institute of Navigation, Jan. 22-24, 1996, pp. 355-359.

Friday; et al., "Developing Adaptive Applications: The MOST Experience," J. Integrated Computer-Aided Engineering, 1999, 35 pages.

Gunnarsson; et al., "Location Trial System for Mobile Phones," IEEE, 1998, pp. 2211-2216.

Kovacs; et al., "Adaptive Mobile Access to Context-aware Services," Proc. ASAMA '99 Proc. First International Symposium on Agent Systems and Applications Third International Symposium on Mobile Agents, IEEE Computer Society Washington, DC, 1999, 12pages.

Kugler and Lechner, "Combined Use of GPS and LORAN-C in Integrated Navigation Systems," Fifth International Conference on Satellite Systems for Mobile Communications and Navigation, London, UK, May 13-15, 1996, pp. 199-207. Kyriazakos; et al., "Optimization of the Handover Algorithm based

Kyriazakos; et al., "Optimization of the Handover Algorithm based on the Position of the Mobile Terminals," Communications and Vehicular Technology, Oct. 2000, pp. 155-159.

Bennett; et al., "Location-based services", Mar. 1, 2002, Downloaded: Feb. 24, 2013, http://www.ibm.com/developerworks/ibm/library/i-lbs/, 7 pages.

Persson; et al., "GeoNotes: a real-use study of a public location-aware community system (2002)", Dec. 2002, 10 pages.

Munson; et al., "Location-based notification as a general-purpose service", Proceedings of the 2nd international workshop, WMC'02, Sep. 28, 2002, 5 pages.

Stroud, "Minority Report Has Ad-ded Value", [online] Retrieved from the Internet on Mar. 3, 2013: URL: http://www.wired.com/entertainment/music/news/2002/06/53555, Jun. 29, 2002, 1 page. Barwise; et al., "Permission-Based Mobile Advertising", Journal of

Interactive Marketing, vol. 16 / No. 1 / Winter 2002, pp. 14-24. Aalto; etal., "Bluetooth and WAP Push Based Location-Aware Mobile Advertising System", MobiSYS'04, Jun. 6-9, 2004, 10

pages. Kolmel; et al., "Location Based Advertising", The First International Conference on Mobile Business, M-Business Conference 2002, 7 pages.

Bulander; et al., "Enabling Personalized and Context Sensitive Mobile Advertising While Guaranteeing Data Protection", Proceedings of the EURO-mGOV 2005, Brighton, UK Mobile Government International LLC, pp. 445-454.

OTHER PUBLICATIONS

Rao; et al., "EVOLUTION of Mobile Location-based Services", Communications of the ACM Dec. 2003/vol. 46, No. 12, pp. 61-65. Ko; et al., "Geocasting in Mobile Ad Hoc Networks: Location-Based Multicast Algorithms", International Conference on Mobile Computing and Networking, MobiCom'98, 1998, 10 pages.

Varshney, "Location Management for Mobile Commerce Applications in Wireless Internet Environment", ACM Transactions on Internet Technology, vol. 3, No. 3, Aug. 2003, pp. 236-255.

Ko; et al., "Location-Aided Routing (LAR) in mobile ad hoc networks", Wireless Networks 6 (2000), pp. 307-321.

Gratton, "M-commerce: The Notion of Consumer Consent in Receiving Location-Based Advertising", Canadian Journal of Law & Technology, vol. 1 No. 3, Nov. 2002, pp. 59-77.

Corson; et al., "Mobile Ad hoc Networking (MANET): Routing Protocol Performance Issues and Evaluation Considerations", Request for Comments: 2501, The Internet Society, Jan. 1999, 12 pages.

Perkins; et al., "Ad hoc On-Demand Distance Vector (AODV) Routing", Request for Comments: 3561, The Internet Society, Jul. 2003, 37 pages.

Clausen; et al., "Optimized Link State Routing Protocol (OLSR)", Request for Comments: 3626, The Internet Society, Oct. 2003, 75 pages.

Ogier; et al., "Topology Dissemination Based on Reverse-Path Forwarding (TBRPF)", Request for Comments: 3684, The Internet Society, Feb. 2004, 46 pages.

Kaasinen, "User needs for location-aware mobile services", Pers Ubiquit Comput (2003), 7: pp. 70-79.

Dimpfel; et al., "Integration and Content", ELBA (European Location Based Advertising), IST-2001-36530, 2002, 22 pages.

"Location Based Advertising—Overview", ELBA (European Location Based Advertising), IST-2001-36530, Jun 30, 2002, 17 pages. Kolmel, "ELBA Location Based Advertising—Status", ELBA (European Location Based Advertising), IST-2001-36530, Sep. 2003, 21 pages.

Porak, "ELBA Real Life scenarios of LBA"; M-Business 2003, Vienna 2003, 22 pages.

Dimpfel, "Overview Technical Integration and Advertising Content Management", ELBA (European Location Based Advertising), IST-2001-36530, 2003, 8 pages.

"Elba—Project Summary", ELBA (European Location Based Advertising), 2002, 2 pages.

U.S. Appl. No. 09/206,627, filed Dec. 7, 1998. First named inventor: Alvin C. Allen Jr. Entitled, "Apparatus and Method for Triggerable Location Reporting."

U.S. Appl. No. 10/865,114, filed Jun. 9, 2004. First named inventor: Ricardo D. Craft. Entitled, "Aggregated Perceived Presence."

U.S. Appl. No. 10/916,960, filed Aug. 11, 2004. First named inventor: Othmer; Konstantin. Entitled, "Systems and methods for populating a ticker with location-based content."

U.S. Appl. No. 10/917,200, filed Aug. 11, 2004. First named inventor: Othmer. Entitled, "Bandwidth usage optimization and enhanced performance for wireless networks."

U.S. Appl. No. 11/019,526, filed Dec. 23, 2004. First named inventor: Bill. Entitled, "Predicting an event at a location."

U.S. Appl. No. 11/030,904, filed Jan. 10, 2005. First named inventor: Kurt Nosack. Entitled, "System and method for determining a nearest network resource using GPS coordinates."

U.S. Appl. No. 11/063,096, filed Feb. 22, 2005. First named inventor: Ellenby; et al. Entitled, "Pointing systems for addressing objects."

"U.S. Appl. No. 11/099,362, Non-Final Office Action mailed Aug. 28, 2006", 13 pgs.

"U.S. Appl. No. 11/099,362, Notice of Allowance mailed Jun. 6, 2007", 7 pgs.

"U.S. Appl. No. 11/099,362, Response Filed Jan. 29, 2007 to Non-Final Office Action mailed Aug. 28, 2006", 24 pgs.

U.S. Appl. No. 09/365,748, filed Aug. 3, 1999. First named inventor: Michael David Bednarek. Entitled, "System and Method for Supporting Participant Specific Incentives and Promotions."

U.S. Appl. No. 09/540,214, filed Mar. 31, 2000. First named inventor: Jay S. Walker. Entitled, "Method and apparatus for conducting a transaction based on brand indifference."

U.S. Appl. No. 09/589,684, filed Jun. 7, 2000. First named inventor: Neeraj Jhanji. Entitled, "Improved Systems for Communicating Future Activity Information Among Mobile Internet Users and Methods Therefor."

U.S. Appl. No. 09/589,685, filed Jun. 7, 2000. First named inventor: Neeraj Jhanji. Entitled, "Improved Systems for Communicating Future Activity Information Among Mobile Internet Users and Methods Therefor."

U.S. Appl. No. 60/654,951, filed Feb. 23, 2005. First named inventor: Harper; Gregory W. Entitled, "Systems and Methods for Storing Digital Content on Portable Devices."

U.S. Appl. No. 60/656,642, filed Feb. 25, 2005. First named inventor: Tony F. Rodriguez. Entitled, "Digital asset management, targeted searching and desktop searching using digital watermarks." U.S. Appl. No. 60/657,222, filed Feb. 28, 2005. First named inventor: Ian Rogers. Entitled, "A System and Method for Delivering Media over a Network."

U.S. Appl. No. 60/658,086, filed Mar. 3, 2005. First named inventor: Michael Keith Dery. Entitled, "Cellular Telephone Tracking System Employing a GPS Receiver."

U.S. Appl. No. 60/658,312, filed Mar. 3, 2005. First named inventor: Andre Gueziec. Entitled, "7-Day traffic forecasts and trip advice." U.S. Appl. No. 60/658,328, filed Mar. 2, 2005. First named inventor: Robertson; et al. Entitled, "System and method for managing user interaction data in a networked environment."

U.S. Appl. No. 60/659,643, filed Mar. 5, 2005. First named inventor: Sheha; Michael A.; et al. Entitled, "Method and System for Identifying and Defining Geofences."

U.S. Appl. No. 60/660,111, filed Mar. 8, 2005. First named inventor: Ching-Fang Lin. Entitled, "Interruption free navigator."

U.S. Appl. No. 60/661,056, filed Mar. 13, 2005. First named inventor: Kevin McKenzie. Entitled, "Method and System for Providing Security During Data Transmission over Wireless and Wired Network Connections."

U.S. Appl. No. 60/666,424, filed Mar. 30, 2005. First named inventor: Krishnakant Patel. Entitled, "Technique for Implementing Advanced Voice Services Using an Unstructured Supplementary Service Data (USSD) Interface."

U.S. Appl. No. 60/667,491, filed Apr. 1, 2005. First named inventor: Ching-Fang Lin. Entitled, "Interruption free navigator."

U.S. Appl. No. 60/266,559, filed Feb. 5, 2001. First named inventor: Athanassios Diacakis. Entitled, "Presence and availability management system."

U.S. Appl. No. 60/268,473, filed Feb. 12, 2001. First named inventor: Woody Denman. Entitled, "SIP-Based Push-to-Talk (PTT) Service."

U.S. Appl. No. 60/269,506, filed Feb. 16, 2001. First named inventor: Kevin Buckham. Entitled, "Monitoring and controlling access to wireless location information for group based and other applications."

U.S. Appl. No. 60/274,453, filed Mar. 9, 2001. First named inventor: Heikki Huomo. Entitled, "System, mobile station and method for managing context-related information."

U.S. Appl. No. 60/277,347, filed Mar. 19, 2001. First named inventor: Fano, Andrew E.; et al. Entitled, "Mobile valet."

U.S. Appl. No. 60/279,401, filed Mar. 28, 2001. First named inventor: Raymond J. Menard. Entitled, "Variable Distance RF Tag Disclosure."

U.S. Appl. No. 60/279,513, filed Mar. 28, 2001. First named inventor: Raymond J. Menard. Entitled, "Range and Bearing Indicator for Wireless Device."

U.S. Appl. No. 60/279,671, filed Mar. 30, 2001. First named inventor: H. Britton Sanderford Jr.. Entitled, "Enhanced wireless packet data communication system, method and apparatus applicable to both wide area networks and local area networks."

U.S. Appl. No. 60/281,038, filed Apr. 2, 2001. First named inventor: Fano, Andrew E.; et al. Entitled, "Mobile valet."

OTHER PUBLICATIONS


- U.S. Appl. No. 60/282,205, filed Apr. 6, 2001. First named inventor: Kevin C. Jones. Entitled, "Digital asset management and linking media signals with related data using watermarks."
- U.S. Appl. No. 60/283,929, filed Apr. 17, 2001. First named inventor: Steinbach, Galia ; et al. Entitled, "BeyondguideTM method and system."
- U.S. Appl. No. 60/285,032, filed Apr. 19, 2001. First named inventor: Curtis A. Vock. Entitled, "Event Monitoring Systems and Methods."
- U.S. Appl. No. 60/286,916, filed Apr. 27, 2001. First named inventor: Eric A. Portman. Entitled, "Location Based Services."
- U.S. Appl. No. 60/289,586, filed May 9, 2001. First named inventor: Philip Klein. Entitled, "Preprocessing an Undirected Planar Network to Enable Fast Approximate Distance Queries."
- U.S. Appl. No. 60/301,567, filed Jun. 28, 2001. First named inventor: Woody Denman. Entitled, "SIP-Based Push-to-Talk (PTT) Service."
- U.S. Appl. No. 60/303,019, filed Jul. 5, 2001. First named inventor: Priya Viswanath. Entitled, "Passively tracking mobile subscribers by monitoring wireless network messages."
- U.S. Appl. No. 60/303,615, filed Jul. 6, 2001. First named inventor: Randolph A. Jaramillo. Entitled, "Systems for Solving Challenges in Telecom Sales and Marketing."
- U.S. Appl. No. 60/305,580, filed Jul. 16, 2001. First named inventor: Scott Notes. Entitled, "Dynamic Polling Optimization Server." U.S. Appl. No. 60/305,975, filed Jul. 17, 2001. First named inventor: Sheha; et al. Entitled, "Position determination system."
- U.S. Appl. No. 60/313,010, filed Aug. 20, 2001. First named inventor: Sheha; et al. Entitled, "Point of interest spatial rating search method and system."
- U.S. Appl. No. 60/318,738, filed Sep. 12, 2001. First named inventor: Daubed; et al. Entitled, "High resolution tracking of mobile assets."
- U.S. Appl. No. 60/319,162, filed Apr. 2, 2002. First named inventor: Randazzo. Entitled, "NAV-Cell Pier to Pier GPS."
- U.S. Appl. No. 60/319,769, filed Dec. 11, 2002. First named inventor: Randazzo. Entitled, "Marine GPScell."
- U.S. Appl. No. 60/323,601, filed Sep. 20, 2001. First named inventor: Curtis A. Vock. Entitled, "Event Monitoring Systems and Methods."
- U.S. Appl. No. 60/327,327, filed Oct. 4, 2001. First named inventor: Stephen Michael Palik. Entitled, "Machine for providing a dynamic database of geographic location information for a plurality of wireless communications device and process for making same."
- U.S. Appl. No. 60/335,203, filed Oct. 23, 2001. First named inventor: Mark J. Reed. Entitled, "Machine for providing a directional assistance network and process for same."
- U.S. Appl. No. 60/337,945, filed Nov. 9, 2001. First named inventor: McCarthy; et al. Entitled, "Network text messaging organized by threads."
- U.S. Appl. No. 60/349,251, filed Jan. 18, 2002. First named inventor: Larry Lu. Entitled, "Calendar Overlays."
- U.S. Appl. No. 60/351,935, filed Jan. 24, 2002. First named inventor: Ryan Steelberg. Entitled, "RF Delivery."
- U.S. Appl. No. 60/352,761, filed Jan. 29, 2002. First named inventor: Mark Jefferson Reed. Entitled, "Mchine for providing a wireless communications device location tracking system and process for making same."
- U.S. Appl. No. 60/354,284, filed Feb. 1, 2002. First named inventor: Spriestersbach; et al. Entitled, "Integrating context information into enterprise applications for mobile applications."
- U.S. Appl. No. 60/357,240, filed Feb. 14, 2002. First named inventor: Andrew Charles Zmolek. Entitled, "Presence Tracking and Namespace Interconnection Techniques."
- U.S. Appl. No. 60/359,792, filed Feb. 26, 2002. First named inventor: Scott Notes. Entitled, "Minimizing Mobile Location Lookups via Intelligent Scheduling."

- U.S. Appl. No. 60/359,793, filed Feb. 26, 2002. First named inventor: Scott Hotes. Entitled, "Computing Location Updates for Applications Requiring Location-Based Triggering."
- U.S. Appl. No. 60/360,527, filed Feb. 28, 2002. First named inventor: Phillip Klein. Entitled, "System for Multi-User Location Based Alerts."
- U.S. Appl. No. 60/360,737, filed Mar. 1, 2002. First named inventor: Michael A. Sheha. Entitled, "Method and Apparatus for Sending, Retrieving, and Planning Location Relevant Information."
- U.S. Appl. No. 60/361,380, filed Mar. 1, 2002. First named inventor: Richard W. Graham. Entitled, "A System and Method to Provide Security in a Network Based on Device Location Information."
- U.S. Appl. No. 60/361,419, filed Mar. 1, 2002. First named inventor: John J. Roese. Entitled, "A System for Network Definition Based on Device Location."
- U.S. Appl. No. 60/361,420, filed Mar. 1, 2002. First named inventor: Richard W. Graham. Entitled, "Systems and Methods to Define Location of a Network Device or a Netowrked Device."
- U.S. Appl. No. 60/361,421, filed Mar. 1, 2002. First named inventor: John J. Roese. Entitled, "A System to Regulate Access as a Function of Device Location."
- U.S. Appl. No. 60/362,155, filed Mar. 5, 2002. First named inventor: Andre Gueziec. Entitled, "Personalized road traffic information dissemination."
- U.S. Appl. No. 60/365,104, filed Mar. 18, 2002. First named inventor: Christopher J. Hall. Entitled, "An Alternative Solution to the Problem of the Geolocating a Portable Radio Transmitter."
- U.S. Appl. No. 60/365,244, filed Mar. 18, 2002. First named inventor: Athanassios Diacakis. Entitled, "System and method for providing voice-activated presence information."
- U.S. Appl. No. 60/367,527, filed Mar. 22, 2002. First named inventor: William J. Sacco. Entitled, "Method and System of Mass Casualty Triage Prioritization."
- U.S. Appl. No. 60/367,708, filed Mar. 28, 2002. First named inventor: Gordon John Hines. Entitled, "Location Derived Presence Information."
- U.S. Appl. No. 60/367,967, filed Mar. 25, 2002. First named inventor: Jeffrey D. Mullen. Entitled, "Systems and methods for locating cellular phones."
- U.S. Appl. No. 60/370,862, filed Apr. 8, 2002. First named inventor: Douglas G. Dempster. Entitled, "Method for graphical interaction with geographic databases for broadcast presentation."
- U.S. Appl. No. 60/371,941, filed Apr. 10, 2002. First named inventor: Michael A. Sheha. Entitled, "Methods and System for Dynamic Estimation and Predictive Route Generation."
- U.S. Appl. No. 60/375,998, filed Apr. 24, 2002. First named inventor: Lau; et al. Entitled, "System, method and apparatus for acquiring, presenting, managing and using position information." U.S. Appl. No. 60/377,019, filed Apr. 30, 2002. First named inventor: Michael Pechatnikov. Entitled, "Real-time distribution of dynamic maps."
- U.S. Appl. No. 60/046,020, filed May 9, 1997. First named inventor: Clayton R. Karmel. Entitled, "Positioning system using packet radio to provide differential global positioning satellite corrections and information relative to a position."
- U.S. Appl. No. 60/046,021, filed May 9, 1997. First named inventor: Clayton R. Karmel. Entitled, "Positioning system using packet radio to determine position and to obtain information relative to a position."
- U.S. Appl. No. 60/046,400, filed May 13, 1997. First named inventor: Scott R. Jamison. Entitled, "Automated touring information systems and methods."
- U.S. Appl. No. 60/058,623, filed Sep. 11, 1997. First named inventor: Harold L. Peterson. Entitled, "Software Vending, Delivery, and Maintenance System."
- U.S. Appl. No. 60/066,653, filed Nov. 19. 1997. First named inventor: Steven Baker. Entitled, "Method and apparatus for distributing location-based messages in a wireless communication network."
- U.S. Appl. No. 60/068,775, filed Dec. 24, 1997. First named inventor: Wendell Alumbaugh. Entitled, "Travel guide."

OTHER PUBLICATIONS

- U.S. Appl. No. 60/072,090, filed Jan. 21, 1998. First named inventor: Craig A. Owensby. Entitled, "Method of Subscriber-Targeted Advertising for Mobile Personal Communications Services."
- U.S. Appl. No. 60/072,757, filed Jan. 27, 1998. First named inventor: Steven M. Hoffberg. Entitled, "Mobile communication device." U.S. Appl. No. 60/097,932, filed Aug. 25, 1998. First named inventor: Matthew G. Pallakoff. Entitled, "System designed to facilitate team buying."
- U.S. Appl. No. 60/097,933, filed Aug. 25, 1998. First named inventor: Matt Pallakoff. Entitled, "Network system designed to facilitate offering, sellingand purchasing goods and services."
- U.S. Appl. No. 60/105,493, filed Oct. 23, 1998. First named inventor: Raymond J. Menard. Entitled, "Low Power Two-Way Long Range Security System."
- U.S. Appl. No. 60/106,816, filed Nov. 3, 1998. First named inventor: James Fitch. Entitled, "Data Fusion for Wireless Location-Based Applications."
- U.S. Appl. No. 60/113,167, filed Dec. 21, 1998. First named inventor: Charles C. Cheng. Entitled, "Method for Location Based Asset Management."
- U.S. Appl. No. 60/115,074, filed Jan. 7, 1999. First named inventor: Harry E. Emerson, III. Entitled, "Enhanced Radio Graphic Data System."
- U.S. Appl. No. 60/123,821, filed Mar. 11, 1999. First named inventor: John D. Codignotto. Entitled, "Message publishing system and method."
- U.S. Appl. No. 60/123,882, filed Mar. 11, 1999. First named inventor: David S. Breed. Entitled, "Methods and Apparatus for Preventing Vehicle Accidents."
- U.S. Appl. No. 60/130,882, filed Apr. 23, 1999. First named inventor: Donald L. Fuchs. Entitled, "Method and Apparatus for Locating Mobile Receivers."
- U.S. Appl. No. 60/135,862, filed May 25, 1999. First named inventor: Raymond J. Menard. Entitled, "Bidirectional Wireless Detection System."
- U.S. Appl. No. 60/158,255, filed Oct. 5, 1999. First named inventor: Dave Michaelson. Entitled, "Ocean Bottom Proximity Warning Sensor."
- U.S. Appl. No. 60/160,326, filed Oct. 19, 1999. First named inventor: Michael L. Obradovich. Entitled, "Technique for Effective Navigation Based on User Preferences."
- U.S. Appl. No. 60/162,333, filed Oct. 29, 1999. First named inventor: Hirohisa Tanaka. Entitled, "Method for Providing Matching and Introduction Services to Proximate Mobile Users and Service Providers."
- U.S. Appl. No. 60/165,435, filed Nov. 15, 1999. First named inventor: Jay S. Walker. Entitled, "Uniseller Internet pricing."
- U.S. Appl. No. 60/170,844, filed Dec. 14, 1999. First named inventor: Jhan. Entitled, "Improved Systems for Communication among Mobile Internet Users."
- U.S. Appl. No. 60/184,248, filed Feb. 23, 2000. First named inventor: Robert M. Kalthoff. Entitled, "Locator system."
- U.S. Appl. No. 60/184,799, filed Feb. 24, 2000. First named inventor: Jay S. Walker. Entitled, "Redemption feedback loop for priceline for gas."
- U.S. Appl. No. 60/185,480, filed Feb. 28, 2000. First named inventor: C. Douglass Thomas. Entitled, "Method and System for Location Tracking."
- U.S. Appl. No. 60/185,902, filed Feb. 29, 2000. First named inventor: John E. Boyd. Entitled, "A Computer-Based Networking Service and Method and Systems for Performing the Same."
- U.S. Appl. No. 60/186,155, filed Feb. 29, 2000. First named inventor: Blumberg; et al. Entitled, "Global positioning-based real estate database access device and method."
- U.S. Appl. No. 60/187,137, filed Mar. 6, 2000. First named inventor: Fisher; et al. Entitled, "ImageHub."

- U.S. Appl. No. 60/191,779, filed Mar. 24, 2000. First named inventor: Robert L. Piccioni. Entitled, "System and Method for Automated Distribution of Law Enforcement Intormation."
- U.S. Appl. No. 60/194,761, filed Apr. 3, 2000. First named inventor: Christopher Herringshaw. Entitled, "Method and Apparatus for Estimating Geographic Location of a Networked Entity."
- U.S. Appl. No. 60/196,575, filed Apr. 11, 2000. First named inventor: Michael Obradovich. Entitled, "GPS Publication Application Server."
- U.S. Appl. No. 60/199,528, filed Apr. 25, 2000. First named inventor: Todd Newville. Entitled, "Information Data Portal."
- U.S. Appl. No. 60/199,551, filed Apr. 25, 2000. First named inventor: Cooper. Entitled, "System and method for proximity searching position information using approximity parameter."
- U.S. Appl. No. 60/202,147, filed May 5, 2000. First named inventor: Masoud Motamedi. Entitled, "Performance analysis tool for location systems."
- U.S. Appl. No. 60/205,938, filed May 18, 2000. First named inventor: Mathur; et al. Entitled, "System and method for creating content and preferences in a collaborative fashion with privacy."
- U.S. Appl. No. 60/210,682, filed Jun. 10, 2000. First named inventor: Hirohisa Tanaka. Entitled, "Method and System for Selectively Connecting Proximate Mobile Telecommunication Users Having Compatible Attributes."
- U.S. Appl. No. 60/210,691, filed Jun. 10, 2000. First named inventor: Geoffrey R. Hendrey. Entitled, "Method and System for Selectively Connecting Proximate Mobile Telecommunication Users."
- U.S. Appl. No. 60/212,155, filed Jun. 16, 2000. First named inventor: Tendler. Entitled, "Pager Activated GPS-Equipped Wireless Phone."
- U.S. Appl. No. 60/214,197, filed Jun. 26, 2000. First named inventor: Philip J. Koopman Jr. Entitled, "Mehod and Apparatus for Automatically Initiating Telecommunication Connections to Nearby Transceivers."
- U.S. Appl. No. 60/216,721, filed Jul. 7, 2000. First named inventor: Geoffrey R. Hendrey. Entitled, "Method and Apparatus for Facilitating Meetings Among Proximate Indirectly Related People."
- U.S. Appl. No. 60/218,454, filed Jul. 14, 2000. First named inventor: Norman Mohi. Entitled, "Locating system and method."
- U.S. Appl. No. 60/223,614, filed Aug. 7, 2000. First named inventor: Philip J. Koopman Jr. Entitled, "Method and System for Tracking Effectiveness of Mobile Telecommunication Advertisements."
- U.S. Appl. No. 60/225,076, filed Aug. 14, 2000. First named inventor: Ashutosh Pande. Entitled, "Multi-mode global positioning system for use with wireless networks."
- U.S. Appl. No. 60/228,102, filed Aug. 26, 2000. First named inventor: Thomas Black. Entitled, "Method and apparatus for restricting the assignment of VLANS."
- U.S. Appl. No. 60/241,776, filed Oct. 18, 2000. First named inventor: Brad Doctor. Entitled, "Method and System to Determine a Geographical Location Associated with a Network Address."
- U.S. Appl. No. 60/256,069, filed Dec. 15, 2000. First named inventor: Curtis A. Vock. Entitled, "Ubiquitous Movement Monitor Device."
- U.S. Appl. No. 60/257,386, filed Dec. 22, 2000. First named inventor: Curtis A. Vock. Entitled, "Movement Monitoring Systems and Methods."
- U.S. Appl. No. 60/259,271, filed Dec. 29, 2000. First named inventor: Curtis A. Vock. Entitled, "Movement Monitoring Systems and Methods."
- U.S. Appl. No. 60/264,164, filed Jan. 24, 2001. First named inventor: Yi-chung Chao. Entitled, "Methods and Implementation for Improving Mobile User Position Accuracy and Information Input/Output Formats."
- * cited by examiner



OPENING SCREEN

FIG. 1





FIG. 2A



MATRIX OF BUDDY LIST

FIG. 2B




FIG. 2C




FIG. 2D




FIG. 2E





FIG. 2F

	BUDDIES	SETTINGS	UPDATE	HELP
з //	TENNIS TÉAM			
	SKI			
	AUSTIN///			
	Jose////			
	KIRSTEN			
	PAUL			
3/14	INST01			
	MAPIT ÁLL			
	GROUPS ONLY			
	BUDS ONLY			
	INSTANT BUD			
	^			
	14			
	HOME	-	-	-


TYPICAL SCREEN SHOWING A NAMED BUDDY LIST'S CONTENTS

FIG. 3




TYPICAL SCREEN SHOWING A BUDDY'S LOCATION ETC.

FIG. 4



MAPIT™ DISPLAY

FIG. 5




MAPIT DISPLAY SHOWING POSITION HISTORY OF A BUDDY

FIG. 6

BUDDIES	SETTINGS	UPDATE	HELP
TRACIE			
DEAN /	DEAN SMITH	<u>36</u>	
KAREN	LAST: 11:14 -	34	
STEVE	DJ8: 3.4MI /-	<u>38</u>	
	DIR. E (90°)	40	
	LAT: 25°15m27s	42	
	LNG: 22°13m48s	<u>44</u>	
	SPEED: 1.5	—46	
	MAPIT —	48	
	MAPIT W HIS		
НОМЕ	[<u> [</u>

TYPICAL SCREEN SHOWING POSITION AND STATUS
OF A MEMBER OF A GROUP

FIG. 7




MAPIT DISPLAY WHEN THE POSITION OF A BUDDY IS REQUESTED

FIG. 8

BUDDIES	SETTINGS	UPDATE	HELP
TENNIS TEAM			
SKI			
AUSTIN			
JOSE			
KIRSTEN			
PAUL			
12313134Kdx1	INST01 -	- 52	
	LAST: 10:47 -	-54	
	DIS: 4.7MI -	-56	
	DIR: NE (45°) -	- 58	
	LAT: 25°15m27s -	-60	
	LNG: 22º13m48s -	-62	
	SPEED: NONE -	64	
	MAPIT -	-66	
	MAPIT W HIS -	-68	


SCREEN SHOT SHOWING AN INSTANT BUDDIES LOCATION

FIG. 9




INSTANT BUDDY SETUP SCREEN

FIG. 10




INSTANT BUDDY SETUP SCREEN DISPLAYED ON PHONE OF INSTANT BUDDY

FIG. 11



PRIOR ART CELL PHONE SYSTEM PEER TO PEER EMBODIMENT

16. 12



BUDDY WATCH SERVER & CELL PHONE PROCESS TO EXCHANGE POSITION DATA

FIG. 13A





FIG. 13B



ALT. EMB. OF POSITION EXCHANGE PROCESS

FIG. 14A




FIG. 14B




FIG. 14C





FIG. 15



SERVER-BASED BUDDY WATCH SYSTEM

FIG. 16

PREFERRED INSTANT BUDDY SETUP PROCESS




FIG. 17A







FIG. 17B





PROCESS TO ESTABLISH AND USE PERSONAL BREAD CRUMBS MODE










FIG. 20B


PROCESS TO ESTABLISH AND USE PERSONAL BREAD CRUMBS MODE



































SEQUENCE FROM SERVER TO AUTO DELETE A USER - SCHEDULE






FIG. 33


SEQUENCE FROM SUPERVISOR TO ADD USER



SEQUENCE FROM SUPERVISOR TO EDIT USER



SEQUENCE FROM SUPERVISOR TO DELETE USER



SEQUENCE FROM SUPERVISOR TO ISSUE TOKEN






FIG. 37

ALL COMMUNICATION BETWEEN HANDSETS IS ROUTED THROUGH THE RUBICON SERVER. DATABASE UPDATES ARE MADE TRACKING THE PROGRESS

SEL = SELECT



SEQUENCE FROM SUPERVISOR FOR STATUS




ALL COMMUNICATION BETWEEN HANDSETS IS ROUTED THROUGH THE RUBICON SERVER. DATABASE UPDATES ARE MADE TRACKING THE PROGRESS

FIG. 39

SEL = SELECT

SEQUENCE FROM SUPERVISOR TO CREATE GROUP



ONTO CARRIER SERVER

FIG. 40

METHODS AND SYSTEMS FOR TEMPORARILY SHARING POSITION DATA BETWEEN MOBILE-DEVICE USERS

FIELD OF USE AND BACKGROUND OF THE INVENTION

The cellular market in 2003 was around 150-160 million devices in the US and the number is growing at over 10% per year at least. Europe already has 320 million cell phone 10 users, and the global market is over 1.4 billion devices.

Cell phone carriers are looking for opportunities to increase both revenue and profits by providing new services. For example, recently cell phones have been provided with browsers to allow surfing the internet from the phone. One 15 of the needs businesses, families and individuals have is the need to know where their employees, children and friends are. No two way position information sharing technology currently exists as far as the applicant is aware.

The one way location sharing prior art includes On Star 20 and the Mercedes Benz TeleAid services where, via GPS receivers and cellular phone capability built into a car, an aid center can track cars all over the world and speak with the occupants and sense when the cars airbags have deployed. Other commercial services allow parents to track the locations of their children in a one way location sharing manner. None of these services allow the occupants of the car to know where the aid center is or allows the children to know where their parents are.

Another need is for a system for use by motorists, hikers, pilots and boatmen to allow them to be able to contact rescuers and know the location of the rescuers as they come to the aid of the stranded person and to allow the rescuers to know the location of the victims they are trying to rescue. The need requires that cell phones have the capability to be 35 reconfigured in the field to add an "instant buddy" to the list of people with whom location information is shared. The prior art kid tracking systems could not be reconfigured in the field to add new individuals with whom location information was to be shared.

Differences Over Kid Tracking Prior Art

In the prior art, one could buy phones that were set up at the manufacturer to enable parents to locate their children. 45 One such service allows up to eight phones to be used and allows parents to monitor the locations of their kids. But these services do not allow the kids see the locations of their parents because the service is not set up to share location information between phones. In other words, it is a one way 50 service with the kid's locations being sent to the parents phones for display but not vice versa. Further, there is no mechanism to add groups and members of groups, and there is no mechanism to set up "instant buddies" as that term is used below (temporary location sharing between phones on 55 an ask and accept basis which automatically expires after a configurable interval terminates). The kid locator phones are set up at the factory and nothing can be changed in the field by the users and they are always on and cannot be disabled.

It is useful to be able to share locations among multiple 60 cell phones which have GPS locator ability. Such an ability would be useful for people in groups who have made plans to meet at specific locations at specific times. When one person is late, the others in the group would be able to ascertain the tardy person's location. To alleviate privacy 65 concerns, it would be useful to be able to turn off location sharing or to program location sharing so that it turns itself

2

on automatically at some date and time and turns itself off at some other programmable date and time. It would also be useful to have a map display on cell phones which are picture enabled and to plot the locations on the map of persons in a group who have their location sharing capability turned on.

SUMMARY OF THE INVENTION

The invention contemplates 2.5 GHz and 3 GHz Java enabled, web enabled (or similar) cell phones and Personal Digital Assistants or other web enabled wireless products with global positioning system (GPS) receivers and sufficiently large liquid crystal displays for the preferred embodiment. The phones must be web enabled to be able to send and receive TCP/IP or other protocol packets over the internet to the Buddy Watch server.

In some embodiments where push-to-talk enablement is implemented, GPS receivers are not necessary in the cell phones but they must be web enabled to be able to send and receive TCP/IP or other packets over the internet to the Buddy Watch server.

These phones and other wireless devices are programmed with software (programmed at the factory or downloaded from the assignee of the present invention) to have the user interface and functionality described herein to allow mutual tracking and optional position mapping displays of members of groups and of instant buddies coming to the rescue of stranded motorists, hikers, pilots and boatmen. These phones work with a Buddy WatchTM server coupled to the internet. The server is not limited to any specific language or technology nor is it limited to any specific wired or wireless solution or any particular transmission physical layer or protocol.

The teachings of the invention do not require development of new cell phone or PDA technology nor do they require development of new cellular communication infrastructure. The functionality implemented by the software of the invention utilizes existing platforms and infrastructure. In the preferred embodiment, the software of the invention is developed to JAVA specifications.

In its primary mode, the process of the invention only allows exchanging and mapping of position data with persons on a Buddy ListTM programmed into a Buddy WatchTM (synonym for Buddy TrackerTM) device (defined as any of the devices mentioned anywhere in the specification when programmed to operate in Buddy Watch mode or coupled to another device operating in Buddy Watch mode). The user must allow others on his Buddy Lists to "see" his location (location sharing may be turned off), and the user must request to see the location of others on his Buddy Lists to be able to have their positions reported and/or mapped. Position information exchanged via radio transmission on the cellular infrastructure is encrypted so that outsiders cannot see or use location information that is transmitted. A simple menu structure allows easy setup and management of Buddy Watch application programs. The keypad of the phone or PDA is used to enter information into the Buddy Watch enabled device. Online help is available to setup and use the Buddy Tracker application program(s).

The teachings of the invention can also be integrated into other products and services such as autos with GPS based navigation systems. This would be done by expanding the navigation system to have a cellular transceiver capable of sending and receiving digital data including position data to the Buddy Tracker server. It could also be done by expanding the GPS navigation system product to have a USB or

other interface port to couple the system to a cell phone or PDA of the type described above. This interface would allow the GPS navigation system to receive position data from the wireless digital data transceiver and map the position data on the GPS navigation system display of the auto. Handheld 5 GPS navigation devices can also be expanded by integrating a cell phone therein or providing a port to interface to a cell phone to exchange position information with the Buddy Tracker server.

In a system employing the teachings of the invention, the 10 users can change things on the fly in the field such as: adding groups and members; adding instant buddies, changing the size of the area in which their buddies can be tracked, enabling or disabling the location information sharing function without disabling the phone, etc.

Some of the benefits of the Buddy Tracker technology are that it allows businesses to easily identify which service persons are closest to the next job and to let personnel in the field know the positions of their co-workers and to share their location with their co-workers. Parents can keep track 20 of where their kids are. Friends can keep track of where their buddies are and share their position with their buddies. Location information will be shared only so long as the phone is on and in an area where the device can receive a GPS signal and send the phone's coordinates out on the 25 cellular network (and the location sharing capability is enabled).

Further, the cellular carriers do not have to invest in engineering or infrastructure to offer the Buddy Watch functionality. The software that implements the Buddy 30 Watch functionality can be downloaded from the web or installed at the point of sale of a cell phone or PDA. Use and sale of an application that makes use of the on-board GPS capability of cell phones and PDAs built to comply with the E911 requirement allows the carriers to recoup some of the 35 costs imposed upon them by the E911 requirement.

Enhancements to cellular phones in recent years such as the addition of cameras and web browsers have lost track of one of the basic reasons for cell phones in the first placepeople want to communicate with and know where other 40 people are. This is applicable to parental monitoring and increasing the efficiency of business and increasing the effectiveness of law enforcement. The Buddy Watch system also functions to decrease the load on the 911 system since not every situation requires the help of 911 authorities.

BRIEF DESCRIPTION OF THE DRAWINGS

- FIG. 1 is a screen shot of a typical opening screen which would be displayed on a cellphone with the BuddyTrackerTM 50 to establish and use the personal bread crumbs mode. software enabled.
- FIG. 2A shows a block diagram of the Buddy Watch
- FIG. 2B illustrates a matrix or web of supervisorial relationships and Buddy Lists.
 - FIG. 2C is a diagram of the start-up screen.
 - FIG. 2D shows the Mapit page.
- FIG. 2E shows additions options for manual refresh, etc. which can be reached by scrolling down the Mapit page below the list of active users.

60

- FIG. 2F is a screen of active users.
- FIG. 3 represents a display in the user interface which shows individuals on the phone's Buddy List as well as a group of buddies which has been given the name Tennis Team.
- FIG. 4 is a user interface display showing the result when the tennis team Buddy List entry is selected and the infor-

mation that is displayed when one of the members of the tennis team is selected for display of location information.

- FIG. 5 is a user interface display showing a map rendering with the location of a selected member of the tennis teach group displayed thereon.
- FIG. 6 is a user interface display showing a map rendering with the location history of a selected member of the tennis team rendered thereon.
- FIG. 7 is a screen shot of a display in a typical system employing the invention showing positions and status of members of a selected group.
- FIG. 8 is a screen display showing what is displayed when Dean is selected and the Mapit command in box 48 is given by double clicking on the box or by any other means.
- FIG. 9 is a screen shot of an instant buddy display after an instant buddy relationship has been set up.
- FIG. 10 is a screen shot of a typical display in a system employing the teachings of the invention to establish an instant buddy ID in box 70, and give the instant buddy a caller ID in box 72 (the instant buddy's caller ID or phone number is used by default).
- FIG. 11 is a screen shot of the display which appears on at least the instant buddy's phone after a stranded motorist, pilot or hiker has contacted 911 and entered a caller ID and carrier for a proposed instant buddy.
- FIG. 12 is a block diagram of a typical prior art cellular system infrastructure in which the method and apparatus of the invention work in a peer-to-peer embodiment.
- FIG. 13, comprised of FIGS. 13A and 13B, is a flowchart of the method of exchanging GPS position data among cell phones of a watch list.
- FIG. 14, comprised of FIGS. 14A, 14B and 14C, is a flowchart of processing of an embodiment that implements several modes of operation.
- FIG. 15 is a flowchart of the process of establishing an Instant Buddy Relationship.
- FIG. 16 is a block diagram of a typical cellular system coupled by a gateway and a Wide Area Network such as the internet to a Buddy Watch server to provide the infrastructure of the invention.
- FIGS. 17A and 17B are a flowchart of the preferred Instant Buddy Setup process.
- FIGS. 18 and 19 are diagrams of some of the user 45 interface display screens involved in the Instant Buddy Setup process.
 - FIGS. 20A and 20B are a flowchart of the process of enabling the personal bread crumbs mode and how it works.
 - FIG. 21 is a flowchart of another embodiment of a process
 - FIG. 22 is a flowchart of the preferred embodiment for the instant buddy setup process.
 - FIG. 23 is a flowchart of another embodiment of a process to receive buddy location update requests and process them.
 - FIG. 24 is a diagram of the default start screen and some of the other user interface screens that the user can navigate to from the start screen.
 - FIG. 25 is a help screen showing how navigation to a view new alarms screen can be accomplished.
 - FIG. 26 shows the tree structure of a plurality of other screens which can be used to add target locations, annotate the target locations with text, voice or photo notes, add a text message, give commands to take a picture or find a picture file, record a voice message to be appended to the target, request position updates for all active buddies, map the positions of all active buddies or select particular buddies for mapping or requesting a position update.

FIG. 27 shows a number of screens which can be displayed to map the position of a selected user with history and give information about the user as well as send short text messages, record and send voice messages, photos, Instant Messenger links, target positions, etc.

FIGS. 28A and 28B show user interface screens created by Buddy Tracker software to create settings such as bread crumbs on or off, security codes for personal bread crumbs tracking and verification that a user is OK, set checkup timeout intervals, establish phone numbers and email 10 addresses of other users to call in case of emergency in personal bread crumbs mode, add, change or delete group names, set the Mapit screen radius, refresh rate and update setting, refresh time, delta position change for refresh.

FIG. **29** shows the user interface screens to create a new 15 buddy and showing the communication paths and accept protocol to do this.

FIG. 30 is a diagram of the user interface screens for defining, deleting and using map rooms for closed proximity groups, open proximity groups, etc.

FIG. **31** is a block diagram of the system for TalkControl to simplify cell phone walkie-talkie operations.

FIG. 32 is a flow diagram of a process a user of a walkie-talkie enabled phone can initiate to join a talk group to enable subsequent walkie-talkie operations.

FIG. 33 is a flowchart of the process the Rubicon server carries out to automatically delete a user.

FIG. **34** is a flowchart of the process the Rubicon server carries out to allow a supervisor to add a user.

FIG. **35** is a flowchart of the process for a supervisor to ³⁰ edit a user in a talk group.

FIG. 36 is a flowchart of a process for a supervisor to delete a user from a talk group.

FIG. 37 is a flowchart of a process for a supervisor to issue a token.

FIG. 38 is a flowchart for the process of setting up preferences.

FIG. 39 is a flowchart of the process to allow a supervisor to request status.

FIG. **40** is a process flowchart of the process for a ⁴⁰ supervisor to create a group.

DETAILED DESCRIPTION OF THE PREFERRED AND ALTERNATIVE EMBODIMENTS

FIG. 1 is a screen shot of a typical opening screen which would be displayed on a cellphone with the Buddy Tracker[™] software enabled on the phone. FIG. **2**A is a block diagram of the Buddy Watch system. A Buddy Watch or 50 Rubicon server communicates with wireless devices 2 through 6 via the internet 9 and wireless carrier systems 7 and 8. In the claims, the Buddy Tracker software is called the GPS position data sharing software application and it is resident on each of wireless devices 2 through 6. Generally, 55 communication between the handsets and the Rubicon (Buddy Watch) server occurs as follows. Each handset communicates data packets through its local cellular carrier network via TCP/IP compliant data packets encapsulated in cell system packets. The carrier network tower receives the 60 packets and strips off the cellular encapsulation and forwards the TCP/IP packet to an appropriate gateway connected to the internet 9. Routers in the internet route the packet to its destination, generally the Buddy Watch server 1. The receiving server validates the content of the IP packet 65 to authenticate the sender as a registered Rubicon user and to verify that the sending phone EIN matches the phone EIN

6

stored in the server. Once authenticated, the packet content is processed by the server. A response to the request in the packet is prepared using information from a database maintained by the Rubicon server and any associated map needed for the response is requested from a map server. The complete response is compiled, including any data needed to render a map on the recipient wireless device display and packetized into a TCP/IP packet and sent back to the originator of the request via internet routers and carrier gateways that couple the wireless carrier systems to the internet. The gateway of the carrier identifies the correct tower for the cell in which the recipient's phone is currently resident and the packet is encapsulated in a cell system packet and forwarded to the appropriate tower where it is transmitted wirelessly to the cell phone or other wireless device of the recipient. The wireless device then recovers the data in the TCP/IP packet and the port address in the TCP/IP packet header causes the packet to be routed to the Buddy Watch software where it is processed.

FIG. 2C is a diagram of the start-up screen. On startup, each handset starts its GPS sampler and the Buddy Watch application program. If Main is pressed, the user is taken to the Nextel default page (or whatever other carrier is being used). If Mapit is selected, the user is taken to the Mapit page shown in FIG. 2D. FIG. 2D shows the Mapit page where the positions of active users within the radius set up in the preferences of the center point XXX within radius YYY is shown. Scrolling down the Mapit page below the map is the list of active users including those outside the radius. FIG. 2E shows additional options for manual refresh, etc. which can be reached by scrolling down the Mapit page below the list of active users. FIG. 2F is a screen of active users. Color is used to highlight items. Scrolling to a user and pressing OK gives two options: re-centering the map on the user and 35 displaying details of that user.

The Buddy Tracker software creates the displays such as that shown in FIG. 1 and other user interface displayed discussed elsewhere herein. FIG. 24 is a diagram of the default start screen and some of the other user interface screens that the user can navigate to from the start screen. This is a help/emergency screen 15 which has a next command 19 which can be selected to take the user to the 911 screen 17 which can be used to take the user to a screen 21 wherein the user can select the type of help requested. 45 FIG. **25** is the help screen and shows how navigation to view a new alarms screen can be accomplished. FIG. 26 shows the tree structure of a plurality of other screens which can be used to add target locations, annotate the target locations with text, voice or photo notes, add a text message, give commands to take a picture or find a picture file, record a voice message to be appended to the target, request position updates for all active buddies, map the positions of all active buddies or select particular buddies for mapping or requesting a position update. FIG. 27 shows a number of screens which can be displayed to map the position of a selected user with history and give information about the user as well as send short text messages, record and send voice messages, photos, Instant Messenger links, target positions, etc. FIGS. 28A and 28B show user interface screens created by Buddy Tracker software to create settings such as turning bread crumbs on or off, security codes for personal bread crumbs tracking and verification that a user is OK, set checkup timeout intervals, establish phone numbers and email addresses of other users to call in case of emergency in personal bread crumbs mode, add, change or delete group names, set the Mapit screen radius, refresh rate and update setting, refresh time, delta position change for refresh. FIG.

29 shows the user interface screens to create a new buddy and shows the communication paths and accept protocol to do this. FIG. 29, is discussed more below, and is a representation of the screens and protocols to initiate and accept an instant buddy relationship. FIG. 30 is a diagram of the 5 user interface screens for defining, deleting and using map rooms for closed proximity groups, open proximity groups, etc. For closed proximity group map rooms, listed users can set their preferences to automatically enter or be alerted that they are in the Zone and manually decide to enter. For Open 10 Proximity Group Map Rooms, anyone can join by opting in from their phone or from a sponsor's website. Upon entry, they can view and be viewed by all other members in the map room. Proximity rooms are useful to find and be found by friends attending an event.

In FIG. 1, area 10 discloses that the Buddy Tracker location sharing application software is active and is sharing the location of the phone with other members of a designated group. Area 12 indicates that parental status is active which means that the employer of the employee carrying the phone 20 or the parent of the kid carrying the phone can see the location of the employee or kid if the phone is on. When parental status is active, the supervisory function cannot be turned off or evaded. This supervisory location sharing can be hierarchical such that an employer can see the location of 25 all its employees, and each of the employees can be set up as supervisor of their children such that the employees can see the locations of their children, but the employer of each employee cannot see the locations of the children of each employee. The supervisorial relationships can be set up to 30 define a matrix or web of Buddy List and supervisorial relationships, such as is illustrated in FIG. 2B.

In FIG. 2B, phone A has phones C and D on its Buddy List and is set up as the supervisor of those two phones. Phone B has phones A, G, F and E on its Buddy List and is set up 35 as the supervisor of those phones. Phone H has phones E, J and I on its Buddy List and is set up to supervise those. Phone K has phone I on its Buddy List and is set up to supervise phone I.

Each of the phones in FIGS. 2A and 2B is coupled to the 40 cellular carrier infrastructure in a conventional manner and can send phone calls or short text messages or email messages to any other phone including the cell phones represented by lettered circles in FIG. 2B. FIG. 12 is a block diagram of a typical prior art cellular system infrastructure 45 in which the teachings of the invention in a peer-to-peer embodiment can be practiced. An area of the country is divided into several cells represented by circles such as 93 and 95. Inside each cell is a transceiver tower, represented by blocks 94 and 96 which carries out time division multiple 50 access or code division multiple access digital radio communications with cell phones in its cell. The cell phones or PDAs are represented by autos 98 and 100. Data recovered from the cell phone transmissions is transmitted to a central switching system 102 by data paths such as 104 and 106. 55 The central switching system 102 is coupled to a public service telephone network 108.

Transmissions from one cell phone to another take place via the towers such as **94** and **96** and the central switching system **102**. For example, suppose cell phone **98** wants to 60 send its GPS location data to cell phone **100** and cell phone **100** wants to send its GPS location data to cell phone **98**. The system of the invention uses some communication protocol such as XML, modified short text messages or other methods to send GPS location information to all cell phones on 65 a Watch list. XML is a slimmed down version of SGML and enables Web authors to create their own tags so that they can

8

more accurately capture the structure of their data. Because this structure can be read by SML-compliant browsers, the information encoded in these tags can be made available to programs such as Java applets or it can be displayed by formatting the XML tags with a style sheet.

In the preferred embodiment, the wireless devices in a group which has location tracking turned on periodically send their GPS position data to all the other members in the group. The process for each wireless device to send its position data to any other wireless device in the group is as shown in FIGS. 13A and 13B. Basically, FIG. 13 is a flow chart of the process of two or more cell phones exchanging encrypted GPS position data. FIG. 23, discussed below, is a flowchart of another embodiment of a process to receive and process Buddy location update requests. The process of FIG. 13 starts at step 110 with a request for a position update. In the preferred embodiment, this happens when a user of a Buddy Tracker phone uses his phone to make a request for a location update. In other embodiments, location updates can be requested automatically and periodically by the Buddy Tracker software on a device that is reporting its position. In other embodiments, a position update can be automatically generated by a device which is reporting its position to other members of a group whenever the position of the device has changed from its last reported position by a programmable amount. The requested position update may be sent to everybody on a selected Buddy List or just a single person's wireless device. In some embodiments, the position update is sent to some subset of persons on a selected Buddy List. Step 112 represents the process of looking up the addresses for all people on the selected Buddy List, a watch list, or just a selected individual or a subset of individuals from a watch list, as the case may be. Some embodiments may be limited to position updates on entire Buddy Lists.

Step 114 represents the process of reading the GPS position data from the built in GPS receiver of the phone (or the GPS receiver of the navigation system) and encrypting the position data.

In step 116, cell phone 98 puts its encrypted GPS location data into a message according to the chosen communication protocol (assume short text message—SMS for short) and addresses the message packets to the one or more phones of the selected persons with which position information is to be

In step 118, the SMS message packets are transmitted to tower 94 using whatever physical layer protocol the cellular system uses such as TDMA or CDMA. The header of the SMS packets contains data indicating the payload data is to be sent to the Buddy Watch software of a particular cell phone and not to the inbox of the phone's SMS software. The payload data of these packets is the encrypted GPS position data. The physical layer protocol typically involves the following steps. First, the packets are disassembled into groups of bits of some predetermined size called codewords the size of which depends upon the particular configuration of the forward error correction software. The codewords are then interleaved to help defeat burst errors. Each codeword can then be encoded with error detection and correction bits such as by using Reed Solomon encoding. The codewords are then broken down into groups of bits called constellation points. The number of bits in each group depends upon the type of modulation scheme in use. In some embodiments, the groups of bits are then further encoded in a Trellis encoder.

The encrypted GPS position data packets would be addressed such that they would be routed in the cellular system to all the other wireless devices using the Buddy

Tracker software which requested a position update. This is done by routing the packets to the cell transceivers in the cells in which the wireless devices which require updates are currently registered, as represented by step 120. For example, if cell phone 100 in FIG. 12 is on the Watch list or 5 is being automatically updated or has requested a position update manually, it will have transmitted a packet to transceiver 96 indicating it needs a position update and, when the wireless device entered cell 95, it will have exchanged packets with transceiver 96 to achieve synchronization with 10 transceiver 96 and to register in cell 95. Each wireless device that is registered in a cell will have done this, and the transceivers in each cell will communicate with the central switching system 102 to indicate which wireless devices are registered in their cells. Therefore, the routers in central 15 switching system 102 will know which wireless devices are registered in each cell and will know which wireless devices are to receive position updates. Step 120 represents the process of receiving the signals from each wireless device that are modulated with constellation points that contain the 20 data of packets that contain GPS positions, recovering the data from the constellation points and doing error detection and correction and recovering the GPS position data packets. These packets are then routed to the central switching system which uses the destination addresses in the packets 25 and its routing tables to route them to the transceivers in whatever cell or cells the wireless devices that require position updates are registered. There, the packets are disassembled, encoded with error correction and detection data, and assembled into symbols or constellation points in whatever type modulation (QAM, QPSK, etc.) is being used and transmitted to the wireless device. This happens for every wireless device on a watch list or which has requested a

At each wireless device which receives the signals modulated with the constellation points bearing the GPS position data, the data of each packet is recovered and the packet is reassembled, as symbolized by step 122. The header data of the packet (the port number in the case of TCP/IP packets) causes the wireless device to pass the packet to the Buddy 40 Tracker software which is monitoring a particular port, step 124. When a packet is passed to that port (or just the payload data thereof), the payload data is decrypted and the position data recovered, step 126. Step 126 also represents the process of reading the header data of the incoming packets 45 and determining which other member of a buddy group sent the position update so that the position information for the proper member of the Buddy Group is displayed. The position data is then used to display the position of the other party in the group who sent the packet, and, if the user gives 50 the "Mapit" command, the position data will be converted to a waypoint on a displayed map so as to graphically display the position of the wireless device which sent the packet.

Step 128 represents the process of the device which received the position update encrypting its own GPS position into short message or email packets addressed to the other members of a Buddy Watch group or to a single other wireless device. These packets are then sent to all the other wireless devices by the same process described in steps 116, 118, 120, 122 and 124 of FIGS. 13A and 13B, as represented by step 130.

FIG. 23 is a flowchart of another embodiment of a process to receive buddy location update requests and process them. Step 220 represents requesting a buddy location update. Addresses of all persons on the buddy list or just a selected 65 buddy are located in step 222. Message packets are generated in 224 addressed to the selected Buddy List or indi-

10

viduals, and encrypted position data is put in them. A request is sent-226, and these packets get routed to the Rubicon server—228. The initiator and recipient are authenticated-230, and the packets are forwarded to the recipients via the cell system. The cell system forwards the packets to whatever cell each recipient is in-232. The packet arrives and causes a GPS position request to be made in each wireless device—234. The device captures its current GPS position, and encrypts it and packetizes the GPS position in the payload portion of a packet addressed to the Rubicon server with information as to the requestor in some embodiments. The packet is then sent with a timestamp to the Rubicon server for forwarding to the requesting Buddy-238 and 240. The Rubicon server authenticates the initiator and the recipient and forwards the packet to the initiator via the cell system—242. The cell system forwards the packet to the cell where the initiator recipient is located—244. The initiators cell phone receives the packet, and recovers the timestamp—246, and reads the packet header and port number of the GPS information and uses the port number to route the packet to the Buddy Tracker software—248. The Buddy Tracker application program on the initiator's cell phone receives and decrypts the GPS information from the packet, displays the position of the Buddy, and uses information in the header to determine which other Buddies sent position updates—250. The wireless device of the initiator responds to the position update of each Buddy by sending a reply packet with the encrypted position of the initiator—252. Each requested Buddy device updates the Rubicon server and the wireless device of the requesting buddy with its position—254.

Out of Coverage Update Response

In some embodiments, when a wireless device requests an update from another wireless device, and the other wireless device is out of cellular coverage, a timeout occurs. When a timeout occurs without receiving a position update, the wireless device expecting the update changes its display to yellow or some other color for the wireless device which is out of coverage. The Buddy Watch system only works when the phone is on and in a cellular coverage area.

Buddy Watch Modes

FIG. 14, comprised of FIGS. 14A, 14B and 14C is a flowchart of processing of an embodiment that implements the several modes described below. The steps that are numbered with like numbers to steps in FIG. 13 represent the same functionality.

1) Disable: The Buddy Watch application can be disabled by the user. When disabled, the wireless device does not share its GPS position data with any other wireless device so no other buddy can see your position. There is an exception for the parental monitoring function. When parental monitoring is turned on, as symbolized by line 111 in FIG. 14A, the wireless device always shares its GPS position and cannot be disabled. The disable functionality is represented by test 113 in FIG. 14A which determines when a position update is requested whether the Buddy Watch function has been turned off. If so, processing proceeds to test 115 which determines if parental monitoring is turned on. If not, processing proceeds back to step 110 along line 117 and GPS position sharing does not happen. If the Buddy Watch function has not been disabled, processing proceeds to step 112 to look up the addresses of the wireless devices to which the position update is to be sent. When the Buddy Watch application is disabled and it has been operating and parental monitoring is not turned on, a final position update is sent is

sent to those wireless devices on the current Watch List (the wireless devices which are active and monitoring each other's positions).

11

- 2. Enable: This is the normal mode of operation. Buddies can be added or deleted from the Watch List at any time. Any wireless device that is operating and on the Watch List can find the location of any other device on the Watch List by issuing a position update request. If a buddy is removed from a Buddy List, he or she is not able to receive position updates. Multiple lists can be joined to form a group.
- 3. Supervisor—Parental/Corporate Code: In this mode, as long as the wireless device of the worker or child is on, the supervisor will be able to monitor position by GPS position updates. The worker or child will not be able to disable the Buddy Watch feature nor remove the parent or supervisor 15 from the Watch List. Only the supervisor or parent will have the necessary password to remove himself from a Buddy List or watch list.
- 4. Buddy Lists: This is the normal mode of operation. Buddies can be added or deleted from a list at any time. If 20 a buddy is off a Buddy List, he cannot receive position updates from any other wireless device on the list. Multiple Buddy Lists can be joined into a group and entire groups may be enabled and disabled. Workgroup lists are lists of buddies which need to be aware of the location of their 25 coworkers during working hours but not after. Buddy Lists or Buddy Groups are a means to have a single icon, folder or some similar graphic user interface (GUI) mechanism to represent a list of people and enables single commands to turn on or turn off tracking of a group of people. If a folder 30 is used for each Buddy Group, a drop down list showing the specific names and locations of each person on the list can be displayed when the folder or icon representing the group is selected. If an icon is used, the Buddies would be grouped in and shown on the phone display. Groups receive a color 35 on the GUI and the members of the group are connected by a translucent shaped outline encompassing all the points representing positions on the Mapit display. If the group is spread too far apart to be shown on a single Mapit display, then the shaped outline for the group is not shown and on the 40 specific color coded Buddy positions that can be shown are shown. If the Mapit display is zoomed out, the translucent group outline returns when all members of the group can be shown on a single screen. Buddies that are in multiple groups are colored a non group color or the color of any of 45 the displayed groups. If groups overlay and when Buddies that are in two active groups are shown, the translucent outline shall overlap as needed, and only cover Buddies that exist in both lists.
- 5. Instant Buddies: Instant Buddies can be created when 50 a call is placed between two cell phones, phone enabled PDAs or other wireless Buddy Watch enabled devices. FIG. 15 is a flowchart of the process of establishing an Instant Buddy Relationship. The first step is 132 where the wireless device places or receives a call from a Buddy Watch enabled 55 wireless device to or from another Buddy Watch enabled wireless device. The two users such as a stranded motorist and a tow truck driver discuss the situation and decide to establish an Instant Buddy relationship. After the call is established, and the two agree to allow it, the two wireless 60 device users can click on the Instant Buddy menu choice in the Buddy Watch menu, as symbolized by step 134. The wireless devices then each display an Instant Buddy Setup screen like that shown in FIG. 11 (step 136) and fill in the appropriate data (fields 84, 88 and 86) in step 138. Both 65 users then indicate their acceptance (field 92 or deny the relationship (field 90), or in some embodiments, only the

12

recipient of the call needs to accept or deny the relationship. Once the Instant Buddy relationship is accepted, the two wireless devices start exchanging position data (step 140). After 24 hours, or some other time set in the Instant Buddy preference menu (timeout checked in step 142), Instant Buddies are discarded (step 144). The Instant Buddy preference menu allows the time period for the Instant Buddy relationship to be set to something other than the default value of 24 hours.

10 Preferred Instant Buddy Setup Process

FIG. 16 is a block diagram of a typical cellular system coupled by a gateway and a Wide Area Network such as the internet to a Buddy Watch server to provide the infrastructure of the invention. The cellular system shown in FIG. 16 is typical and has the same structure and operation as the cellular system of FIG. 12. What is new is the connection between the central switching system and a Buddy Watch server 146 through gateway 148. The purpose of this will be made clear in the following discussion of the preferred Instant Buddy setup process.

Buddy Watch Server Functions

The Buddy Watch server's main function is to serve maps to the cell phones registered in the Buddy Watch system and implement GPS position data exchanges between itself and the phones on a buddy list to enable members of a buddy list to view the locations of other members of the list. In some embodiments, the Buddy Watch server also downloads application software as needed to phones registered in the system as the phones send packets to the Buddy Watch server indicating a particular command has been given which requires an application program on the phone which is not present.

In the preferred embodiment, the Buddy Watch server runs all the application programs on the server and just sends pages to be displayed on the phone to solicit the user to enter data needed to implement a function.

If the phones had as much memory as the Personal Digital Assistants, the application programs could be loaded and run on the phones themselves.

Other functions of the Buddy Watch server are: setup of user profiles, billing and database access and maintenance. Purchase/Payment Activate Deactivate Key

The functions of the Buddy Watch server will be made clear in discussions which follow. But one of its functions will be to manage activate and deactivate codes. The Buddy Watch application will be a service which a cellular carrier offers on a subscription basis. When a subscriber buys a Buddy Watch enabled phone, he will be issued an activation code and the Buddy Watch server will also be given the activation code. This activation code will be kept in active status as long as the subscriber has paid for the service. Subsequent communications of packet data between the Buddy Watch server and the phone such as downstream position updates of positions of buddies on a Buddy List, receipt of phone position for use in updating other buddies on a Buddy List, etc. will only be enabled as long as the activation code is in active status. When the subscriber stops paying for the service, the activation code will be changed to a deactivation code status, and subsequent communication between the phone and the Buddy Watch server will be impossible. The Buddy Watch server implements this functionality by checking the activation code status each time before communication with a phone is carried out.

The Buddy Watch application is downloaded via the internet for subscribers who do not already have it on their phones. The customer receives an activate code to key into the phone, or an activation application on the Buddy Watch

server receives confirmation of the purchase and automatically sends the activate code to the phone/Personal Digital Assistant and receives back a confirmation. Each month, payment for the service is required. Failure to make the payment results in an application receiving a request to deactivate the Buddy Watch application on the phone/PDA. A deactivate code is sent and a response is received back confirming the phone application has been deactivated. Further attempts to use the application are met with a simple display indicating the service subscription has expired.

The protocol to activate and deactivate the Buddy Watch application is secure in the preferred embodiment.

FIGS. 17A and 17B are a flowchart of one embodiment for an Instant Buddy Setup process. FIGS. 18 and 19 are diagrams of some of the user interface display screens involved in the Instant Buddy Setup process. All three figures will be referred to in the following discussion. In the preferred embodiment, the Instant Buddy relationship is set up in the following manner.

- 1) An initiator selects the Instant Buddy menu choice options in step 150. This is done by selecting menu option 151 of screen 153 in FIG. 18. This causes a transition to display screen 155 on the initiator's device where the user selects menu option 157. This causes a transition to screen 25 159 on FIG. 19 which is the Instant Buddy setup screen. This screen shows the initiator's phone number, Instant Buddy ID and Screen ID in auto filled fields 161, 163 and 165, respectively (step 152). There is also a timeout field 167 which the initiator can set to some time if the default 30 time of midnight is not acceptable (step 154). After filling in the timeout value, the Initiator clicks Next in field 169.
- 2) Instant Buddy request packets are generated and sent to the cell transceiver of whatever cell the wireless device of the initiator is registered. These packets contain data 35 which identifies the initiator and the recipient (proposed Instant Buddy) and are addressed to the IP address of the Buddy Watch server 146 in FIG. 16. The packets are recovered by the cell transceiver, sent to the central switching system 102 and routed from there to gateway 40 148 where they are routed over wide area network 147 to the Buddy Watch server (step 156).
- 3) Buddy Watch server authenticates the initiator and the recipient from data in the packet as a Buddy Watch subscribers. If either is not a Buddy Watch subscriber, the 45 server blocks the transaction by not forwarding the packets to the recipient. Assuming both are subscribers, the server forwards the Instant Buddy request packets to the recipient's wireless device and these packets get routed in the cell system (step 160) via the gateway, central switching system and cell transceiver of the cell in which the recipient's wireless device is registered.
- 4) The proposed Instant Buddy's wireless device receives the packets and displays an Instant Buddy Request screen (step 164) like that shown at 171 in FIG. 19 (step 162). This screen shows the phone number, Instant Buddy ID and Screen ID of the Initiator so the recipient knows who has requested the Instant Buddy relationship. The recipient can either accept or deny the relationship using commands displayed at 173 and 175.
- 5) If the Instant Buddy relationship is accepted (step 166), processing proceeds to step 168 where an accepted packet is sent back to the initiator's wireless device. If the Instant Buddy relationship is denied, step 170 sends a denied packet back to the Initiator device and the process is over 65 (step 172) save for a display on the Initiator device that the Instant Buddy relationship has been denied.

14

- 6) When the accepted packet arrives at the Initiator device, the device shows an Instant Buddy accepted screen as shown at 177 in FIG. 19 (step 174). This screen shows the phone number, Instant Buddy ID and Screen ID of the recipient and provides commands to accept or cancel the relationship at fields 179 and 181.
- 7) If the Initiator accepts the Instant Buddy relationship (step 176), step 178 occurs where an accepted packet is sent back to the Recipient through the Buddy Watch server.
- 10 8) The Buddy Watch server records the existence of the new Instant Buddy relationship (step 180), and both wireless devices start sending their GPS position data in packets addressed to the Buddy Watch server. The Buddy Watch server stores the position data from each wireless device and forwards the packets to the other device for updating of their displays. In the preferred embodiment, the Buddy Watch server pulls an appropriate map from the Map-Quest server 149 in FIG. 16 based upon the GPS position data of the Initiator and sends that map and the GPS position data in packets addressed to the Recipient. The Buddy Watch server then pulls an appropriate map from the MapQuest server based upon the Recipient's position, and sends that map and the Recipient's GPS position to the Initiator. Each wireless device then displays the position of the other Instant Buddy on the map provided by the Buddy Watch server.

An alternative Instant Buddy setup process is described next:

- 1) A call from one wireless device to another is initiated;
- After agreeing to establish an Instant Buddy relationship, the initiator clicks on the Instant Buddy menu option;
- 3) This causes an Instant Buddy Setup screen to be shown on the initiator's device which has a first field which is auto-filled with the initiator's phone number, a second field which is auto-filled with an Instant Buddy ID, and a third field which is auto-filled with a Screen ID for the Instant Buddy (this screen ID is a three digit number which will be displayed with the position of the Instant Buddy and is shorter than the Instant Buddy ID);
- switching system **102** and routed from there to gateway 40 4) The initiator fills in a timeout period for the Instant Buddy **148** where they are routed over wide area network **147** to the Buddy Watch server (step **156**).
 - 5) The recipient's wireless device receives the instant buddy request and displays an Instant Buddy Request screen that shows the initiator's phone number, Instant Buddy ID and Screen ID and displays an accept or deny command;
 - The recipient either accepts or denies the Instant Buddy relationship;
 - 7) If the recipient accepts the Instant Buddy relationship, this fact is communicated to the initiator's wireless device which then displays a screen which displays the recipient's phone number and the recipient's Instant Buddy ID and his or her Screen ID and displays an accept or deny command which the initiator can click on;
- (step 164) like that shown at 171 in FIG. 19 (step 162). 55 8) If the initiator selects the accept command, both wireless devices start exchanging GPS position data, but they do not if the initiator decides to deny the Instant Buddy relationship.

FIG. 22 is a flowchart of the preferred embodiment for the instant buddy setup process. The initiator selects the instant buddy setup process—250, and enters the phone of the proposed new instant buddy—252. The initiator fills in timeout period—254, and instant buddy packets get routed to the Rubicon (Buddy Watch) server through the cell system—256. Rubicon server authenticates the initiator and recipient and forwards packets to cell system—258. The cell system routes packets to the cell where the proposed new

instant buddy is-260, and the proposed instant buddy receives a message on her wireless device and displays the instant buddy request screen—262. The instant buddy sees the initiator buddy ID, screen ID and, optionally, his phone number—264, and accepts or denies the relationship—266, 5 270, 272. If accepted, a packet is sent back to the initiator's wireless device—268, which causes the initiator's device to show an Instant Buddy accept screen with the recipient's phone number, buddy ID and screen ID which the initiator must OK to establish the relationship—274. Steps 276, 278 and 280 handle the acceptance or rejection. In 282, if accepted, the Rubicon server records the new instant buddy relationship and both wireless devices start sharing location information with the Rubicon (X One) server where it is stored and forwarded to the other Instant Buddy. In 284, the 15 initiator's device shows the Instant Buddy Accept screen. Steps 286, 288 verify the phone is collecting GPS data using the GPS sampler program.

User Interface Displays for Buddy Lists

FIG. 3 represents a display in the user interface which 20 shows individuals on the phone's Buddy List as well as a group of buddies which has been given the name Tennis Team. In all the user interface screen shots in the figures of this patent application, a cross hatched area indicates an active status and is typically colored green on the phone 25 display. For example, each cross hatched buddy in column 14 indicates that that buddy's location sharing is active and his position can be seen if the user clicks on that buddy using whatever navigation or pointing mechanism that is built into the cell phone user interface.

The Buddy Tracker software also has the ability to set up instant buddies with, for example, tow truck drivers. Display area 16 shows an instant buddy entry for an instant buddy named Inst01. For example, the user's car breaks down. The user calls a towing service, and finds out the tow truck driver 35 has a cell phone with Buddy Tracker on it. The user dials the tow truck driver's cell phone and requests to be an instant buddy of the tow truck driver's phone. His phone is then set up as an instant buddy on the user's phone. After both phones are set up as instant buddies, each phone shows the 40 location of the other phone on its moving map. This allows the tow truck driver to find the user tow truck customer and the user customer to know where the tow truck driver is.

FIG. 4 shows another user interface display that results from selecting the tennis team entry 18 on the Buddy List of 45 FIG. 4 and then clicking on the Tracie entry. When the Tracie entry is clicked, the information in column 20 appears showing her full name, position, the time of her last fix, her distance from the user and her speed. A green status (cross hatched) means a buddy has his phone on with location 50 sharing turned on and the phone is within range. A yellow status for a buddy (stippled) means the buddy was active and had his location sharing turned on, but contact with him has been lost for one reason or another. A darker green status (double cross hatched), means the buddy is active and has 55 his location sharing turned on but he is out of the immediate area that can easily be shown on the phone's map display. For example, suppose most of the tennis team group are in the Northern California area, but one member of the group is in Los Angeles. If the member in Los Angeles has his 60 phone turned on with location sharing on, his entry in the tennis team list will be shown as dark green meaning his position cannot be mapped.

The Mapit function shown at **22** in FIG. **4** is a function that can be invoked to map the location of Tracie Saka on the 65 phone's display. If Tracie is within range, and the Mapit function is clicked, a display such as the one shown in FIG.

5 is rendered on the phone's display showing the general area and showing Tracie's position at 24 with a text box 26 superimposed on the map with Tracie's name rendered therein.

FIG. 6 is a user interface display showing a map rendering with the location history of a selected member of the tennis team rendered thereon. This display is rendered when the Mapit with History function 28 in FIG. 4 is selected. This display shows the path Tracie took to get to her current location by way of waypoints 30, 31, 32 and 33. In some embodiments, when a user wishes to record a waypoint for their current position, a command can be given that causes the current position of the phone to be reported and saved as a waypoint on the Buddy Watch server 146 in FIG. 16.

In other embodiments, a particular position such as the phones current position or a position selected by moving crosshairs on a map display on a phone can be sent as a meeting place to all buddies on a Buddy List. When such a command is given and a Buddy List is selected, the position of the meeting place and the designated Buddy List is put into packets addressed to the Buddy Watch server 146 and transmitted thereto where the information is stored. The meeting position is then packetized in packets addressed to all the buddies of the designated Buddy List, and those packets are addressed to the phones of the buddies on the designated Buddy List and sent thereto.

Referring to FIG. 7, there is shown a display of a screen showing positions and status of members of a selected group. In this example, Tracie and Karen's positions are known and their name boxes in the left column are displayed in some color such as green indicating they are within cellular coverage and their positions are known. On the other hand, Dean's name box is shown in some other distinctive color such as yellow (represented by single cross hatch) to indicate contact with Dean has been lost. This happens when a user travels outside cellular coverage. Because Dean's name box is currently selected by the cursor, the settings column has the last known information about Dean also displayed in the distinctive color and represented by a single cross hatch. These boxes show Dean's last known position fix time (box 34), his full name (box 36), his last known distance (box 38), and his last known direction, latitude, longitude and speed (boxes 40, 42, 44 and 46, respectively).

FIG. 8 is a screen display showing what is displayed when Dean is selected and the Mapit command in box 48 is given by double clicking on the box or by any other means. When this Mapit command is given, Dean's last known position is displayed with a circle of a distinctive color (such as red), as illustrated at 50.

Instant Buddy Display with Mapit Position Mapping

An instant buddy relationship also allows the location of the motorist, lost or injured hiker or other user to appear on the tow truck or ambulance driver's cell phone Mapit display.

FIG. 9 is an instant buddy display showing the instant buddy position. This display can be selected after an instant buddy relationship has been set up. This display shows the ID of the instant buddy in box 52, the time of the last position fix in box 54, the distance to the instant buddy in box 56. The direction to the instant buddy, latitude and longitude and speed of the instant buddy are shown in boxes 58, 60, 62 and 64, respectively. If the user selects the Mapit command in box 66 or the Mapit with history command in box 68, the phone display will change to a display like that shown in FIG. 8 or FIG. 6, respectively, with the current position of the instant buddy shown and the prior positions shown if the history option is selected.

Alternative Instant Buddy Setup Process: To set up an instant buddy relationship, the phone is given a command to display an instant buddy setup screen like that shown in FIG. 10. The display of FIG. 10 is used to establish an instant buddy ID in box 70, give the instant buddy a caller ID in box 572 (the instant buddy's caller ID or phone number is used by default). Box 74 is used to establish a timeout period at the end of which the instant buddy relationship is automatically terminated. The timeout period can be set to any interval in some embodiments, or to some selected interval from a drop down menu. Box 76 is used to establish the carrier the instant buddy is using. A cancel command is shown at 78 and a request command is shown at 80.

To start the instant buddy relationship, the request command is issued after the other boxes are filled in. Typically, 15 a stranded motorist or hiker will call a tow truck or 911 and get the caller ID and carrier of the tow truck driver or rescuer. The stranded motorist or hiker will then enter this information in boxes 72 and 76. Box 70 shows an instant buddy ID which is automatically assigned by the system. 20 After entering the information, the request command shown at 80 is selected. The screen of the rescuer's phone will then change to the display shown in FIG. 11. The information the requester filled in on the FIG. 10 screen will appear in boxes 82, 84, 86 and 88 on the stranded motorist or hiker's phone 25 as well as on the instant buddy's phone (the tow truck or 911 rescuer). Commands for Denied and Accepted will also appear at 90 and 92 of the instant buddy's phone. If the instant buddy desires to accept the instant buddy relationship, he or she selects the accept command, and the tracking 30 of the two instant buddies' positions will begin. Upon acceptance of the instant buddy relationship, each instant buddy's phone displays changes to the display shown in FIG. 9 from which the Mapit or Mapit with history command can be issued.

Corporate Supervision Setup Via Passcode

Corporations that wish to monitor the locations of their employees can use the system of the invention by using a corporate passcode. In this mode of operations, corporate employees are set up as a group with their supervisor as one 40 member of the group. Each employee in the group can have his own buddies but he cannot delete the supervisor from the group. Only the supervisor can delete himself from the group of each employee's phone since only the supervisor has the passcode to change the group's members to delete 45 himself. In one embodiment, the location information sharing is unidirectional from employees to supervisor but each employee can see the location of other employees on their phones but not the location of the supervisor. In this embodiment, the location sharing can be configured to be on only 50 during working hours Monday to Friday. In other embodiments, the employees can see the locations of the supervisor as well as the locations of the other employees. Timed Updates

The teachings of the invention contemplate doing position 55 updates periodically at configurable intervals as well as a configuration option to do periodic updates as well as an update every x miles if a buddy in a group being monitored moves more than x miles between periodic updates. In some embodiments, the velocity at which a Buddy is moving or 60 the amount of distance since the last update a Buddy has moved controls the frequency of the updates. Timed updates are handy for parents to monitor the positions of their children to make sure they do not move more than X miles from their home base. Position updates can be requested by 65 a member of a Buddy List for position updates from the Buddy Watch server. The server receives positions reports

from all the Buddy Watch phones registered with it and stores them and knows the Buddy Lists for each phone. When a request for a position update is received, positions of all the buddies on Buddy Lists of which that phone is a part will be transmitted as packets addressed to all the phones on all the Buddy Lists of which the requester is a part. In alternative embodiments, the position updates will be sent for all members of all Buddy Lists of which the requesting phone is a part, but will only be sent to the requesting phone to avoid excess network traffic. In other alternative embodiments, the requesting phone can designate a particular member of a particular Buddy List and request an update only for the position of the designated buddy. The position update will be sent only to the requesting phone.

18

Follow Me Mode

In some applications such as construction sites with large construction crews and one supervisor, it is useful for everybody working on the job to be able to find the supervisor but the supervisor does not care where anybody else is. In embodiments with this capability, the supervisor turns on the Follow Me mode, typically making a menu selection. This causes the supervisor's position to be reported to the Buddy Watch server on a regular basis in packets that have information in their headers or elsewhere which indicate they are Follow Me packets and which designates to which Buddy List this information is pertinent. The Buddy Watch server takes these position updates and packetizes them into packets addressed to each of the phones on the designated Buddy List and sends those packets to the Buddy List phones. Position updates from the phones on the Buddy List are not sent to the supervisor phone or any of the other phones on the Buddy List.

This Follow Me mode can also be done in a blind code mode. This means that the supervisor does not need to list everyone on his buddy list. This is an "open channel" mode. Any "follower" who wants to track the position of the supervisor only needs to list the supervisor's name and phone number on a buddy list of the "follower" phone. The supervisor enters a blind code in the Follow Me mode, and this code is published to all phones that have Buddy Watch software. This blind code entry and publication allows any follower to enter the blind code in a buddy list on the follower phone and thereafter to receive the supervisor's position reports. This entry of the blind code will give any follower the ability to receive position reports from the supervisor's phone, and the supervisor will not have to approve each buddy individually. This can be a great convenience since on some job sites, there may be hundreds or thousands of workers. The follower phone sends a packet to the Buddy Watch server telling it that the follower phone is in the Follow Me mode for the particular supervisor. This causes the Buddy Watch server to send position reports it receives from the supervisor phone to the follower phone, but the server does not send position reports from the follower phone to the supervisor phone. The follower phone does not send position reports to the Buddy Watch server when in the Follow Me mode. Disabling, removing or changing the blind code, stops Follow Me mode. Buddies Only Mode

The Buddies only mode differs from the All On Follow Me mode and the Blind Code Buddies modes in that position reports are only received from Buddies on a specifically named Buddy List with specifically named Buddies. No blind code Buddies or Instant Buddy position reports can be received in this mode.

Waypoint Store Mode

This mode is useful for parents to monitor the travels of their children. In this mode, the child's phone periodically reports the child's position, and the parent can have the position reports sent to his phone (or computer in some 5 embodiments). In some embodiments, position alert data can be configured to send an alarm signal to a parent if a child's position gets too close to a specified location or too far from the home location or some other location.

19

Request Update

This mode allows a specific user to request an update on the position of a specific Buddy. The requesting phone sends a request packet to the Buddy Watch server identifying itself and requesting a position update on a specified Buddy. The 15 Buddy phone need not do anything other than do its normal operation of sending position updates to the Buddy Watch server. The update request causes the Buddy Watch server to provide a two-way update so that the requesting phone's location is sent by the Buddy Watch server to the Buddy 20 phone and the Buddy phone's location is sent by the Buddy Watch server to the requesting phone. If the requester is part of a group, then the Buddy phone's location is sent to all phones in the group.

Timed Update

In this mode, periodic updates from the phone of a person such as a child or other person being cared for can be periodically sent to a list of parental or other supervisor destinations such as the parent's cell phone or email address. The sender phone may also be configured to send its location 30 periodically to all others on a list. Updates on position can be every 15 minutes or some other configurable interval. In addition, each supervisorial user can request an update and the updates will be sent to every phone on the supervisorial list. If a phone on the list is not available, the update will 35 5) whether or not auto attachment of waypoints to emails is indicate that no update is available, change the display to yellow and the status to unavailable but keep displaying the last way point.

Personal Bread Crumbs

This is an emergency feature which allows tracking down 40 children or elderly people who are no longer responding to inquiries sent to their phone. This mode is useful for children who do not want to be watched but want a safety line to their friends and family in case something happens. A user who wishes to use this feature sets up their profile such that the 45 Buddy Watch server checks in with them via their Buddy Watch enabled phone on a daily basis to determine if all is OK. The user must enter their secret code to confirm that all is OK. The phone prompts them to enter this code, and a certain number of prompts can be ignored before the system 50 raises any alarms.

FIGS. 20A and 20B are a flowchart of one embodiment of the process of enabling the personal bread crumbs mode and how it works. Step 200 represents the process of enabling this mode. Typically, this is done by the user in selecting a 55 menu command, but in some embodiments, it may be permanently configured to be on by the phone manufacturer. When this mode is enabled, the phone stores waypoints of the position of the holder of the phone periodically (step 202). The phone does not send the waypoints to anybody, 60 but it does send data or a message to the Buddy Watch server that the personal bread crumbs feature has been enabled (step 204), so the Buddy Watch server starts a timer (step 206). The purpose of starting this timer is to establish intervals at the end of which an "Are you OK?" message will 65 be sent to the phone which is in Personal Bread CrumbsTM mode.

20

Step 208 represents the process of monitoring the timer for a timeout event. This may take the form of a hardware or software interrupt. When a timeout occurs, the Buddy Watch server sends an inquiry to the phone inquiring if the user is OK (step 210). The phone then displays the "Are you OK?" message, and the user either enters his or her secret code to say they are OK or does not. If the user does not respond, processing proceeds back to step 206 to start the timer again as the user may simply be busy, have their phone off, be asleep, etc. However, after a configurable number of attempts to establish contact with no response, step 216 will conclude that the user may be in trouble and need rescue. In that case, processing is vectored by step 216 to step 218. In step 218, the phone is commanded by the Buddy Watch server to send distress messages out to predetermined phone numbers (five in the preferred embodiment) and/or email addresses. The voice mail message may indicate to check email for details. The email contains a content of a position report file that contains all the waypoints since the last OK was received. If there are no stored waypoints, at least one set of stored waypoints previously recorded are sent. The waypoints all provide latitude, longitude, date and time of recording.

The personal bread crumbs profile includes:

- 1) a list of emails to which messages should be sent;
- 2) a list of phone numbers to which the prerecorded voicemails are to be sent;
- 3) frequency of OK confirmation the user needs to agree to (default is daily at noon);
- 4) the text of an email to describe the emergency situation to readers which should include the mobile phone number, home phone number, work phone number, home address and other pertinent information; and
- to be carried out.

In an alternative embodiment, step 218 represents the Buddy Watch server itself sending out the distress messages. In some embodiments, the distress messages are prerecorded voicemail messages which indicate the user may be in trouble and giving instructions to the recipient how to retrieve the position reports from the Buddy Watch server. Step 218 also represents the process of the phone sending its GPS position waypoints to the Buddy Watch server. In some embodiments, the prerecorded voicemails are sent to predetermined phone numbers and the predetermined emails are sent to predetermined email addresses and include the GPS position reports in the text of the message. The email messages at least will include the personal breadcrumb position reports. These messages indicate to the recipients that there may be trouble and that they should start looking for the person who owns the phone.

FIG. 21 is a flowchart of another embodiment of a process to establish and use personal bread crumbs mode. In step 201, the user enables the bread crumbs mode, and in step 203 the mobile phone contacts the Buddy Watch server (also called the Rubicon server herein) and informs it that personal bread crumbs mode is on. GPS sample data is collected (205) and the server is contacted to start the "Are you OK" timeout interval (207). Timeout causes the phone to display an "Are you OK" message (209). Steps 211 and 213 handle the situation where the user does not enter a secret code and retries. Step 215 represents the Rubicon server response if the user does not respond to the "Are you OK" message properly and timely, said response involving sending whatever distress messages are set up in the preferences file. GPS location samples and timestamps are included in

the distress messages (217) and the messages are sent to the users listed in the preferences file (219).

Relational Database Compatibility

The Buddy Watch server is configured and programmed to be compatible with business applications where the 5 customer may desire to find individuals based upon their capabilities, certifications or the equipment they are carrying. By making the Buddy Watch fields of the Buddy Watch database available for search and/or integration into other business databases, a company such as a service based organization can determine which individuals have the proper certification to work on a specific problem and/or who have the appropriate tools and where those individuals are located relative to a site to which the company wishes them to be dispatched. The Buddy Watch server is programmed to provide information about the subscribers and their locations in a format which is compatible with the other business database structures of customers who are interested in having this data. Each position update received by the 20 Buddy Watch server then is exported and automatically updates the customer database. This can be done over the Internet or over a dedicated local area or wide area network. Radar Inclusion

The radar inclusion mode is a mode which allows police 25 departments or fire departments or any other emergency response type organizations to instantly expand their buddy lists to predetermined lists of all available personnel. This is useful when it is necessary to know the whereabouts of persons to assist in an emergency situation or other situation. 30 This feature may be used by police or other groups where the formation of a group may vary throughout the day. This feature can be used in conjunction with standard groups. How this feature differs is that a user does not need to be identified and only when the user comes within the "radar" 35 range or radius does the user get included within the radar inclusion group.

City, County, State or Federal law enforcement or other agencies can offer two capabilities with radar inclusion. The first capability is to send an alert with a fixed target or to add 40 a moving target to any individuals or groups without any input from the field officers. The target could be a suspect on the move. The target affords all the officers a better view of what is going on. The second capability allows the agency using the radar inclusion feature to "light up" the positions 45 of other individuals or groups of individuals on a Mapit display so that one or more officers/firemen responding to an emergency can see the positions of possible reinforcements relative to their position. This is useful when groups that normally do not work together such as perhaps the fire and 50 police need to work together. Details about each Buddy which is lit up on the Mapit display can be sent to any other Buddy in need thereof by a command to the Buddy Watch server issued by the controlling personnel of the agency.

In the instant messaging protocol packets transmitted 55 from a phone to the Buddy Watch server, there is a field that can be left blank or a prefix can be put in. An agency using radar inclusion can put a code in this field and then all Buddy Watch phones/PDAs operating in radar inclusion mode are sent these packets and retain the Buddy whose information 60 is in the packets in a group. This new group can be retained for a user programmable time up to 24 hours beyond the radar inclusion Buddy display disappearing.

The Buddy Watch server determines if a matching radar code is in range of a user and is not currently part of their 65 active buddy list. If not they are added if the radar inclusion mode is active.

22

Split Groups

When a member of a group specified by a Buddy in that group for Mapit display is outside the radius set up in a Group Map Size configuration entry, then that member is split from the group and will not appear on the map of the group. However, that member which has been split from the group will have an entry in a distinctive color such as dark green on the list of active users in the group. Changing the Group Map Size configuration entry to a larger size may allow the split member to be displayed. If the location of the split member must be viewed but the Group Map Size is not to be changed, clicking on the member of the group which has been split from the Buddy List will cause the Mapit display to change to the locale of the split member and display the member's location on the map so long as the split member's Buddy Watch status is active.

Power Off or Disable Buddy Tracker

When the phone is turned off or the Buddy Tracker application is disabled, a final transmission to the Buddy Watch server of the location of the Buddy is made. The Buddy Watch server distributes this location in packets addressed to all the members of the group of the Buddy who just went to inactive status.

Targets

The Buddy Tracker software allows targets to be designated to specify meeting points, sites of emergencies or service call locations. Law enforcement agencies can use this feature to silently redirect personnel to the site of a crime or emergency without broadcasting the location on the radio for persons using police scanners to hear. Each target can have a user defined label associated with it and a message, photo(s) or other document(s) can be attached to the target. All the data defining the target, any label associated therewith and any photos or other documents is packetized in packets identifying the data therein as target data or attachments to the target. These packets are received by the Buddy Watch server and re-packetized addressed to all members of a group or a radar inclusion group or specific Buddies.

A target can be specified by any member of a group or by a dispatcher of a law-enforcement or other agency. Targets can be specified using a web browser. The target is a forward looking waypoint. This can be useful if groups are to meet at a predefined location and the first to arrive may find this is either not the right location or for some reason the meeting point should be changed. The target can be moved, and then packets containing the data of the new target location are sent by the Buddy Watch server to all members of the group with an alert message indicating the target has moved. Targets can be moved simply by dragging and dropping the target to a new location on the display on the web browser which is logged into the Buddy Watch server and which has invoked the target specification command. Once the target has been initially set, moving it to a new location creates a waypoint history. Each target can have a description associated with it, and if the target has been moved, the history can be viewed.

Out of Coverage Operation

When devices are out of cellular coverage, some limited operations are still possible based on the device. For devices with a full GPS receiver, the user can set targets or force waypoints that are stored. Each device may differ based on the amount of available memory.

If a Buddy takes his phone into areas of intermittent coverage, it offers a means of some contact. Additionally, one may visit a site on a rural road or other location out of coverage. Setting a target or forcing a waypoint from a

phone or desktop computer which is not located at the target provides the location, but does not provide any idea regarding what is at the location. A picture phone at the location can capture a picture of the location, and this picture be associated with the target to give other Buddies in the group some idea of what to expect when they get to a meeting point or target.

When a user wants to return to the site, the saved target can be recalled and sent to other Buddies in a group or individually designated so a return trip can be planned. This provides the ability to return to spots not located on roads or at intersections such as pastoral settings.

Local maps when out of coverage would not show up on the user's phone when the Mapit command is issued. This is because the map pixels are sent from the Buddy Watch 15 server to the phone after being retrieved from a mapping server such as Yahoo maps. When the phone is out of coverage, the map pixel packets cannot reach the phone and it cannot render a map. However, if the phone has a GPS receiver, it can store the point the user indicated he would 20 like to capture, and, later when the phone is back in coverage, it can send the GPS location to the Buddy Watch server in a Mapit command packet, and get the map pixels back from the Buddy Watch server along with any attachments

Phones with limited memory will decrease the frequency of position updates so as to not exceed the memory capacity. Attachments to Targets and Waypoints

Attachments such as photos can be appended to targets and waypoints even with travelling outside a coverage area. 30 Once the phone is back in coverage, the attachment to a waypoint for example will be sent to the Buddy Watch server and can be distributed to other users. Documents created with phone apps or pictures captured by the phone's built in camera can be attached, and, if the phone has a USB port, 35 pictures captured by a digital camera or camcorder can be imported and attached.

Encryption of Data

The Buddy Watch software application is disabled and encrypted when it is downloaded to prevent other unauthorized users from installing and using it. The Buddy Watch application program is decrypted and enabled when the access code is downloaded after a subscription is purchased since the decryption key is or is part of or is encoded into the access code.

Access Codes

Access codes to enable the Buddy Watch application are designed to incorporate the phone number or phone serial number as part of the encryption key so that the access code can only enable one phone. Large groups with many phones, 50 can ask for and receive access codes that allow operation across a large number of phones.

Access codes are downloaded to the phone from the cell provider's server or emailed to the user when the user provides their name, phone number, phone serial number 55 and a form of payment. The application may be downloaded to a MAC or PC, and then configured on the personal computer before being uploaded to the phone by a computer-to-phone USB connection.

Targets

A member of a buddy group can market a target on a Mapit display, and that target location can be shared to all the members of the group and show up on their Mapit displays so they all know where to meet. Marking targets is done using cursors on the Mapit display on the phone. The 65 user then designates the buddy list to which the marked target is to be published. Packets are generated in the Buddy

Watch application on the phone which include the GPS location, any name assigned to the target and the identification of the buddy list to which the location is to be published. These packets are sent to the Buddy Watch server which then extracts the data and packetizes it into packets addressed to all the phones on the designated buddy list. These packets are then sent to the buddies on the list and the location of the target is extracted and posted on a Mapit display.

User Waypoints

The users can mark particular waypoints as they travel using the Mapit displays on their phones, and pictures or memos can be attached to these waypoints. In one embodiment, this is done by sending a packet with the location marked by the user to the Buddy Watch server and in that packet giving an identifier or pointer that will be contained in other packets which record the memo or photo to be attached to the waypoint. The Buddy Watch server then extracts the data from these packets and stores the user waypoint location with a pointer to the file in which the memo or photo is stored.

SOS Support

Each user of Buddy Watch can define a profile of buddies to which an SOS alert is to be sent in the case of emergency. The SOS alert message includes location, time and phone number (caller ID) and a preset message for email or Instant Message service and a prerecorded voice message. This data is sent in packets addressed to the Buddy Watch server when the user gives a command to send the SOS message. The Buddy Watch server then receives the SOS message, determines who it is from, retrieves the SOS profile stored on the server for that user and generates packets for email and IM and sends them on the internet and generates packets containing the digitized voice message and addresses them to the phones listed in the SOS profile and sends those packets to the cellular system central switching system 102 in FIG. 16 via internet gateway 148.

The SOS message protocol can be carried out by the Buddy Watch server either on demand from the user, or automatically in conjunction with any 911 call made from a phone which has a stored SOS profile. The SOS support configuration file contains data which defines which way the phone will act, and the buddies receiving the SOS messages will be aware of whether an 911 call was made or not. The buddies are actually in a better condition to help the caller since they can see the caller's position on their Mapit displays, and they may be closer to the caller and be able to act quicker than the 911 support personnel.

The preferred embodiment causes the SOS messages to be sent when the user dials **911**. A **411** dialed call will send the SOS messages to only active buddies whose phones are registered in the system and on with Buddy Watch activated.

The User Interface Genus

All species within the genus of user interfaces according to the teachings of the invention will display buddy lists and a list of buddies on each buddy list when that buddy list is selected. All species will display the specific information about a buddy when a particular buddy is selected including at least their current location and the time of the fix. All species will display a command or icon or menu choice that can be invoked to allow a user to turn off location sharing. All species will display commands, icons or menu choices to add, delete or edit buddy lists, or to add or delete or edit buddies.

Some species within this genus will also display one or more of the following items of information about individual

buddies: speed, last contact, altitude or direction. Some species within the genus will provide icons, menu choices, etc. which a user can invoke to allow the user to select a map display with the location of a buddy displayed thereon. Some species within the genus will allow a user to give a 5 command to request historical fixes which trace a path to the buddy's current position. Some species within the genus will allow instant buddy relationships to be set up to allow location sharing between a person in trouble and a rescuer. The Server Genus

All servers programmed with Buddy Watch software will have functionality to:

- 1. either store map data for entire geographical areas that they serve or to obtain pertinent map data from another 15 2. the phone or PDA must have a display large enough to server such as a MapquestTM server and pick the appropriate maplet that surrounds the positions of buddies to be displayed and serve the maplet data to Buddy Watch enabled phones;
- 2. pick the appropriate maplet for each buddy list or buddy 20 based upon the center of gravity of the buddy positions of the buddies within the selected buddy list and exclude buddies which are out of the coverage area;
- 3. render buddy locations on maplets based upon GPS location data gathered from Buddy Watch applications 25 running on GPS enabled cell phones and PDAs;
- 4. store user defined data that embodies each user's buddy lists and buddies and configuration data;
- 5. store at least some preference data that defines who can user ID and password);
- 6. request and receive update and regularly scheduled GPS location data from users who have their Buddy Watch application turned on their phones or PDAs and to distribute location data and maplets to the phones and PDAs 35 of the buddies on buddy lists who have their Buddy Watch capability turned on; and
- 7. turn Buddy Watch functionality on or off in terms of receiving location data from users who have indicated turn off sharing location data of buddies who have turned off their Buddy Watch application.

Various species within this genus: can calculate the center of gravity of the best fit for the maximum number of buddies that are within the coverage of one maplet; determine the 45 proper maplet size to send to the client phone or PDA based upon configuration data which defines the screen size of the device; send the same size maplet to all clients; allow each client to determine its own maplet size; send maplets with buddies color coded to show who is out of bounds and who 50 is in lost contact status; implement a permissive buddy list wherein a person cannot be added to a buddy list until they consent; implement timed updates for GPS position and scheduled cutoff times for position sharing; store auxiliary information about each buddy such as phone numbers, etc.; 55 offer the functionality to allow each user to specify the maplet size they receive or specify a maximum maplet size for a buddy list; offer the functionality to request updates whenever a programmable delta time or delta position difference over the last update occurs; offer a user preference 60 to turn on or turn off GPS position updates; the ability to cross communicate with other carrier's cellular systems to send maplets to and receive location data from users on other systems; function to enable or disable the Buddy Watch application without disabling location sharing with parental 65 or supervisor units; storing as a preference or configuration data SOS emails and voicemail messages which can be sent

26

out to email addresses and/or phone numbers specified in a configuration data file on demand or automatically when a 911 call is made.

The Client Application Genus

The client Buddy Watch application and phone or PDA platform genus collectively provide the following function-

- 1. the programmed phone or PDA must be able to retrieve GPS position data directly or indirectly from a GPs receiver in the phone or PDA, and it should be able to wirelessly send the GPS position data to the Buddy Watch server either periodically or on demand from the server, but one or another, it must be able to exchange position information data with the server;
- display maplets and be able to download maplets from the Buddy Watch server;
- 3. it must have Java or similar software to exchange digital data with the Buddy Watch server using a wireless web application program;
- 4. it must be able to communicate with the phone's application programmatic interface and any application programmatic interface of the cell phone service provider to: be able to receive maplets from the Buddy Watch server with location data rendered thereon and display the

send location data and receive downstream messages and requests from the Buddy Watch server.

An important species with this genus will be able to use the server, e.g. only those with a valid Buddy Watch 30 request software needed to execute commands given by the user from the Buddy Watch server, receive a download of the software requested, install it into random access memory and execute it to carry out the requested command. In other species, the software Apparatus and Process are to simplify Push to Talk walkie-talkie operations in cell phones.

FIG. 31 is a block diagram of the system for TalkControl to simplify cell phone walkie-talkie operations. Block 300 is a location determination component which functions to determine user locations. This can be done in the cell phones they want their Buddy Watch application turned off and 40 or the Rubicon server and provides a generic solution to extract location from GPS, J2ME location API or bespoke development for extracting Cell ID. If done on the server, the GMLC based solution us used. Block 300 also does distance calculations, location format conversion etc. LDG can expose a LIF based interface to location based services when applicable. This provides location determination flexibility as needed.

> SBC component 302 functions to do buddy group/list management, mapping techniques, refresh based upon time or delta movement, geo coding, reverse geo coding, routing,

> CMC block 304 functions to provide local content to location based services. The content can be local maps or commercial/enterprise specific content. Multiple parties like commercial content providers, government establishments or enterprises will provide the content. This CMC component will provide a common API to extract content from multiple providers and provide the flexibility to choose any content provider based upon parameters such as accuracy, availability of content, rates, whether the content is the latest, etc.

> The SRC block 306 is a software rendering component which provides multiple channel and device rendering, mobile application provisioning, service creation environment, OSS/BSS integration in both pre-paid and post-paid modes, usage analysis reports and SNMP based system management software.

GSC block 308 provides alert and notification systems, personalization, payment integration etc.

Individual services block 310 provides tools and generic components to build individual applications in consumer and enterprise domains. Consumer services like child tracking, buddy location, location based advertisements for target user groups can be built. Enterprise services such as work force management, fleet tracking, emergency services, etc. can use the generic components.

FIG. 32 is a flow diagram of a process a user of a 10 walkie-talkie enabled phone can initiate to join a talk group to enable subsequent walkie-talkie operations. This process greatly simplifies the process of signing up for walkie-talkie operations of a wireless carrier. A user who wishes to join a walkie-talkie talk group launches the TalkControl applica- 15 tion, scrolls down to Join Group menu option, selects an Enter Tokens option, fills in her name, phone number, project ID, and Token and presses send. One or more packets are sent to the Rubicon server which authenticates the token and the recipient and creates a database entry. The Rubicon 20 server then determines a time to add the user to the talk group and contacts a server of the wireless carrier to add a user. The Rubicon server logs onto the Carrier Server and adds the user to the appropriate talk group and receives a confirmation. The confirmation is sent to the user who 25 initiated the process, and the Rubicon server logs out of the carrier server.

FIG. 33 is a flowchart of the process the Rubicon server carries out to automatically delete a user. Users in talk groups can be deleted automatically based upon a scheduled 30 deletion time using this process. The Rubicon (X One) server compares the current date and time with a database for users scheduled to be deleted. If a user is to be deleted per schedule, the Rubicon server logs onto a carrier server and deletes the user from the appropriate talk group and 35 receives confirmation. The Rubicon server then deletes the user from the talk group in its database and logs out of the carrier server. The Rubicon server then sends the deletion confirmation to the user phone.

FIG. 34 is a flowchart of the process the Rubicon server 40 carries out to allow a supervisor to add a user. The supervisor launches the TalkControl application program and scrolls down to the add/edit/delete user menu option and logs in as a supervisor and presses send. The supervisor then selects User Name and selects Next to take him to the user screen 45 where the user's name, phone number, and project ID are entered. The supervisor then edits the start date, end date, hours, days of the week for the active period when the user being added will be part of the talk group so that walkietalkie service can only be had during the specified times. 50 One or more packets are then generated addressed to the Rubicon server and encapsulated in a cellular system packet and sent. These packets get routed to the Rubicon server which authenticates the initiator and recipient, creates a database entry for the user and contacts the Carrier server 55 and logs on. The Rubicon server then adds the user to the appropriate talk group and receives confirmation. The Rubicon server then adds the user to the appropriate talk group and updates its database and receives the confirmation. The confirmation is sent to the supervisor who added the user and 60 to the user phone which was added to the talk group.

FIG. **35** is a flowchart of the process for a supervisor to edit a user in a talk group. The supervisor launches the TalkControl application and scrolls down to add/edit/delete user and selects that option. The supervisor logs in as the 65 supervisor and selects edit user and selects a user already in a talk group and edits data in fields for name, phone number,

28

project ID of the user to be edited and presses next. Start date, end date, hours, days of the week are then changed as desired. From that point, the process is the same as adding a new user.

FIG. 36 is a flowchart of a process for a supervisor to delete a user from a talk group. The supervisor launches TalkControl and scrolls down to add/edit/delete user and selects that. She logs in as a supervisor and scrolls down to delete a user and deletes data in name, phone number, project ID, start date, end date, hours and days of week field and presses send. One or more packets get routed to the Rubicon servers which authenticates the initiator and recipient. The Rubicon server then logs onto the Carrier server and deletes the user from the appropriate talk group and receives a confirmation. The Rubicon server receives the confirmation and updates its database to delete the user from a talk group. Confirmation is then sent from the Rubicon server to the supervisor phone and the user's phone, and the Rubicon server then logs out of the carrier server.

FIG. 37 is a flowchart of a process for a supervisor to issue a token. The supervisor launches TalkControl and scrolls down to add/edit/delete a user. She logs in as a supervisor and scrolls down to issue token menu option and selects it. She then scrolls down to select project to issue token menu option and presses next. The user selects token being issued and presses issue. The supervisor then informs the user of the project name and the token code. Packets are sent to the Rubicon server which removes the token from the list and replaces it with a new token. The Rubicon server then sends a message to the supervisor's phone to add the message send new token to the supervisor's handset.

FIG. 38 is a flowchart for the process of setting up preferences. The TalkControl application is launched on the handset and the user scrolls down to the add/edit/delete user option and presses select. The user logs in and presses send. The user then scrolls down to preferences and presses next. The user then selects the preference feature to be updated and presses select. This vectors processing to one of the four illustrated lines of processing to set the methods of notification as audio, vibrate or select auto login or set the new password or set a new ID. Processing then loops back to allow another preference to be selected and edited.

FIG. 39 is a flowchart for the process to allow a supervisor to request status. The supervisor launches TalkControl and scrolls down to view status. She logs in as a supervisor and presses send and then selects a user. The supervisor then scrolls and selects project to view status and presses next and scrolls down to select the project and the user and views the user's details.

FIG. 40 is a process flowchart of the process for a supervisor to create a group. The supervisor launches Talk-Control application and scrolls down to create a group and presses select. She then logs in as supervisor and presses send and enters group name. A talk group is then automatically created. The supervisor sets the duration of the group, its start date, end date, days, hours and presses next. One or more packets addressed to the Rubicon server are then created and sent to the Rubicon server. The Rubicon server then authenticates the initiator and recipient and creates a database entry for a new group. The Rubicon server then contacts the carrier server and logs in and creates a talk group in the carrier server and receives a confirmation. The Rubicon server then adds the group to the appropriate talk group and receives confirmation. The confirmation is then sent from the Rubicon server to the supervisor and the Rubicon server logs out of the carrier server. The supervisor

phone then receives a message on the wireless device displaying the group added profile updated request screen.

Although the invention has been disclosed in terms of the preferred and alternative embodiments disclosed herein, those skilled in the art will appreciate possible alternative 5 embodiments and other modifications to the teachings disclosed herein which do not depart from the spirit and scope of the invention. All such alternative embodiments and other modifications are intended to be included within the scope of the claims appended hereto.

What is claimed is:

- 1. A method for sharing position data between locationsharing-enabled wireless devices using a location-sharing server, the method comprising:
 - maintaining a user database associating users with respec- 15 tive ones of the location-sharing-enabled wireless
 - organizing the users in lists responsive to input from the users: and
 - establishing a position-sharing relationship between a first 20 of the users, associated with a first of the wireless devices, and a second of the users, associated with a second of the wireless devices, by
 - receiving instructions from the first wireless device to request a location of the second wireless device,
 - conveying the request to the second wireless device, receiving a response from the second wireless device agreeing to share the location of the second wireless device for a time period,
 - receiving GPS position data from the second wireless 30 device, and
 - conveying the GPS position data to the first wireless device over the time period and automatically ceasing conveying the GPS position data when the time period has expired;
 - wherein organizing the users in lists responsive to input from the users is performed responsive to instructions received from respective ones of the wireless devices which select specific ones of the other users, to thereby permit each of the users to define a buddy list, at least 40 one of the buddy lists comprising the first wireless device and the second wireless device.
- 2. The method of claim 1, further comprising, if the position-sharing relationship is established, receiving second GPS position data from the first wireless device and 45 conveying the second GPS position data to the second wireless device.
- 3. The method of claim 1, further comprising serving a map to the first wireless device.
- 4. The method of claim 3, further comprising iconically 50 depicting the first user and the second user on the map.
- 5. The method of claim 4, further comprising, during the time period, receiving updated GPS position data from the second wireless device and iconically depicting the second user at a second position indicative of the updated GPS 55 the establishment of the position-sharing relationship, is to position data.
- 6. The method of claim 1, wherein the instructions from the first wireless device specify the time period for expiration of the position-sharing relationship.
- 7. The method of claim 1, wherein establishing the 60 position-sharing relationship comprises suggesting a default time period for expiration of the position-sharing relation-
- 8. The method of claim 1, further comprising displaying on the first wireless device a distance from the first wireless 65 device to each of a plurality of other wireless devices of users in the list of the first user.

- 9. The method of claim 8, further comprising displaying, on the first wireless device and responsive to a command from the first wireless device, a latitude and a longitude of a selected one of the plurality of other wireless devices.
- 10. The method of claim 8, further comprising displaying, on the first wireless device and responsive to a command from the first wireless device, a location of a selected one of the plurality of other wireless devices on a map.
- 11. The method of claim 1, further comprising displaying 10 the GPS position data on the first wireless device with a last-reported time for the GPS position.
 - 12. The method of claim 1, further comprising compiling a location history of the second wireless device in response to plural sets of GPS position data of the second wireless device.
 - 13. The method of claim 1, wherein each of the wireless devices is an Internet-enabled wireless device, and wherein the first wireless device is adapted to display on a map position of the second wireless device corresponding to the GPS position data from the second wireless device via a web browser on the first wireless device.
 - **14**. A location-sharing system comprising:
 - location-sharing-enabled wireless devices, each device associated with a user and having a GPS receiver; and at least one location-sharing server coupled to the wireless device via a wide-area network, the server having
 - a database associating the users with respective ones of the location-sharing-enabled wireless devices and organizing the users in lists, and
 - software for establishing a position-sharing relationship between a first of the users,
 - associated with a first of the wireless devices, and a second of the users.
 - associated with a second of the wireless devices, by receiving instructions from the first wireless device to request a location of the second wireless device, conveying the request to the second wireless device, receiving a response from the second wireless device agreeing to share the location of the second wireless device for a time period,
 - receiving GPS position data from the second wireless device, and
 - conveying the GPS position data to the first wireless device over the time period and automatically ceasing conveying the GPS position data when the time period has expired;
 - wherein said software is to organize the lists responsive to instructions received from respective ones of the wireless devices which select specific ones of the other users, to thereby permit each of the users to define a buddy list, at least one of the buddy lists comprising the first wireless device and the second wireless device.
 - 15. The system of claim 14, the software, contingent upon cause the at least one location-sharing server to convey second position data indicating a location of the first wireless device to the second wireless device.
 - 16. The system of claim 14, further comprising software to cause the at least one location-sharing server to serve maps to the first wireless device depicting the GPS position data during the time period.
 - 17. The system of claim 16, the wireless devices including second software to communicate with the server during the time period, wherein at least one of said maps is to cause the first wireless device to iconically depict the second user at a second position indicative of updated GPS position data.

- **18**. The system of claim **14**, wherein the instructions from the first wireless device specify the time period for expiration of the position-sharing relationship.
- 19. The system of claim 14, the wireless devices including second software to establish the position-sharing relation-ship and suggest a default time period for expiration of the position-sharing relationships.
- 20. The system of claim 14, further comprising software to cause the at least one location-sharing server to compile a location history of the second wireless device in response 10 to plural sets of GPS position data of the second wireless device.
- 21. The system of claim 14, wherein each of the wireless devices is an Internet-enabled wireless device, and wherein the first wireless device is adapted to display on a map position of the second wireless device corresponding to the GPS position data from the second wireless device via a web browser on the first wireless device.
- **22**. A non-transitory computer-readable storage medium storing instructions that, when executed on one or more servers, cause the one or more servers to perform a method comprising:

maintaining a user database associating users with respective location-sharing-enabled wireless devices;

organizing the users in lists responsive to input from the 25 users; and

establishing a position-sharing relationship between a first of the users, associated with a first of the wireless devices, and a second of the users, associated with a second of the wireless devices, by

receiving instructions from the first wireless device to request a location of the second wireless device,

conveying the request to the second wireless device, receiving a response from the second wireless device agreeing to share the location of the second wireless device for a time period,

32

receiving GPS position data from the second wireless device, and

conveying the GPS position data to the first wireless device over the time period and automatically ceasing conveying the GPS position data when the time period has expired;

wherein organizing is performed responsive to instructions received from respective ones of the wireless devices which select specific ones of the other users, to thereby permit each of the users to define a buddy list, at least one of the buddy lists comprising the first wireless device and the second wireless device.

- 23. The computer-readable storage medium of claim 22, wherein the instructions stored on the computer-readable storage medium, when executed, are further to cause the one or more servers to, during the time period, receive updated GPS position data from the second wireless device and iconically depict the second user at a second position indicative of the updated GPS position data.
- 24. The computer-readable storage medium of claim 22, wherein the instructions from the first wireless device specify the time period for expiration of the position-sharing relationship.
- 25. The computer-readable storage medium of claim 22, further comprising instructions that when executed are to cause the one or more servers to compile a location history of the second wireless device in response to plural sets of GPS position data of the second wireless device.
- 26. The computer-readable storage medium of claim 22, wherein each of the wireless devices is an Internet-enabled wireless device, and wherein the first wireless device is adapted to display on a map position of the second wireless device corresponding to the GPS position data from the second wireless device via a web browser on the first wireless device.

* * * * *