

US009584960B1

(12) United States Patent Haney

(10) Patent No.: US 9,584,960 B1 (45) Date of Patent: Feb. 28, 2017

(54) RENDEZ VOUS MANAGEMENT USING MOBILE PHONES OR OTHER MOBILE DEVICES

(71) Applicant: X One, Inc., Union City, CA (US)

(72) Inventor: **Richard D. Haney**, Union City, CA

(US)

(73) Assignee: X One, Inc., Union City, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 14/139,695

(22) Filed: Dec. 23, 2013

Related U.S. Application Data

- (63) Continuation of application No. 13/889,132, filed on May 7, 2013, now Pat. No. 8,798,593, which is a continuation of application No. 12/075,408, filed on Mar. 11, 2008, now Pat. No. 8,538,458, which is a continuation of application No. 11/099,362, filed on Apr. 4, 2005, now Pat. No. 7,353,034.
- (51) Int. Cl. H04W 24/00 (2009.01) H04W 4/02 (2009.01) H04W 4/08 (2009.01)
- (52) U.S. Cl. CPC *H04W 4/02* (2013.01); *H04W 4/08* (2013.01)
- (58) Field of Classification Search

CPC ... H04L 67/306; H04L 12/581; H04L 63/104; H04L 65/1069; H04L 65/403; H04W 4/021; H04W 76/007; H04W 4/12

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

1,103,073 A 7/1914 O'Connell 4,121,160 A 7/1978 Cataldo (Continued)

FOREIGN PATENT DOCUMENTS

AU 2003901617 4/2003 AU 2003901795 4/2003 (Continued)

OTHER PUBLICATIONS

"Report on Location Service feature (LCS) 25.923 v1.0.0," TSG-RAN Working Group 2 (Radio layer 2 and Radio layer 3), Berlin, May 25-28, 1999, 45 pages.

(Continued)

Primary Examiner — Kwasi Karikari

(57) ABSTRACT

A system for exchanging GPS or other position data between wireless devices for purposes of group activities, child location monitoring, work group coordination, dispatching of employees etc. Cell phones and other wireless devices with GPS receivers have loaded therein a Buddy Watch application and a TalkControl application. The Buddy Watch application communicates with the GPS receiver and other wireless devices operated by buddies registered in the users phone as part of buddy groups or individually. GPS position data and historical GPS position data can be exchanged between cell phones of buddies and instant buddies such as tow truck drivers via a buddy watch server. Emergency monitoring services can be set up with notifications to programmable individuals in case an individual does not respond. Positions and tracks can be displayed. TalkControl simplifies and automates the process of joining talk groups for walkie talkie services such as that provided by Nextel.

50 Claims, 51 Drawing Sheets

X ONE SERVER COMPARES CURRENT DATE AND TIME WITH DATABASE FOR USERS SCHEDULED TO BE DELETED X ONE SERVER INITIATES COMMUNICATION OVER INTERNET WITH AND LOGS ONTO CARRIER SERVER X ONE SERVER DELETES USER FROM APPROPRIATE TALK GROUP AND RECEIVES COMPIRMATION REPLY RECEIVED REMOVED AND REPLY RECEIVES OUT OF CARRIER SERVER X ONE SERVER REMOVES USER FROM APPROPRIATE TALK GROUP AND UPDATES DATABASE AND LOGS OUT OF CARRIER SERVER X ONE SERVER SENDS DELETION CONFIRMATION TO USER PHONE

USER DELETED CONFIRMATION RECEIVED

SEQUENCE FROM SERVER TO AUTO DELETE A USER - SCHEDULE

(56)		R	Referen	ces Cited	5,274,560		12/1993	
	T	IS PA	TENT	DOCUMENTS	5,276,311 5,276,905			Hennige Hurst et al.
		J.D. 11	11 121 11	DOCOMENTO	5,283,570		2/1994	DeLuca et al.
	4,445,118	Α .	4/1984	Taylor et al.	5,289,527			Tiedemann, Jr.
	4,494,119			Wimbush	5,289,572 5,293,642		2/1994 3/1994	Yano et al.
	4,606,073 A		8/1986 2/1087	Moore Zabarsky et al.	5,295,042			Malec et al.
	4,651,156			Martinez	5,299,132		3/1994	Wortham
	4,654,879	A		Goldman et al.	5,301,354		4/1994	Schwendeman et al.
	4,701,601			Francini et al.	5,305,201 5,307,278			Matthews Hermans et al.
	4,706,275 <i>4</i> ,736,196 <i>4</i>		1/1987 4/1988	McMahon et al.	5,311,516			Kuznicki et al.
	4,799,062			Sanderford, Jr. et al.	5,317,311			Martell et al.
	4,818,998			Apsell et al.	5,325,302 5,327,144			Izidon et al. Stilp et al.
	4,819,860			Hargrove et al. Lessin et al.	5,327,144			Fults et al.
	4,868,376 <i>4</i> ,884,132 <i>4</i>			Morris et al.	5,334,974			Simms et al.
	4,891,638		1/1990		5,335,246			Yokev et al.
	4,891,650		1/1990		5,337,044 5,339,391			Folger et al. Wroblewski et al.
	4,903,212 <i>4</i> ,907,159 <i>4</i>			Yokouchi et al. Mauge et al.	5,343,493			Karimullah
	4,910,767			Brugliera et al.	5,347,568	A		Moody et al.
	4,939,662	A	7/1990	Nimura et al.	5,351,235			Lahtinen
	4,952,928			Carroll et al.	5,361,212 5,363,425			Class et al. Mufti et al.
	4,972,484 <i>4</i> ,980,913 <i>4</i>		1/1990 2/1990	Theile et al.	5,365,451			Wang et al.
	4,999,783			Tenmoku et al.	5,371,678		12/1994	
	5,014,040			Weaver et al.	5,374,933 5,374,936		12/1994	
	5,014,206 A 5,021,794 A			Scribner et al. Lawrence	5,379,057		12/1994	Clough et al.
	5,021,794			Ikeda et al.	5,379,451			Nakagoshi et al.
	5,039,980			Aggers et al.	5,381,338			Wysocki et al.
	5,043,736			Darnell et al.	5,387,993 5,388,147			Heller et al. Grimes
	5,045,839 <i>a</i> 5,046,011 <i>a</i>			Ellis et al. Kakihara et al.	5,390,125		2/1995	Sennott et al.
	5,055,851		0/1991		5,390,339			Bruckert et al.
	5,067,081	A 1	1/1991	Person	5,394,158		2/1995	
	5,068,656			Sutherland	5,396,227 5,398,190			Carroll et al. Wortham
	5,068,891 <i>a</i> 5,070,329 <i>a</i>			Marshall Jasinaki	5,406,490			Braegas
	5,081,667			Drori et al.	5,406,614		4/1995	
	5,086,390			Matthews	5,408,217 5,412,388		4/1995 5/1995	Sanderford, Jr. Attwood
	5,086,394 <i>b</i> 5,097,416 <i>b</i>			Shapira Matthews	5,414,432			Penny, Jr. et al.
	5,119,104		6/1992		5,416,712			Geier et al.
	5,119,396	A		Snderford, Jr.	5,416,890			Beretta
	5,126,941			Gurmu et al.	5,418,537 5,422,813		5/1995 6/1995	
	5,128,752 <i>a</i> 5,144,283 <i>a</i>			Von Kohorn Arens et al.	5,423,076			Westergren et al.
	5,150,310	A	9/1992	Greenspun et al.	5,432,841		7/1995	
	5,153,584		0/1992		5,434,789 5,438,321			Fraker et al. Bernard et al.
	5,161,180 <i>a</i> 5,164,904 <i>a</i>			Chavous Sumner	5,442,557			Kaneko
	5,166,972		1/1992		5,442,805	A	8/1995	Sagers et al.
	5,168,451	A 1	2/1992	Bolger	5,444,450		8/1995	Olds et al.
	5,170,165			Iihoshi et al.	5,454,024 5,457,689			Lebowitz Marvit et al.
	5,173,691 <i>a</i> 5,177,478 <i>a</i>			Sumner Wagai et al.	5,457,713			Sanderford, Jr. et al.
	5,177,479		1/1993		5,461,365			Schlager et al.
	5,182,555			Sumner	5,461,390 5,469,362		10/1995	Hoshen Hunt et al.
	5,187,810 <i>a</i> 5,193,215 <i>a</i>	A	2/1993 3/1993	Yoneyama et al.	5,470,233			Fruchterman et al.
	5,195,031	A	3/1993 3/1993		5,479,408		12/1995	Will
	5,197,092	A		Bamburak	5,479,482		12/1995	
	5,208,756		5/1993		5,479,600 5,485,161			Wroblewski et al. Vaughn
	5,208,763 <i>a</i> 5,214,789 <i>a</i>		5/1993 5/1993	Hong et al.	5,485,163			Singer et al.
	5,218,367			Sheffer et al.	5,488,563	A	1/1996	Chazelle et al.
	5,218,629	A	6/1993	Dumond, Jr. et al.	5,497,149		3/1996	
	5,223,844			Mansell et al.	5,502,757 5,504,482			Bales et al. Schreder
	5,227,874 <i>b</i> 5,239,570 <i>b</i>			Von Kohorn Koster et al.	5,506,886			Maine et al.
	5,243,529			Kashiwazaki	5,508,707	A		LeBlanc et al.
	5,243,652	A		Teare et al.	5,508,931		4/1996	
	5,245,314			Kah, Jr.	5,510,801			Engelbrecht et al.
	5,249,044 <i>x</i> 5,265,120 <i>x</i>		9/1993 1/1993	Von Kohorn Sanderford, Jr.	5,512,879 5,513,243		4/1996 4/1996	
	5,266,944			Carroll et al.	5,515,287			Hakoyama et al.
	, ,	-			, ,			,

(56)		Referen	ces Cited		677,837			Reynolds Bouve et al.
	Z II	PATENT	DOCUMENTS		682,525 682,600		10/1997	
	0.5.	IAILIVI	DOCOMENTS		684,859			Chanroo et al.
5,515,4	119 A	5/1996	Sheffer		689,245			Noreen et al.
5,517,1			DiMattei		689,252 689,269			Ayanoglu et al.
5,519,4			Bickley et al.		689,209		11/1997 11/1997	Kelley et al.
5,519,7 5,523,9			Borkowski et al. Peterson		689,431			Rudow et al.
5,530,6			Lokhoff et al.		697,058			Paavonen
5,530,9			McPheters		699,053		12/1997	
5,532,6		7/1996			699,244 704,029			Clark, Jr. et al. Wright, Jr.
5,535,4 5,537,4			Siddoway et al. Holliday, Jr. et al.		704,023			Tognazzini
5,539,3			Buss et al.	5,	710,803	A		Kowal et al.
5,539,3			Hall et al.		712,679		1/1998	
5,539,6			Shibata et al.		712,899 717,392			Pace, II Eldridge
5,539,8 5,543,7			Lokhoff et al. L'Esperance et al.		721,781			Deo et al.
5,543,7			Behr et al.		724,660			Kauser et al.
5,546,4			Dennison et al.		727,057			Emery et al.
5,548,7		8/1996			731,757			Layson, Jr.
5,551,0			Hutcheson et al.		731,785 732,074			Lemelson et al. Spaur et al.
5,552,7 5,552,9			Janky et al. Bertrand		732,354			MacDonald
5,555,2			Tendler		736,962			Tendler
5,559,5			Barzegar et al.		739,774			Olandesi
5,559,7			DeLorme et al.		740,534 740,549			Ayerst et al. Reilly et al.
5,561,7 5,561,7			Salimando Khalidi et al.		742,233			Hoffman et al.
5,568,1			Schipper et al.		742,509			Goldberg et al.
5,568,1			Beliveau		742,635			Sanderford, Jr.
5,570,4		10/1996			742,666 745,865		4/1998	Alpert Rostoker et al.
5,574,6		11/1996			748,109			Kosaka et al.
5,574,7 5,579,3		11/1996	Scalisi et al.		752,186			Malackowski et al.
5,579,5			Orlen et al.		754,430			Sawada
5,588,0		12/1996			754,939			Herz et al.
5,590,3		12/1996	Henry		758,049 758,257			Johnson et al. Herz et al.
5,592,3 5,592,3		1/1997 1/1997			E35,829			Sanderford, Jr.
5,594,4			Ladner et al.		760,742			Branch et al.
5,594,7	780 A		Wiedeman et al.		760,773			Berman et al.
5,598,5					760,917 761,618			Sheridan Lynch et al.
5,604,4 5,606,3			Lauro et al. Allen et al.		764,686			Sanderford et al.
5,606,6			Lokhoff et al.	5,	765,152	A	6/1998	Erickson
5,606,8			Nakamura		767,788		6/1998	
5,610,8			Gudat et al.		767,795 768,509			Schaphorst Gunluk
5,614,8 5,615,1		3/1997	Fox Gudat et al.		771,353			Eggleston et al.
5,617,0		4/1997			774,170			Hite et al.
5,619,5			Sandstrom et al.		774,533		6/1998	
5,621,3	884 A		Crimmins et al.	5,	774,670 774,824	A		Montulli Streit et al.
5,621,7			Bednarek et al. Ramaswamy et al.		774,829			Cisneros et al.
5,627,5 5,627,5			Woo et al.	5,	777,580	A	7/1998	Janky et al.
5,627,5	549 A	5/1997	Park		787,357		7/1998	
5,628,0			McGraw et al.		787,429 790,974			Nikolin, Jr.
5,628,0 5,629,6		5/1997 5/1997	Salin Gargano et al.		793,630			Tognazzini Theimer et al.
5,629,6		5/1997			794,142			Vanttila et al.
5,630,2	206 A		Urban et al.		796,365		8/1998	
5,633,9	912 A				796,613 796,634			Kato et al.
5,636,2			Ernst et al.		790,034			Craport et al. Houde et al.
5,636,2 5,642,3		6/1997 6/1997	Brugger Small et al.		797,096			Lupien et al.
5,646,8		7/1997	Takahashi et al.		798,732			Eshenbach
5,646,9		7/1997			802,492			DeLorme et al.
5,650,7		7/1997	Schlager et al.	· · · · · · · · · · · · · · · · · · ·	805,460 806,000			Greene et al. Vo et al.
5,652,5 5,654,9			Lepkofker Yokoyama		806,000			Smith et al.
5,655,0		8/1997	Gainsboro		808,564		9/1998	
5,661,4	160 A	8/1997	Sallen et al.	5,	808,565	A	9/1998	Matta et al.
5,661,6			Sprague et al.		809,415			Rossmann
5,661,7		8/1997	Van De Kerkhof et al.		812,086			Bertiger et al.
5,663,7 5,666,2		9/1997 9/1997	Stangeland et al. Fredlund et al.		812,087 815,538			Krasner Grell et al.
5,675,3					822,700			Hult et al.
5,075,2	11	10, 1007		ν,	,,,,,,,			

(56)	Referen	ces Cited	5,946,618		8/1999	Agre et al. Foladare et al.
11.	S DATENT	DOCUMENTS	5,946,626 5,946,629		8/1999	
0.3	5. 1 ATENT	DOCUMENTS	5,946,630			Willars et al.
5,825,306 A	10/1998	Hiyokawa et al.	5,946,646	A	8/1999	Schena et al.
5,825,884 A	10/1998	Zdepski et al.	5,948,040		9/1999	
5,826,195 A		Westerlage et al.	5,948,041		9/1999	Abo et al.
5,828,740 A		Khuc et al.	5,948,061 5,950,125		9/1999 9/1999	Merriman et al. Buhrmann et al.
5,831,552 A 5,835,061 A		Sogawa et al. Stewart	5,950,130			Coursey
5,835,376 A		Smith et al.	5,950,137		9/1999	Kim
5,835,907 A		Newman	5,953,398		9/1999	
5,839,086 A	11/1998	Hirano	5,953,706		9/1999	
5,839,088 A		Hancock et al.	5,955,973 5,959,577		9/1999	Anderson Fan et al.
5,841,396 A 5,845,227 A		Krasner Peterson	5,959,580		9/1999	Maloney et al.
5,848,373 A		DeLorme et al.	5,959,623		9/1999	
5,852,775 A	12/1998		5,960,362			Grob et al.
5,854,793 A	12/1998	Dinkins	5,961,569			Craport et al.
5,857,201 A		Wright, Jr. et al.	5,961,572 5,963,130		10/1999	Craport et al. Schlager et al.
5,859,869 A		Sanderford	5,963,913			Henneuse et al.
5,862,244 A 5,864,667 A		Kleiner et al. Barkan	5,963,956		10/1999	
5,867,103 A	2/1999	Taylor, Jr.	5,964,821	A	10/1999	Brunts et al.
5,867,110 A		Naito et al.	5,966,696		10/1999	
5,870,686 A		Monson	5,968,109		10/1999	Israni et al.
5,872,526 A	2/1999		5,969,678 5,974,054		10/1999 10/1999	Stewart Couts et al.
5,873,068 A		Beaumont et al. Krasner	5,978,685		11/1999	
5,874,914 A 5,883,580 A		Briancon et al.	5,978,747			Craport et al.
5,884,322 A	3/1999		5,978,768		11/1999	
5,887,269 A		Brunts et al.	5,982,281		11/1999	
5,889,474 A		LaDue	5,982,298 5,982,324			Lappenbusch et al. Watters et al.
5,890,064 A 5,890,068 A		Widergen et al. Fattouche et al.	5,983,099			Yao et al.
5,892,454 A		Schipper et al.	5,987,323		11/1999	
5,893,898 A		Tanimoto	5,987,381			Oshizawa
5,895,471 A		King et al.	5,991,692			Spencer, II et al.
5,896,369 A		Warsta et al.	5,991,827 5,995,015		11/1999	Ellenby et al. DeTemple et al.
5,898,680 A 5,899,954 A	4/1999 5/1999		5,999,124		12/1999	Sheynblat
5,993,726 A		Donovan et al.	5,999,126		12/1999	Ito
5,905,248 A	5/1999		5,999,561		12/1999	Naden et al.
5,905,451 A	5/1999	Sakashita	6,002,393		12/1999	Hite et al.
5,905,460 A		Odagiri et al.	6,002,932 6,002,936		12/1999 12/1999	Kingdon et al. Roel-Ng et al.
5,908,465 A 5,910,799 A		Ito et al. Carpenter et al.	6,002,982		12/1999	
5,913,040 A	6/1999		6,004,061		12/1999	Manico et al.
5,913,170 A		Wortham	6,005,928		12/1999	Johnson
5,914,668 A		Chavez, Jr. et al.	6,006,159		12/1999	Schmier et al. Barrick, Jr. et al.
5,914,675 A	6/1999	Tognazzini	6,006,260 6,009,188		12/1999 12/1999	Cohen et al.
5,915,243 A 5,917,913 A	6/1999	Smolen Wang	6,009,409		12/1999	Adler et al.
5,918,180 A		Dimino	6,009,410	A		LeMole et al.
5,920,589 A		Rouquette et al.	6,014,090			Rosen et al.
5,920,821 A		Seazholtz et al.	6,014,602 6,014,607			Kithil et al. Yagyu et al.
5,922,074 A		Richard et al.	6,018,619			Allard et al.
5,923,861 A 5,926,116 A		Bertram et al. Kitano et al.	6,018,718			Walker et al.
5,926,765 A		Sasaki	6,023,241		2/2000	Clapper
5,929,752 A		Janky et al.	6,023,523			Cohen et al.
5,930,250 A		Klok et al.	6,023,653			Ichimura et al.
5,930,474 A		Dunworth et al.	6,026,304 6,026,370			Hilsenrath et al. Jermyn
5,930,699 A 5,930,701 A	7/1999	Bhatia	6,026,375			Hall et al.
5,933,080 A		Nojima	6,028,514			Lemelson et al.
5,933,094 A		Goss et al.	6,028,537	A		Suman et al.
5,933,100 A	8/1999	Golding	6,028,550			Froeberg et al.
5,933,811 A		Angles et al.	6,028,955 6,029,069		2/2000 2/2000	Cohen et al.
5,936,572 A 5,937,037 A	8/1999 8/1999	Loomis et al. Kamel et al.	6,029,069			Forssen et al.
5,937,037 A 5,937,392 A		Alberts	6,032,051			Hall et al.
5,938,721 A		Dussell et al.	6,035,025		3/2000	Hanson
5,940,004 A		Fulton	6,035,198		3/2000	
5,940,834 A		Pinard et al.	6,038,295		3/2000	
5,941,930 A	8/1999		6,038,446			Courtney et al.
5,941,934 A 5,943,399 A	8/1999 8/1999	Sato Bannister et al.	6,041,280 6,044,403		3/2000	Kohli et al. Gerszberg et al.
5,945,944 A		Krasner	6,047,051		4/2000	Ginzboorg et al.
2,2 12,2 11 71	5, 1000		-,,,1		2000	

(56)		Referen	ces Cited	6,122,521			Wilkinson et al. Ogasawara
	U.S. F	PATENT	DOCUMENTS	6,123,259 6,124,810	A		Segal et al.
	0.0.1			6,127,945	A		Mura-Smith
6,047,23	6 A		Hancock et al.	6,128,482 6,128,571			Nixon et al. Ito et al.
6,047,32 6,049,71		4/2000 4/2000	Tso et al.	6,128,599			Walker et al.
6,049,71			Ben-Yehezkel et al.	6,131,028	A	10/2000	Whitington
6,049,77		4/2000	Walker et al.	6,131,067			Girerd et al.
6,052,08			Krasner	6,133,874 6,133,876		10/2000	Fullerton et al.
6,052,12 6,052,64		4/2000	Sutcliffe et al. Harada	6,134,483		10/2000	Vayanos et al.
6,055,43	84 A	4/2000	Seraj	6,134,548			Gottsman et al.
6,057,75 6,058,30		5/2000	Marsh Hanson	6,138,003 6,138,142		10/2000	Kingdon et al.
6,058,33			Agashe et al.	6,140,957			Wilson et al.
6,058,35	50 A	5/2000	Ihara	6,141,347			Shaughnessy et al.
6,061,01			Sheynblat Nordman	6,141,609 6,144,336			Herdeg et al. Preston et al.
6,061,34 6,061,56			Alanara et al.	6,148,090	A	11/2000	Narioka
6,061,68	31 A	5/2000	Collins	6,148,197			Bridges et al.
6,064,33			Eschenbach Krasner	6,148,198 6,148,262		11/2000	Anderson et al.
6,064,33 6,064,39			Ellenby et al.	6,149,353	A	11/2000	Nilsson
6,064,87	75 A	5/2000	Morgan	6,150,980		11/2000	
6,067,04			Castelloe et al.	6,151,309 6,151,498			Busuioc et al. Roel-Ng et al.
6,067,50 6,069,57			Hayashida et al. Herring	6,154,152		11/2000	
6,070,06			Nguyen et al.	6,154,172			Piccionelli et al.
6,070,08			Watters et al.	6,154,658 6,157,381		11/2000	Bates et al.
6,073,01 6,073,06			Agre et al. Hoshino et al.	6,157,841			Bolduc et al.
6,075,98			Donovan et al.	6,157,935			Tran et al.
6,076,04			Watanabe	6,163,749 6,166,626			McDonough et al. Janky et al.
6,078,81 6,080,06		6/2000	Kingdon et al.	6,166,627		12/2000	
6,081,20			Kielland	6,167,266			Havinis et al.
6,081,22			Soliman et al.	6,167,274 6,167,277		12/2000	Smith Kawamoto
6,081,50 6,081,80			West et al. Ashby et al.	6,169,515			Mannings et al.
6,085,09			Yee et al.	6,169,552	B1	1/2001	Endo et al.
6,085,14			Jamison et al.	6,169,891 6,169,901			Gorham et al. Boucher
6,085,32 6,087,96			Kaliski, Jr. Murphy	6,169,902			Kawamoto
6,088,04			Oda et al.	6,173,181	B1	1/2001	
6,088,58			Haverty	6,175,740 6,175,922		1/2001 1/2001	Souissi et al.
6,088,59 6,088,72			Kingdon et al. Herz et al.	6,177,905		1/2001	
6,091,95			Hollenberg	6,177,938		1/2001	
6,091,95			Larkins et al.	6,178,505 6,178,506			Schneider et al. Quick, Jr.
6,091,95 6,092,07			Souissi et al. McDonough et al.	6,181,934			Havinis et al.
6,094,60		7/2000	Diesel	6,181,935	B1		Gossman et al.
6,097,95	58 A	8/2000	Bergen	6,184,802 6,184,829	Bl B1	2/2001 2/2001	Lamb
6,098,11 6,100,80		8/2000 8/2000	Ellenby et al.	6,185,427			Krasner et al.
6,101,37			Barabash et al.	6,188,354			Soliman et al.
6,101,44			Kato et al.	6,188,752 6,188,909		2/2001	Lesley Alanara et al.
6,104,09 6,104,93			Unger et al. Havinis et al.	6,188,959			Schupfner
6,108,53		8/2000	Brohoff	6,189,098			Kaliski, Jr.
6,108,55			Maloney et al.	6,195,557 6,195,609			Havinis et al. Pilley et al.
6,108,70 6,111,54		8/2000	Shinomura et al. Karmel	6,195,646			Grosh et al.
6,111,91	1 A		Sanderford, Jr. et al.	6,198,390			Schlager et al.
6,112,18			Bergh et al.	6,198,431 6,198,927			Gibson Wright et al.
6,113,64 6,115,48		9/2000	Govindaraj Wiens	6,199,010			Richton
6,115,61			Kimoto et al.	6,199,014			Walker et al.
6,115,66			Nakamura	6,199,045 6,199,099			Giniger et al. Gershman et al.
6,115,68 6,115,70			Coffee et al. Gilmour et al.	6,199,099			Alegre et al.
6,115,75			Landgren	6,201,803			Munday et al.
6,118,40			Fernekes et al.	6,202,008			Beckert et al.
6,119,01			Alperovich et al. Guyot et al.	6,202,023 6,202,058			Hancock et al. Rose et al.
6,119,09 6,121,92		9/2000		6,202,058			DeMay et al.
6,122,50		9/2000		6,204,812	B1		Fattouche
6,122,52	20 A	9/2000	Want et al.	6,205,330	B1	3/2001	Winbladh

(56)		R	eferen	ces Cited	6,287,200			Sharma
	1	U.S. PA	TENT	DOCUMENTS	6,288,716 6,289,212	B1	9/2001	Humpleman et al. Stein et al.
		n			6,289,373 6,292,657			Dezonno Laursen et al.
6,208,2 6,208,2				Krasner Fattouche et al.	6.292,637			Mansour
6,208,8				Roberts et al.	6,292,799			Peek et al.
6,208,8		B1 3	3/2001	Agre et al.	6,295,454			Havinis et al.
6,208,8				Rouhollahzadeh et al.	6,295,502 6,297,768			Hancock et al. Allen, Jr.
6,208,9 6,212,3				Bechtolsheim et al. Fitch et al.	6,298,306			Suarez et al.
6,212,3				Stefan et al.	6,300,903		10/2001	Richards et al.
6,215,4				Moeglein et al.	6,301,370			Steffens et al.
6,216,0				Seymour et al.	6,304,758 6,307,504			lierbig et al. Sheynblat
6,219,5 6,222,4				Havinis Twitchell et al.	6,308,269		10/2001	
6,222,4				Szajewski et al.	6,311,060	B1	10/2001	Evans et al.
6,222,9	37	B1 4	/2001	Cohen et al.	6,313,761		11/2001	
6,222,9				Wiskott et al.	6,313,786 6,314,365		11/2001	Sheynblat et al.
6,223,0 6,223,0			1/2001 1/2001	капеі Hamill-Keays et al.	6,314,369			Ito et al.
6,223,1				Hancock et al.	6,314,406			O'Hagan et al.
6,226,5	29	B1 5		Bruno et al.	6,317,029		11/2001	
6,232,9				Dean et al.	6,317,594 6,317,604			Gossman et al. Kovach, Jr. et al.
6,233,4 6,233,5			5/2001 5/2001	Helferich Lee	6,317,684			Roeseler et al.
6,236,3				Corwith	6,317,718		11/2001	
6,236,3				Watters et al.	6,321,091 6,321,092		11/2001	Holland Fitch et al.
6,236,3 6,236,9			5/2001 5/2001	LeBlanc et al.	6,321,158			DeLorme et al.
6,239,7				Hoffman et al.	6,321,250	B1	11/2001	Knape et al.
6,239,7	42	B1 5	5/2001	Krasner	6,321,257			Kotola et al.
6,240,0				Alperovich et al.	6,323,846 6,324,476		11/2001	Westerman et al.
6,240,3 6,240,4			5/2001 5/2001	Naughton	6,324,542			Wright, Jr. et al.
6,243,0			5/2001		6,324,692		11/2001	
6,243,5				Koorapaty et al.	6,326,918 6,327,473		12/2001	Stewart Soliman et al.
6,243,6 6,246,3				Tuck et al. Bork et al.	6,327,479			Mikkola
6,246,8				Messier et al.	6,327,573	B1	12/2001	Walker et al.
6,246,8		B1 6	5/2001	Lachance	6,327,580			Pierce et al.
6,246,9				Thakker	6,330,452 6,330,454			Fattouche et al. Verdonk
6,247,1 6,249,2				Feague Dupray	6,332,127	B1	12/2001	Bandera et al.
6,249,2				Sutcliffe et al.	6,333,919		12/2001	
6,249,6				Wax et al.	6,339,437 6,339,745		1/2002	Nielsen Novik
6,249,7 6,249,7				Friederich et al. Morita	6,340,928			McCurdy
6,249,7				Walker et al.	6,341,255			Lapidot
6,249,7				Crone et al.	6,343,317			Glorikian Reed et al.
6,249,8 6,252,5	73 43	B1 6	5/2001 5/2001	Richard et al.	6,345,288 6,347,230			Koshima et al.
6,252,5				Hoffberg	6,351,235	B1	2/2002	Stilp
6,253,0	91	B1 6	5/2001	Naddell et al.	6,353,398			Amin et al.
6,253,2				O'Flaherty et al.	6,353,743 6,353,837			Karmel Blumenau
6,256,4 6,259,4				Ludwig Stewart et al.	6,356,192			Menard et al.
6,259,9		B1 7	7/2001	Lim et al.	6,356,543			Hall et al.
6,260,1				Quick, Jr.	6,356,659 6,356,761			Wiskott et al. Huttunen et al.
6,263,2 6,266,0				Stingone, Jr. Fattouche et al.	6,356,761			Kangas et al.
6,266,4			7/2001		6,356,834			Hancock et al.
6,266,6				Dussell et al.	6,356,836 6,356,838		3/2002 3/2002	Adolph
6,266,6 6,266,6			7/2001 7/2001	Alumbaugh	6,356,905			Gershman et al.
6,269,3				Pallakoff	6,359,557	B2	3/2002	
6,269,3	69	B1 7		Robertson	6,360,093			Ross et al.
6,272,2				Maurer et al.	6,360,101 6,360,102		3/2002 3/2002	Havinis et al.
6,272,3 6,272,4				Havinis et al. Durand et al.	6,360,164			Murayama
6,275,6	92	B1 8	3/2001	Skog	6,360,167		3/2002	Millington et al.
6,275,7	71	B1 8		Berstis et al.	6,362,778		3/2002	
6,275,8 6,278,7				Ludwig Ayyagari et al.	6,363,254 6,363,255			Jones et al. Kuwahara
6,278,8			3/2001 3/2001		6,366,568			Bolgiano et al.
6,281,8				Kynast et al.	6,367,019			Ansell et al.
6,282,4				Bochmann et al.	6,367,037			Remer et al.
6,282,4				Chowdhary	6,370,389			Isomursu et al.
6,286,0	U5	RI 2	7/2001	Cannon	6,370,475	BI	4/2002	Breed et al.

(56)		I	Referen	ces Cited	6,442,392			Ruutu et al.
	1	IIS D	ATENT	DOCUMENTS	6,442,526 6,442,573			Vance et al. Schiller et al.
	,	0.5.17	ALLINI	DOCUMENTS	6,449,473			Raivisto
	6,370,523	B1	4/2002	Anderson	6,449,476	B1		Hutchison, IV et al.
	6,370,566			Discolo et al.	6,449,485	В1	9/2002	
	6,370,629	B1		Hastings et al.	6,449,486		9/2002	
	6,373,430	B1		Beason et al.	6,452,498			Stewart
	6,374,176			Schmier et al.	6,453,161 6,456,207		9/2002	Touati et al.
	6,377,179		4/2002		6,456,234			Johnson
	6,377,209 6,377,210		4/2002 4/2002		6,456,852			Bar et al.
	6,377,793		4/2002		6,456,854	B1		Chern et al.
	6,377,810			Geiger et al.	6,456,956		9/2002	
	6,377,886	B1	4/2002	Gotou et al.	6,459,782			Bedrosian et al.
	6,381,465			Chern et al.	6,459,913 6,462,674		10/2002	Ohmura et al.
	6,381,535			Durocher et al. Shimazu	6,462,675			Humphrey et al.
	6,381,539 6,381,603			Chan et al.	6,463,142		10/2002	
	6,385,458			Papadimitriou et al.	6,463,272			Wallace et al.
	6,385,465			Yoshioka	6,463,289			Havinis et al.
	6,385,535			Ohishi et al.	6,466,695			Potzsch et al.
	6,385,541			Blumberg et al.	6,466,788 6,466,938	B1		Carlsson Goldberg
	6,385,622 6,388,612		5/2002	Bouve et al.	6,469,664	B1		Michaelson et al.
	6,389,288			Kuwahara et al.	6,470,287	Bi	10/2002	
	6,392,565		5/2002		6,473,031	B1	10/2002	Harris
	6,393,292	Bi	5/2002		6,473,790		10/2002	
	6,396,819	B1	5/2002	Fleeter et al.	6,477,150			Maggenti et al.
	6,397,040			Titmuss et al.	6,477,363 6,477,581			Ayoub et al. Carpenter et al.
	6,397,057			Malackowski et al.	6,480,147			Durst et al.
	6,397,208 6,397,219		5/2002 5/2002		6,480,713		11/2002	
	6,400,270		6/2002		6,484,033		11/2002	
	6,400,314		6/2002		6,484,035			Allen, Jr.
	6,400,320		6/2002	Stilp et al.	6,486,801		11/2002	
	6,400,374		6/2002		6,487,305			Kambe et al. Gale et al.
	6,400,956		6/2002		6,487,495 6,487,497			Khavakh et al.
	6,400,958 6,401,032			Isomursu et al. Jamison et al.	6,487,538			Gupta et al.
	6,401,034			Kaplan et al.	6,490,454	B1	12/2002	Kangas et al.
	6,401,085			Gershman et al.	6,490,519			Lapidot et al.
	6,404,388			Sollenberger et al.	6,490,698			Horvitz et al.
	6,404,408			Emerson, III	6,496,775 6,496,776			McDonald, Jr. et al. Blumberg et al.
	6,405,034		6/2002		6,496,777	B2		Tennison et al.
	6,405,037 6,405,123			Rossmann Rennard et al.	6,501,393	Bī		Richards et al.
	6,405,132			Breed et al.	6,501,421	B1		Dutta et al.
	6,407,698	Bi	6/2002	Ayed	6,504,491			Christians
	6,408,186	B1	6/2002	Park et al.	6,504,503			Saint-Hilaire et al.
	6,408,307		6/2002	Semple et al.	6,505,046 6,505,048		1/2003	Moles et al.
	6,408,309			Agarwal	6,505,049			Dorenbosch
	6,411,254 6,411,899			Moeglein et al. Dussell et al.	6,505,123			Root et al.
	6,414,629		7/2002		6,507,802	B1	1/2003	Payton et al.
	6,414,635			Stewart et al.	6,509,830		1/2003	
	6,415,207		7/2002		6,510,387			Fuchs et al.
	6,415,220		7/2002		6,512,455 6,512,922			Finn et al. Burg et al.
	6,415,227 6,415,291		7/2002	Bouve et al.	6,512,930			Sandegren
	6.421.002			Krasner	6,515,575			Kataoka
	6,421,669	B1		Gilmour et al.	6,515,623			Johnson
	6,424,840	B1		Fitch et al.	6,516,197	B2		Havinis et al.
	6,424,910			Ohler et al.	6,518,889 6,519,241	BZ D1		Schlager et al. Theimer
	6,427,001			Contractor et al.	6,519,463			Tendler
	6,427,115 6,427,120			Sekiyama Garin et al.	6,519,466			Pande et al.
	6,430,409			Rossmann	6,519,771	B1	2/2003	Zenith
	6,430,411			Lempio et al.	6,522,266			Soehren et al.
	6,430,496		8/2002	Smith et al.	6,522,682			Kohli et al.
	6,433,734		8/2002		6,526,026			Menon
	6,434,381			Moore et al.	6,526,335			Treyz et al. Breed et al.
	6,434,530 6,438,376			Sloane et al. Elliott et al.	6,526,352 6,529,136			Cao et al.
	6,438,381			Alberth, Jr. et al.	6,529,130			Mikkola et al.
	6,438,490		8/2002		6,529,490			Oh et al.
	6,441,778			Durst et al.	6,529,500			Pandharipande
	6,442,241	B1		Tsumpes	6,529,722	B1		Heinrich et al.
	6,442,391	В1	8/2002	Johansson et al.	6,529,829	B2	3/2003	Turetzky et al.

(56)		Referen				B1		Epstein Tomaru
	U.S. I	PATENT	DOCUMENTS		6,601,060 6,603,428		8/2003	
					6,603,968			Anvekar et al.
6,531,98 6,532,30		3/2003 3/2003	White et al.		6,603,973 6,603,977			Foladare et al. Walsh et al.
6,535,14			Goss et al.		6,606,495			Korpi et al.
6,538,73	57 B1		Sansone		6,606,554	B2	8/2003	
6,539,20		3/2003			6,608,556 6,609,004			De Moerloose et al. Morse et al.
6,539,23 6,539,30			Hendrey et al. Chansarkar		6,609,062			Hancock
6,539,42		3/2003			6,611,273			Stokes et al.
6,542,40			Takeda et al.		6,611,498 6,611,687			Baker et al. Clark et al.
6,542,73 6,542,74			Abrol et al. Soliman		6,611,751		8/2003	
6,542,74			Hendrey et al.		6,611,757	B2	8/2003	
6,542,74			Tanaka et al.		6,611,788 6,615,131		8/2003	Hussa Rennard et al.
6,542,73 6,542,8			Hendrey et al. Obradovich et al.		6,615,134		9/2003	
6,542,8			Polidi et al.		6,615,213	B1		Johnson
6,542,8	19 B1		Kovacs et al.		6,618,593			Drutman et al. Chansarkar
6,546,36 6,549,52		4/2003 4/2003	Gilbert et al.		6,618,670 6,618,671			Dooley et al.
6,549,62			Rautila et al.		6,618,822	B1	9/2003	Loaiza et al.
6,549,70	58 B1		Fraccaroli		6,621,452			Knockeart et al.
6,549,7′ 6,549,84		4/2003	Joong Egberts		6,621,810 6,624,754		9/2003 9/2003	Hoffman et al.
6,552,6		4/2003			6,625,447	B1	9/2003	Rossmann
6,553,23	36 B1		Dunko et al.		6,625,457		9/2003	
6,553,3		4/2003			6,628,233 6,628,938			Knockeart et al. Rachabathuni et al.
6,556,83 6,560,33			Soliman Gainsboro		6,629,104			Parulski et al.
6,560,4			Lohtia et al.		6,629,136		9/2003	
6,560,40			Fomukong et al.		6,633,255 6,633,763			Krasner Yoshioka
6,560,53 6,560,53		5/2003	Abraham et al. Minter		6,636,145			Murakami et al.
6,563,43	30 B1	5/2003	Kemink et al.		6,636,732			Boling et al.
6,563,4:			Takenaga		6,639,516 6,639,939		10/2003	Copley Naden et al.
6,563,46 6,563,9			Stilp et al. Wiskott et al.		6,640,184		10/2003	
6,564,04			Steele et al.		6,643,355	B1 .		Tsumpes
6,564,00			Ciganer et al		6,647,257 6,647,269			Owensby Hendrey et al.
6,564,14 6,564,26			Alewine et al. Gudjonsson et al.		6,650,284	B1	11/2003	Mannings et al.
6,567,00			Rekimoto		6,650,288	B1 .	11/2003	Pitt et al.
6,570,53			Gaal et al.		6,650,901 6,650,902		11/2003	Schuster et al. Richton
6,570,53 6,571,09	57 BI 95 BI	5/2003	Westerman et al.		6,650,997		11/2003	
6,571,2	79 B1		Herz et al.		6,650,998			Rutledge et al.
6,574,4		6/2003			6,654,786 6,654,800			Fox et al. Rieger, III
6,574,55 6,577,94		6/2003 6/2003			6,657,661		12/2003	Cazier
6,578,0		6/2003			6,661,340	B1 .	12/2003	Saylor et al.
6,580,39		6/2003			6,661,372 6,661,409			Girerd et al. Demartines et al.
6,580,8 6,580,9		6/2003	Maurer et al.		6,662,015	B2		Furlong
6,581,0			Mathur et al.		6,662,016	B1 .		Buckham et al.
6,584,30			Antonucci et al.		6,662,023 6,665,539		12/2003	Helle Sih et al.
6,584,40 6,584,5			Kirshenbaum et al. Kuno et al.		6,665,541	B1		Krasner et al.
6,587,68	88 B1		Chambers et al.		6,665,613	B2	12/2003	
6,587,69			Granstam et al.		6,665,715 6,667,963		12/2003	Houri Rantalainen et al.
6,587,78 6,587,83			Nocek et al. Treyz et al.		6,671,377	B1		Havinis et al.
6,590,53			Sollenberger et al.		6,671,620	B1 .		Garin et al.
6,591,10			Dunn et al.		6,671,695 6,671,698		12/2003	McFadden Pickett et al.
6,591,19 6,594,48			Nishida et al. Montalvo et al.		6,674,849			Froeberg
6,594,4			Nykanen et al.		6,675,012		1/2004	
6,594,49			McKenna et al.		6,675,014		1/2004	Sundquist
6,594,50 6,594,5°			Bender et al. Fan et al.		6,675,150 6,677,894		1/2004 1/2004	Sheynblat et al.
6,594,69			McCollum et al.		6,677,968			Appelman
6,597,30			Szeto et al.		6,678,357			Stumer et al.
6,597,3			Sheynblat et al.		6,678,514			Wheeler et al.
6,597,98 6,600,8			Hancock Gentillin et al.		6,678,516 6,678,613			Nordman et al. Andrews et al.
6,600,9			Kawase		6,680,694	B1		Knockeart et al.
6,600,9	27 B2	7/2003	Hamilton et al.		6,680,695	B2	1/2004	Turetzky et al.

(56)		Referen	ces Cited	6,744,856			Karnik et al.
	II S	DATENIT	DOCUMENTS	6,744,858 6,745,038			Ryan et al. Callaway, Jr. et al.
	U.S.	PAIENI	DOCUMENTS	6,747,556			Medema et al.
	6,681,107 B2	1/2004	Jenkins et al.	6,747,596			Orler et al.
	6,681,114 B2		Chang et al.	6,748,195			Phillips
	6,681,120 B1	1/2004		6,748,225		6/2004	
	6,683,538 B1		Wilkes, Jr.	6,748,226 6,748,318		6/2004	Wortham
	6,684,068 B1		Tikka et al. Yu et al.	6,750,813			Vargas-Hurlston et al.
	6,684,087 B1 6,684,250 B2		Anderson et al.	6,750,883			Parupudi et al.
	6,684,269 B2		Wagner	6,751,464			Burg et al.
	6,687,360 B2		Kung et al.	6,751,626			Brown et al.
	6,687,504 B1	2/2004		6,754,634 6,754,636		6/2004	Ho Walker et al.
	6,687,608 B2		Sugimoto et al. Sellink et al.	6,754,904			Cooper et al.
	6,687,734 B1 6,690,268 B2		Schofield et al.	6,756,913		6/2004	
	6,690,322 B2		Shamoto et al.	6,756,938			Zhao et al.
	6,691,029 B2		Hughes et al.	6,757,156			Adams et al.
	6,691,114 B1		Nakamura	6,757,517 6,757,544		6/2004	Rangarajan et al.
	6,691,155 B2 6,693,586 B1		Gottfried Walters et al.	6,757,545			Nowak et al.
	6,694,258 B2		Johnson et al.	6,758,812	B2	7/2004	
	6,694,352 B1	2/2004	Omoigui	6,759,956			Menard et al.
	6,694,387 B2		Wagner	6,759,960 6,762,772			Stewart Imamura et al.
	6,696,956 B1		Uchida et al. Stewart	6,765,492		7/2004	
	6,697,018 B2 6,697,629 B1		Grilli et al.	6,765,528			Tranchina et al.
	6,697,730 B2		Dickerson	6,765,998			Bruce et al.
	6,697,731 B2		Takayama et al.	6,766,174			Kenyon
	6,697,734 B1		Suomela	6,766,245 6,768,944			Padmanabhan Breed et al.
	6,698,020 B1 6,700,534 B2	3/2004	Zigmond et al.	6,769,002		7/2004	
	6,700,334 B2 6,701,143 B1		Dukach et al.	6,771,742			McCalmont et al.
	6,701,144 B2		Kirbas et al.	6,771,970		8/2004	
	6,701,307 B2		Himmelstein et al.	6,771,971		8/2004	
	6,703,971 B2		Pande et al.	6,772,213 6,772,340			Glorikian Peinado et al.
	6,703,972 B2 6,704,651 B2		van Diggelen van Diggelen	6,774,797			Freathy et al.
	6,707,421 B1		Drury et al.	6,774,840	B1	8/2004	Adamczyk et al.
	6,707,581 B1		Browning	6,775,255		8/2004	
	6,711,408 B1	3/2004		6,775,267 6,775,534			Kung et al. Lindgren et al.
	6,711,474 B1 6,714,661 B2		Treyz et al. Buddenmeier et al.	6,775,613			Burt et al.
	6,714,791 B2		Friedman	6,775,655	B1		Peinado et al.
	6,714,793 B1		Carey et al.	6,775,802		8/2004	
	6,714,797 B1		Rautila	6,778,136		8/2004 8/2004	Gronemeyer
	6,714,916 B1 6,716,101 B1		Robertson et al. Meadows et al.	6,778,524 6,778,837			Bade et al.
	6,718,174 B2		Vayanos	6,778,885			Agashe et al.
	6,718,344 B2	4/2004		6,781,963			Crockett et al.
	6,718,503 B1		Lerner et al.	6,782,264			Anderson
	6,720,915 B2		Sheynblat	6,782,278 6,785,538		8/2004	Chen et al.
	6,720,920 B2 6,721,572 B1		Breed et al. Smith et al.	6,788,199	B2		Crabtree et al.
	6,721,572 B1		Minear et al.	6,788,249	B1	9/2004	Farmer et al.
	6,721,871 B2	4/2004	Piispanen et al.	6,788,288		9/2004	
	6,724,342 B2		Bloebaum et al.	6,788,946 6,789,012			Winchell et al. Childs et al.
	6,724,382 B2 6,725,159 B2		Kenyon et al. Krasner	6,789,102			Gotou et al.
	6,728,701 B1	4/2004		6,795,444			Vo et al.
	6,731,236 B1		Hager et al.	6,795,686			Master et al.
	6,731,238 B2		Johnson	6,795,699 6,795,700			McCraw et al. Karaoguz et al.
	6,731,612 B1 6,731,940 B1	5/2004	Koss Nagendran	6.795.710			Creemer
	6,732,080 B1	5/2004		6,795,770			Hanshew et al.
	6,732,120 B1	5/2004		6,798,358			Joyce et al.
	6,734,821 B2		van Diggelen	6,799,032			McDonnell et al.
	6,735,568 B1		Buckwalter et al.	6,799,049 6,799,050			Zellner et al. Krasner
	6,735,585 B1 6,735,630 B1		Black et al. Gelvin et al.	6,799,094			Vaida et al.
	6,737,989 B2	5/2004		6,801,159			Swope et al.
	6,738,013 B2	5/2004	Orler et al.	6,801,763			Elsey et al.
	6,738,635 B1		Lewis et al.	6,801,778			Koorapaty et al.
	6,738,800 B1		Aquilon et al.	6,801,850			Wolfson
	6,738,808 B1 6,741,188 B1		Zellner et al. Miller et al.	6,801,855 6,804,524			Walters et al. Vandermeijden
	6,741,842 B2		Goldberg et al.	6,804,657		10/2004	Sultan
	6,741,926 B1		Zhao et al.	6,804,726			Ellenby et al.
	, , ==						•

(56) R	eferen	ces Cited	6,861,980			Rowitch et al.
II C DA	TENT	DOCUMENTS	6,865,171 6,865,394			Nilsson Ogino et al.
U.S. FA	LENI	DOCUMENTS	6,865,395		3/2005	
6,806,813 B1 10	0/2004	Cheng et al.	6,865,483			Cook, III et al.
		Panasik et al.	6,867,733			Sandhu et al.
		Watanabe et al.	6,867,734			Voor et al.
		Chao et al.	6,868,074			Hanson
		Erickson	6,868,333 6,868,396		3/2005	Smith et al.
, ,		Zellner et al. Bullock et al.	6,870,822		3/2005	
		Dukach et al.	6,871,144		3/2005	Lee
		Drury et al.	6,873,290			Anderson et al.
6,813,264 B2 1	1/2004	Vassilovski	6,873,850			Dowling et al.
		Gruchala et al.	6,873,851 6,873,854			Brown et al. Crockett et al.
	1/2004	McDonnell et al.	6.876.734			Summers et al.
		Kinnunen et al.	6,879,244		4/2005	
		Zillikens et al.	6,879,574			Naghian et al.
	1/2004	van Diggelen et al.	6,879,835			Greene et al.
		Krasner	6,879,836 6,879,838			Nakamoto et al. Rankin et al.
		Timmins	6,882,313			Fan et al.
		Krasner Heinonen et al.	6,882,348		4/2005	
		Wong et al.	6,882,837	B2		Fernandez et al.
		Rayburn et al.	6,882,850			McConnell et al.
		Walters et al.	6,882,856			Alterman et al. Grube et al.
	1/2004		6,885,874 6,885,940	B2 B2		Brodie et al.
		Edmark et al. Nagamatsu et al.	6,886,750			Rathus et al.
		Tanaka	6,888,497		5/2005	King et al.
		Baucke et al.	6,888,536			Westerman et al.
	1/2004		6,888,932 6,891,500			Snip et al. Hall et al.
		Akhteruzzaman et al. Clapper	6,895,238			Newell et al.
		Lagerstrom et al.	6,895,240			Laursen et al.
		Burch et al.	6,895,249		5/2005	
		Titmuss et al.	6,898,416			Saarinen et al.
		Gelvin et al.	6,898,436 6,898,516			Crockett et al. Pechatnikov et al.
	2/2004	Lee et al.	6,898,518			Padmanabhan
		Obradovich et al.	6,898,526			Doyle et al.
	2/2004	Gelvin et al.	6,898,569			Bansal et al.
		O'Neill	6,900,758 6,901,260		5/2005	Mann et al.
		Maurer et al. Brandenberg et al.	6,901,264		5/2005	
		Smith, Jr.	6,901,304			Swan et al.
		Geier et al.	6,901,444		5/2005	
		Sheynblat et al.	6,903,684 6,903,685			Simic et al. Arndt et al.
	1/2005 1/2005	Weisman et al.	6,904,029			Fors et al.
	1/2005		6,904,360		6/2005	Pechatnikov et al.
		Smith et al.	6,904,364			Randazzo et al.
	1/2005		6,907,224			Younis
		Piccioni Manual de 1	6,907,238 6,909,902		6/2005	Sawada et al.
		Moore et al. Chao et al.	6,912,230			Salkini et al.
		Macpherson et al.	6,912,395			Benes et al.
		Engeldrum et al.	6,912,398			Domnitz
		Laursen et al.	6,912,545 6,914,626			Lundy et al. Squibbs
		Dennison et al. Pietras et al.	6,915,208			Garin et al.
		Zhou et al.	6,917,331			Gronemeyer
6,847,969 B1	1/2005	Mathai et al.	6,917,703			Steffens et al.
		Gailey et al.	6,917,878 6,917,968			Pechatnikov et al. Nakamura
		Adamczyk et al. Lee et al.	6,920,319			Knutsson et al.
6,850,209 B2	2/2005	Mankins et al.	6,920,328	B2	7/2005	Wollrab
		Paulauskas et al.	6,920,391			Daubert et al.
		Brookes	6,920,430			Berton et al.
		Sakarya Fuchs et al	6,920,464 6,922,566		7/2005	Fox Puranik et al.
	2/2005 2/2005	Fuchs et al. Miwa	6,925,378			Tzamaloukas
		Burrell et al.	6,925,381			Adamczyk
		Mauro et al.	6,928,279	B2	8/2005	Seligmann et al.
	2/2005		6,928,294			Maggenti et al.
		Ohta et al.	6,930,634			Peng et al.
		Runquist et al. Gelvin et al.	6,932,698 6,933,841		8/2005	Sprogis Muramatsu et al.
0,039,031 D1 2	4/2003	Gervin et al.	0,933,041	DZ	0/2003	ividiamatsu et al.

(56)	J	Referen	ces Cited	6,985,879 B2		Walker et al.
	IIC D	ATENIT	DOCUMENTS	6,987,976 B2 6,989,765 B2		Kohar et al. Gueziec
	U.S. P.	ALENI	DOCUMENTS	6,990,462 B1		Wilcox et al.
6,934,634	В1	8/2005	Ge	6,990,472 B2		Rosenhaft et al.
6,937,187		8/2005	van Diggelen et al.	6,990,495 B1		Grason et al.
6,937,569			Sarkar et al.	6,993,325 B1 6,993,327 B2		Waesterlid Mathis
6,937,597 6,937,872			Rosenberg et al. Krasner	6,993,355 B1		Pershan
6,938,076			Meyer et al.	6,993,490 B2		Chen et al.
6,940,454			Paetzold et al.	6,993,718 B2		Fujihara
6,940,826			Simard et al.	6,996,087 B2	2/2006	
6,940,950			Dickinson et al.	6,996,251 B2 6,996,387 B2	2/2006	Malone et al.
6,941,144 6,943,671		9/2005	McGee et al.	6,996,720 B1		DeMello et al.
6,944,443			Bates et al.	6,999,777 B1		Ganesh
6,944,447	B2		Portman et al.	6,999,779 B1		Hashimoto
6,944,540			King et al.	6,999,782 B2 6,999,783 B2		Shaughnessy et al. Toyryla et al.
6,944,704 6,944,760		9/2005 9/2005		7,003,289 B1	2/2006	
6,947,772			Minear et al.	7,003,571 B1	2/2006	Zombek et al.
6,947,880			Johnson et al.	7,003,604 B2	2/2006	
6,948,656			Williams	7,006,829 B2 7,007,010 B2		Zhao et al. Cooper
6,950,058 6,950,326		9/2005	Davis et al.	7,007,010 B2 7,007,228 B1	2/2006	
6,950,535			Sibayama et al.	7,009,556 B2		Stewart
6,952,181			Karr et al.	7,010,144 B1		Davis et al.
6,952,574			Tealdi et al.	7,010,308 B2		Hendrey
6,954,442			Tsirtsis et al.	7,012,901 B2 7,013,148 B1		Jagadeesan et al. Ganesh
6,954,641 6,954,735			McKenna et al. Djupsjobacka et al.	7,013,149 B2		Vetro et al.
6,954,790			Forslöw	7,013,216 B2		Walters et al.
6,956,564			Williams	7,013,391 B2		Herle et al.
6,956,573			Bergen et al.	7,016,717 B2 7,016,855 B2		Demos et al. Eaton et al.
6,957,068 6,957,072	B2 .	10/2005 10/2005	Hutchison, IV et al. Kangras et al.	7,020,460 B1		Sherman et al.
6,957,072	B2	10/2005	Rangias Ct al. Bye	7,020,494 B2		Spriestersbach et al.
6,957,076			Hunzinger	7,020,701 B1		Gelvin et al.
6,957,080			Guetre et al.	7,023,383 B2 7,023,465 B2		Stilp et al. Stephens, Jr.
6,957,393 6,961,019			Fano et al. McConnell et al.	7,023,980 B2		Lenard
6,961,312			Kubler et al.	7,024,200 B2		McKenna et al.
6,961,562		11/2005		7,024,205 B1	4/2006	
6,963,283			Gonzalez	7,024,207 B2 7,024,214 B2		Gorday et al. Loveland
6,963,557		11/2005		7,024,214 B2 7,024,278 B2		Chiappetta et al.
6,963,748 6,963,900		11/2005	Chithambaram et al.	7,024,321 B1		Deninger et al.
6,965,754	B2	11/2005	King	7,024,393 B1		Peinado et al.
6,965,767			Maggenti et al.	7,026,926 B1 7,026,928 B1	4/2006 4/2006	Walker, III
6,965,816		11/2005		7,020,928 B1 7,027,564 B2	4/2006	
6,965,868 6,968,044			Bednarek Beason et al.	7,027,819 B2	4/2006	Ozturk et al.
6,968,179			De Vries	7,031,724 B2	4/2006	Ross et al.
6,968,195		11/2005		7,031,725 B2 7,031,728 B2	4/2006	Rorabaugh
6,970,130 6,970,837			Walters et al.	7,031,728 B2 7,031,875 B2		Beyer, Jr. Ellenby et al.
6,970,837			Walker et al. Kushwaha et al.	7,032,030 B1	4/2006	Codignotto
6,970,922		11/2005		7,034,678 B2		Burkley et al.
6,973,166			Tsumpes	7,034,681 B2		Yamamoto et al.
6,973,320			Brown et al. Zhao et al.	7,035,618 B2 7,035,647 B2		Schnurr de Verteuil
6,973,384 6,975,266			Abraham et al.	7,035,731 B2	4/2006	
6,975,873	B1		Banks et al.	7,035,869 B2		Smartt
6,975,874	B1		Bates et al.	7,038,590 B2		Hoffman et al.
6,975,941			Lau et al.	7,039,596 B1 7,039,599 B2	5/2006 5/2006	Merriman et al.
6,975,959 6,975,998		12/2005	Dietrich et al.	7,039,603 B2		Walker et al.
6,978,258			Chithambaram	7,042,338 B1	5/2006	
6,978,453	B2	12/2005	Rao et al.	7,042,361 B2		Kazdin et al.
6,980,813			Mohi et al.	7,042,391 B2 7,043,256 B2	5/2006	Meunier et al. Ozugur et al.
6,980,816 6,980,909			Rohles et al. Root et al.	7,043,256 B2 7,043,362 B2		Krull et al.
6,981,029	Bi		Menditto et al.	7,043,362 B2 7,044,372 B2		Okuda et al.
6,982,639		1/2006	Brackett et al.	7,047,030 B2	5/2006	Forsyth
6,982,656			Coppinger et al.	7,047,203 B2		Johnson
6,982,669			Coatantiec et al.	7,047,411 B1		DeMello et al.
6,983,313 6,985,747			Korkea-Aho Chithambaram	7,047,549 B2 7,050,624 B2	5/2006	Schein et al. Dialameh et al.
6,985,747			Chithambaram Motamedi et al.	7,050,624 B2 7,050,655 B2		Ho et al.
0,703,033	<i>D</i> 1	1/2000	mounical et al.	1,000,000 102	5,2000	ALO OL III.

(56)		Referen	ces Cited	7,106,717			Rousseau et al. Gainsboro et al.
	IIS	PATENT	DOCUMENTS	7,106,843 7,107,038			Fitch et al.
	0.0		BOCOMENTS	7,107,065			Overy et al.
7,0	50,797 B2	5/2006	Jung	7,107,228		9/2006	Walker et al.
	50,818 B2		Tendler	7,107,285 7,110,749			von Kaenel et al. Zellner et al.
,	53,780 B1 53,822 B2		Straub et al. Rickerson, Jr.	7,110,743			Campen
	54,741 B2		Harrison et al.	7,110,773	B1	9/2006	Wallace et al.
	57,556 B2		Hall et al.	7,110,880			Breed et al.
	57,591 B1		Hautanen et al.	7,113,110 7,113,797			Horstemeyer Kelley et al.
	58,208 B2 58,594 B2		Chang et al. Stewart	7,113,797		9/2006	
	62,269 B2		Albertsson et al.	1,120,450	A1	10/2006	Hines, et al.
	62,279 B2	6/2006	Cedervall et al.	7,116,977		10/2006	Moton, Jr. et al.
	62,376 B2		Oesterling	7,116,985 7,117,015		10/2006 10/2006	Wilson et al. Scheinert et al.
	62,491 B2 62,510 B1		McNulty et al. Eldering	7,117,013			Hanshew et al.
	62,530 B2		Scheinkman	7,119,675	B2		Khandelwal et al.
7,0	64,681 B2	6/2006	Horstemeyer	7,119,716			Horstemeyer
	65,351 B2		Carter et al.	7,120,444 7,120,459			Silvester Sawada et al.
	65,507 B2 65,548 B2		Mohammed et al. van Oldenborgh et al.	7,120,469			Urakawa
	68,189 B2		Brescia	7,123,189	B2		Lalik et al.
	68,309 B2		Toyama et al.	7,123,693			Nelson et al.
	69,016 B2		Crisler et al.	7,123,926 7,124,174		10/2006	Himmelstein Wyke et al.
	69,023 B2 69,026 B2		Maanoja et al. McClure	7,124,370		10/2006	Fish
	69,308 B2		Abrams	7,127,257		10/2006	Riley et al.
	69,319 B2		Zellner et al.	7,127,261		10/2006	Van Erlach
	71,821 B2		Adamczyk et al.	7,128,274 7,130,385		10/2006	Kelley et al. Moon
	71,842 B1 72,454 B1	7/2006	Brady, Jr. Ward	7,130,406			Pines et al.
	72,645 B2		Schwinke et al.	7,130,630			Enzmann et al.
	72,665 B1		Blumberg et al.	7,130,646 7,133,365		10/2006	Wang Klinker et al.
	72,667 B2 72,672 B1		Olrik et al. Vanska et al.	7,133,303		11/2006	
	72,956 B2		Parupudi et al.	7,135,992			Karlsson et al.
	72,963 B2	7/2006	Anderson et al.	7,136,466		11/2006	
	75,900 B2	7/2006		7,136,663 7,136,747		11/2006 11/2006	Metais et al. Raney
	76,235 B2 76,255 B2		Esque et al. Parupudi et al.	7,136,838			Peinado et al.
	76,257 B2	7/2006		7,136,915	B2	11/2006	Rieger, III
7,0	76,737 B2		Abbott et al.	7,138,913		11/2006	Mackenzie et al.
	79,857 B2		Maggenti et al.	7,139,252 7,139,553			Babu et al. Alston
	79,947 B2 80,019 B1		Runquist et al. Hurzeler	7,139,565			Fiatal et al.
	80,124 B1		Shankar	7,139,664			Kelly et al.
	82,365 B2		Sheha et al.	7,139,722 7,142,858		11/2006 11/2006	Perrella et al. Aoki et al.
	82,400 B2		Jones et al.	7,142,838		11/2006	
	84,758 B1 84,771 B2	8/2006 8/2006	Gonzalez	7,143,130		11/2006	
,	85,365 B2		Kauppinen	7,143,138			Imanishi
	85,555 B2		Zellner et al.	7,145,900 7,146,129			Nix et al. Bostrom et al.
	85,578 B2 85,637 B2	8/2006 8/2006	Barclay et al. Breed et al.	7,149,503			Aarnio et al.
	85,678 B1		Burrell et al.	7,149,533		12/2006	Laird et al.
7,0	85,818 B2	8/2006	Brown et al.	7,149,534			Bloebaum et al.
	89,110 B2		Pechatnikov et al.	7,149,625 7,150,030		12/2006	Mathews et al. Eldering et al.
	89,214 B2 89,264 B1	8/2006 8/2006	wang Guido et al.	7,151,921		12/2006	
	91,851 B2		Mason et al.	7,151,946			Maggenti et al.
7,0	91,852 B2		Mason et al.	7,155,238		12/2006	
	92,385 B2 92,573 B2		Gallant et al.	7,155,339 7,155,521		12/2006	Tu Lahti et al.
	92,373 B2 92,702 B2		Luo et al. Cronin et al.	7,158,798			Lee et al.
	95,871 B2		Jones et al.	7,158,883		1/2007	Fuchs et al.
	96,029 B1		Parupudi et al.	7,158,980 7,162,221		1/2007	Shen
,	96,030 B2 96,033 B1	8/2006 8/2006	Huomo Ball	7,162,221		1/2007 1/2007	Spitz et al. Seligmann et al.
	96,033 B1 96,233 B2		Mori et al.	7,162,256		1/2007	Donner et al.
	99,770 B2		Naden et al.	7,164,117	B2	1/2007	Breed et al.
	03,018 B1		Hansen et al.	7,164,883			
	03,368 B2		Teshima	7,164,921		1/2007	Owens et al.
	03,370 B1 03,470 B2	9/2006	Creemer Mintz	7,164,986 7,165,725		1/2007 1/2007	Humphries et al.
	03,470 B2 03,471 B2		Levi et al.	7,163,723		1/2007	Dennis
7,1	03,574 B1	9/2006	Peinado et al.	7,167,713	B2	1/2007	Anderson
7,1	03,806 B1	9/2006	Horvitz	7,170,863	B1	1/2007	Denman et al.

(56)	l	Referen	ces Cited	7,236,973			Kalthoff et al.
	HC D	ATENT	DOCLIMENTS	7,237,019 7,237,201		6/2007 6/2007	Sogabe et al.
	U.S. P.	ALENI	DOCUMENTS	7,237,201			Nam et al.
	7,171,190 B2	1/2007	Ye et al.	7,239,943		7/2007	
	7,171,190 B2 7,171,198 B2		Paila et al.	7,240,036			Mamdani et al.
	7,174,153 B2	2/2007		7,242,303			Patel et al.
	7,174,277 B2		Vock et al.	7,242,950			Suryanarayana et al.
	7,177,397 B2		McCalmont et al.	7,243,355 7,245,214		7/2007 7/2007	
	7,177,398 B2		Meer et al.	7,245,704		7/2007	Binning
	7,177,399 B2 7,177,623 B2		Dawson et al. Baldwin	7,246,371			Diacakis et al.
	7.177.651 B1		Almassy	7,248,159		7/2007	
	7,177,904 B1	2/2007	Mathur et al.	7,248,677			Randall et al.
	7,181,189 B2		Hotta et al.	7,248,872 7,248,884			Bassett et al. Miyamoto
	7,181,200 B2		Malackowski et al.	7,248,965			Tanizaki et al.
	7,181,227 B2 7,184,750 B2		Wilson et al. Tervo et al.	7,250,907			Krumm et al.
	7,184,790 B2		Dorenbosch et al.	7,251,312	B2	7/2007	D'Evelyn et al.
	7,185,352 B2		Hallford et al.	7,251,561			Dotan et al.
	7,187,997 B2		Johnson	7,251,696			Horvitz
	7,190,948 B2		Donley et al.	7,254,388 7,254,406			Nam et al. Beros et al.
	7,190,960 B2		Wilson et al. Vaudreuil	7,254,481			Yamada et al.
	7,194,273 B2 7,194,275 B2		Bolin et al.	7,256,711			Sheha et al.
	7,194,419 B2		Robertson et al.	7,256,737			Hall et al.
	7,196,639 B2	3/2007	Joyce et al.	7,257,392			Tang et al.
	7,197,321 B2		Erskine et al.	7,257,416			Lee et al.
	7,199,754 B2		Krumm et al.	7,260,186 7,260,378			Zhu et al. Holland et al.
	7,199,815 B2 7,200,380 B2		Aoyama Havlark et al.	7,260,376			Bales et al.
	7,200,380 B2 7,200,394 B2		Aoki et al.	7,263,437			Hirose et al.
	7,200,409 B1		Ichikawa et al.	7,266,376			Nakagawa
	7,200,566 B1		Moore et al.	7,266,378			Norta et al.
	7,202,776 B2	4/2007		7,266,379 7,266,836			Blight et al. Anttila et al.
	7,202,814 B2 7,203,111 B2		Caspi et al. Martin et al.	7,269,425			Valko et al.
	7,203,502 B2		Wilson et al.	7,269,590			Hull et al.
	7,203,674 B2	4/2007		7,269,601			Kinno et al.
	7,203,752 B2		Rice et al.	7,269,636			McCollum et al.
	7,206,388 B2		Diacakis	7,269,821 7,271,742			Sahinoja et al. Sheha et al.
	7,206,568 B2 7,206,828 B1	4/2007	Bourke-Dunphy et al.	7,271,765			Stilp et al.
	7,200,828 B1 7,209,571 B2		Davis et al.	7,273,172			Olsen, III et al.
	7,209,731 B2		Choi et al.	7,274,299		9/2007	Osman
	7,209,753 B2	4/2007		7,274,332 7,274,924			Dupray Yoshioka
	7,209,755 B2		Gorday et al.	7,274,939			Ruutu et al.
	7,209,758 B1 7,209,969 B2		Moll et al. Lahti et al.	7,277,912			Corboy et al.
	7,212,111 B2		Tupler et al.	7,277,923			Rensin et al.
	7,212,806 B2	5/2007	Karaoguz	7,280,822			Fraccaroli
	7,213,048 B1		Parupudi et al.	7,280,975 7,283,846		10/2007	Spriestersbach et al.
	7,215,967 B1		Kransmo et al. Donner	7,283,840		10/2007	
	7,216,109 B1 7,218,242 B2		Scalisi et al.	7,284,064	B1		Connelly
	7,218,940 B2		Niemenmaa et al.	7,289,617	B2		Barnes et al.
	7,218,941 B1		Kubo et al.	7,289,813			Karaoguz
	7,219,303 B2	5/2007		7,289,814 7,289,904		10/2007	Amir et al.
	7,221,267 B2 7,221,937 B2		Chalker et al.	7,289,304			Simon et al.
	7,221,937 B2 7,221,948 B2		Lau et al. Tokkonen	7,292,685		11/2007	
	7,221,959 B2		Lindqvist et al.	7,292,935	B2	11/2007	
	7,222,018 B2		Uyeki et al.	7,295,556			Roese et al.
	7,224,963 B2		Anderson et al.	7,298,327 7,299,008		11/2007	Dupray et al.
	7,224,966 B2		Caspi et al.	7,299,008			Pradhan et al.
	7,224,978 B2 7,224,987 B1		Zellner et al. Bhela et al.	7,301,469			Hoffman et al.
	7,224,995 B2	5/2007		7,301,536	B2	11/2007	Ellenby et al.
	7,225,207 B1		Ohazama et al.	7,302,254			Valloppillil
	7,228,136 B2		Myllymaki et al.	7,302,634			Lucovsky et al.
	7,231,218 B2		Diacakis et al.	7,304,966			Phan-Anh et al.
	7,231,219 B2 7,231,423 B1		Curtis et al. Horstmann et al.	7,305,365 7,305,442		12/2007	Bhela et al.
	7,233,786 B1		Harris et al.	7,305,742			Boynton et al.
	7,233,933 B2		Horvitz et al.	7,303,700			Matraszek et al.
	7,234,117 B2		Zaner et al.	7,308,356		12/2007	Melaku et al.
	7,234,942 B2	6/2007	Hu et al.	7,310,676		12/2007	
	7,236,742 B2		Hall et al.	7,313,405		12/2007	
	7,236,799 B2	6/2007	Wilson et al.	7,315,746	B2	1/2008	Caspi et al.

(56)		Referen	ces Cited	7,389,351			Horvitz
	1121	PATENIT	DOCUMENTS	7,394,896 7,395,031		7/2008 7/2008	
	0.5. 1	AILIVI	DOCUMENTS	7,395,045			Jijina et al.
	7,317,705 B2	1/2008	Hanson	7,395,259	B2	7/2008	Bailey et al.
	7,317,927 B2		Staton et al.	7,397,379			Richards et al.
	7,318,041 B2		Walker et al.	7,398,151 7,401,057		7/2008	Burrell et al.
	7,319,414 B2		Horstemeyer Uyeki et al.	7,401,037			Yamazaki et al.
	7,319,931 B2 7,321,773 B2		Hines et al.	7,403,786			Caspi et al.
	7,324,823 B1		Rosen et al.	7,403,908			Jaramillo
	7,324,987 B2		Hsieh et al.	7,403,942 7,403,972			Bayliss
	7,327,245 B2		Krumm et al.	7,405,972 7,406,507			Lau et al. Piccioni
	7,327,312 B1 7,328,029 B1	2/2008	Adamczyk et al.	7,406,665			Yokota
	7,328,242 B1		McCarthy et al.	7,409,384			Szeto et al.
	7,328,455 B2		Jutzi et al.	7,409,428			Brabec et al.
	7,330,112 B1		Emigh et al.	7,409,429 7,412,042		8/2008	Kaufman et al.
	7,330,895 B1 7,330,899 B2	2/2008	Horvitz	7,412,260			Gailey et al.
	7,333,480 B1		Clarke et al.	7,412,313	B2	8/2008	Isaac
	7,333,819 B2		Caspi et al.	7,413,513			Nguyen et al.
	7,333,820 B2		Sheha et al.	7,414,637 7,418,265			Fogel et al. Hardy et al.
	7,333,956 B2		Malcolm	7,418,203			McCrossin et al.
	7,334,728 B2 7,336,819 B2		Williams Gallagher et al.	7,421,154		9/2008	Kinjo
	7,336,928 B2		Paalasmaa et al.	7,421,422	B1	9/2008	Dempster et al.
	7,336,949 B2	2/2008	Nasielski	7,421,486			Parupudi et al.
	7,337,061 B2		Naden et al.	7,421,577 7,423,538			Ichikawa et al. Gonzalez
	7,337,210 B2		Barsness Kirveto et al	7,424,293		9/2008	
	7,337,465 B2 7,339,496 B2		Kiyoto et al. Endo et al.	7,424,363			Cheng et al.
	7,340,057 B2		Martin, Jr. et al.	7,426,380			Hines et al.
	7,340,240 B2		McDonald	7,426,403			Sundararajan et al.
	7,340,389 B2	3/2008		7,428,417 7,428,571			Caspi et al. Ichimura
	7,340,691 B2 7,343,141 B2		Bassett et al. Ellis et al.	7,433,672		10/2008	
	7,343,165 B2		Obradovich	7,433,694		10/2008	Morgan et al.
	7,343,222 B2		Solomon	7,436,785			McMullen et al.
	7,343,317 B2		Jokinen et al.	7,437,413 7,437,444		10/2008	Okuyama et al.
	7,343,408 B2 7,349,706 B2		Kushwaha et al. Kim et al.	7,439,847			Pederson
	7,350,236 B1		Silverbrook et al.	7,440,442			Grabelsky et al.
	7,350,237 B2		Vogel et al.	7,440,573			Lor et al.
	7,353,016 B2		Roundtree et al.	7,440,842		10/2008	
	7,353,034 B2	4/2008		7,441,203 7,441,706			Othmer et al. Schuessler et al.
	7,353,139 B1 7,355,528 B2		Burrell et al. Yamane et al.	7,447,508		11/2008	
	7,359,706 B2	4/2008		7,450,934			Caspi et al.
	7,359,713 B1	4/2008	Tiwari	7,453,219			Mor et al.
	7,359,716 B2		Rowitch et al.	7,455,586 7,457,628			Nguyen et al. Blumberg et al.
	7,359,724 B2 7,359,894 B1		Torvinen Liebman et al.	7,457,634			Morinaga et al.
	7,362,662 B2	4/2008		7,458,080	B2	11/2008	Parker et al.
	7,363,024 B2	4/2008	Jenkins	7,460,863			Steelberg et al.
	7,363,027 B2		Hon et al.	7,461,528 7,463,151			Taniguchi et al. Schulte-Kellinghaus
	7,366,522 B2		Thomas Viikari et al.	7,463,972			Yamada et al.
	7,366,523 B2 7,366,606 B2	4/2008		7,464,050			Deaton et al.
	7,366,779 B1		Crawford	7,469,298			Kitada et al.
	7,369,508 B2		Parantainen et al.	7,472,172			Anderson et al.
	7,369,530 B2	5/2008		7,472,202 7,472,338		12/2008	Parupudi et al.
	7,370,283 B2 7,373,820 B1	5/2008	Othmer	7,472,396			Jacobs et al.
	7,376,433 B1	5/2008		7,474,741	B2	1/2009	Brunson et al.
	7,376,591 B2	5/2008		7,474,896			Mohi et al.
	7,376,640 B1		Anderson et al.	7,474,959 7,475,057		1/2009	Singh Obradovich
	7,379,889 B2 7,382,770 B2		Ratzlaff et al. Bergman et al.	7,475,057		1/2009	
	7,382,770 B2 7,382,773 B2		Schoeneberger et al.	7,477,694		1/2009	Sanderford, Jr. et al.
	7,383,316 B2		Koch et al.	7,477,873		1/2009	Tanaka et al.
	7,385,499 B2		Horton et al.	7,477,903			Wilcock et al.
	7,386,000 B2		Lopppnen et al.	7,477,904			Evans et al.
	7,386,392 B1 7,386,464 B2		Kabel et al. Robertson et al.	7,477,906 7,478,055		1/2009	Radic et al.
	7,386,477 B2	6/2008		7,478,033			Lunt et al.
	7,388,519 B1	6/2008		7,479,899			Horstemeyer
	7,389,179 B2	6/2008	Jin et al.	7,479,983	B2	1/2009	Fisher et al.
	7,389,275 B2	6/2008	Kemper et al.	7,480,566	B2	1/2009	Laverty

(56)		Referen	ces Cited	7,593,605			King et al.
	11.0	DATENT	DOCUMENTO	7,593,718			Gorday et al.
	U.S	. PATENT	DOCUMENTS	7,596,625 7,599,580			Manion et al. King et al.
	7,480,567 B2	1/2009	Suomela et al.	7,599,790		10/2009	Rasmussen et al.
	7,483,944 B2		Parupudi et al.	7,599,983			Harper et al.
	7,483,946 B2	1/2009	Boyd	7,603,112			Huomo et al.
	7,484,176 B2		Blattner et al.	7,603,229 7,606,416		10/2009	Goldberg et al. Han et al.
	7,486,958 B2 7,487,112 B2		Sheha et al. Barnes, Jr.	7,606,555			Walsh et al.
	7,487,148 B2		James	7,606,577	B2		Caspi et al.
	7,489,938 B2	2/2009	Flynn et al.	7,606,663			Neef et al.
	7,490,056 B2	2/2009		7,606,687 7,606,741			Galbreath et al. King et al.
	7,490,144 B2 7,493,363 B2		Carlson et al. Huitema et al.	7,610,145			Kantarjiev et al.
	7,496,082 B2	2/2009		7,613,634	B2	11/2009	Siegel et al.
	7,496,347 B2		Puranik	7,613,812			Manion et al.
	7,496,633 B2		Szeto et al.	7,617,128 7,617,176		11/2009	Zeng et al.
	7,496,648 B2 7,499,714 B2	2/2009 3/2009	Manion et al. Ki	7,617,176			Vella et al.
	7,502,133 B2		Fukunaga et al.	7,620,404	B2	11/2009	Chesnais et al.
	7,502,610 B2		Maher	7,620,621			Fuselier et al.
	7,503,074 B2		Dublish et al.	7,623,848 7,623,860		11/2009	Rosenfelt et al.
	7,505,757 B2 7,509,422 B2		Rowitch et al. Jaffray et al.	7,623,800			Sheynblat
	7,512,407 B2		Wu et al.	7,623,966		11/2009	Butler, Jr.
	7,512,544 B2		Carter et al.	7,627,422		12/2009	Adamczyk et al.
	7,519,372 B2		MacDonald et al.	7,627,425 7,627,498		12/2009	Salmre et al. Walker et al.
	7,519,548 B2 7,519,703 B1		Hanechak et al. Stuart et al.	7,630,986			Herz et al.
	7,522,627 B2		Lam et al.	7,636,755			Blattner et al.
	7,522,911 B2	4/2009	Ung et al.	7,640,009		12/2009	Belkin et al.
	7,522,995 B2		Nortrup	7,640,300 7,643,834			Wohlgemuth et al. Ioppe et al.
	7,523,191 B1		Thomas et al. Dupray et al.	7,644,144			Horvitz et al.
	7,525,484 B2 7,525,955 B2		Velez-Rivera et al.	7,644,166			Appelman et al.
	7,526,306 B2		Brems et al.	7,649,872			Naghian et al.
	7,529,556 B2		Dunko et al.	7,650,142			Longman et al.
	7,529,557 B2	5/2009		7,653,574 7,657,079			Harper et al. Lake et al.
	7,529,617 B2 7,529,723 B2		Ono et al. Howard et al.	7,663,502		2/2010	
	7,532,809 B2		Boston et al.	7,664,233			Kirchmeier et al.
	7,532,878 B2		Hagebarth	7,664,509 7,668,649		2/2010	Zellner et al.
	7,532,899 B2 7,536,256 B2		Wilson et al. Kelley et al.	7,668,765		2/2010	Tanaka et al.
	7,536,437 B2		Zmolek	7,668,832	B2		Yeh et al.
	7,538,745 B2	5/2009	Borovoy et al.	7,668,864			Benson et al.
	7,541,977 B2	6/2009	Ali et al.	7,670,263 7,672,439			Ellis et al. Appelman et al.
	7,545,784 B2 7,545,916 B2		Mgrdechian et al. Schwartz	7,672,440			Chen et al.
	7,546,127 B2		Caspi et al.	7,672,639	B2		Vaddiparty et al.
	7,551,733 B2	6/2009	Denny et al.	7,675,889			Nakao et al.
	7,558,584 B2	7/2009	Yamamoto et al.	7,680,340 7,680,796			Luo et al. Yeh et al.
	7,558,696 B2 7,561,028 B2	7/2009	Vilppula et al. Harvey	7,680,942			Tu et al.
	7,561,069 B2		Horstemeyer	7,685,279			Miltonberger et al.
	7,564,348 B2			7,688,211 7,688,260			Borovoy et al. Pomerantz et al.
	7,565,131 B2 7,565,153 B2	7/2009 7/2009	Rollender Alcock et al.	7,688,811			Kubler et al.
	7,565,155 B2	7/2009	Sheha et al.	7,689,448		3/2010	Fu et al.
	7,568,025 B2		Vasudeva	7,693,752			Jaramillo
	7,568,203 B2		Dotan et al.	7,693,944 7,696,905			Appelman et al. Ellenby et al.
	7,570,668 B2 7,570,958 B2		Mettala et al. Krasner et al.	7,698,228			Gailey et al.
	7,571,207 B2		Yoshizawa et al.	7,702,728	B2		Zaner et al.
	7,573,825 B2	8/2009		7,702,739			Cheng et al.
	7,573,843 B2	8/2009		7,706,516 7,706,970		4/2010	Seligmann
	7,573,904 B2 7,573,982 B2		Pichna et al. Breen et al.	7,706,970			Soehren
	7,574,222 B2	8/2009	Sawada et al.	7,707,109			Odijk et al.
	7,577,131 B2	8/2009	Joseph et al.	7,707,122	B2		Hull et al.
	7,577,448 B2		Pande et al.	7,707,262		4/2010	
	7,577,747 B2		Banet et al. Kubler et al.	7,711,002 7,711,604			Mukherjee et al. Walker et al.
	7,580,384 B2 7,580,405 B2		Laliberte	7,711,604			Emigh et al.
	7,584,114 B2		Estrada et al.	7,714,778	B2		Dupray
	7,586,861 B2	9/2009	Kubler et al.	7,716,287	B2	5/2010	Appelman et al.
	7,587,345 B2	9/2009	Mann et al.	7,716,585		5/2010	
	7,590,589 B2	9/2009	Hoffberg	7,717,866	B2	5/2010	Damen

(56)		Referen	ces Cited		7,904,511 7,917,153			Ryan et al. Orwant et al.
	U.S. I	PATENT	DOCUMENTS		7,917,157	B2		Muhonen
					7,917,414		3/2011 4/2011	Nathanson
7,721,084 7,724,743			Salminen et al. Razdan et al.		7,920,871 7,929,010			Narasimhan
7,725,550		5/2010	Choi		7,930,342			Mattila et al.
7,728,724			Scalisi et al.		7,937,066 7,940,746			Kaltsukis Livingood
7,729,691 7,730,012			Newville Arrouye et al.		7,941,161	B2	5/2011	Ioppe et al.
7,730,014	B2	6/2010	Hartenstein et al.		7,941,162 7,944,909			Ioppe et al. James
7,730,063 7,730,129		6/2010	Wang et al.		7,945,276			Pedersen
7,730,389		6/2010	Rasmussen et al.		7,945,494			Williams
7,738,896 7,743,074			Patel et al. Parupudi et al.		7,958,457 7,967,678			Brandenberg et al. Dougherty et al.
7,747,258		6/2010			7,969,306	B2	6/2011	Ebert et al.
7,747,719			Horvitz et al.		7,970,749 7,974,388		6/2011 7/2011	Uhlir et al.
7,756,253 7,756,537			Breen et al. Laurila et al.		7,974,868	B2	7/2011	Tseng et al.
7,756,639	B2	7/2010	Colley et al.		7,983,226 7,983,398			Oommen et al. Spiridellis
7,761,309 7,764,231			Sacco et al. Karr et al.		7,983,338			Fan et al.
7,764,944	B2	7/2010	Rollender		7,983,947			Kaiwa et al.
7,764,950 7,764,961			Patel et al. Zhu et al.		7,995,998 7,996,025		8/2011 8/2011	Wright et al. Lee
7,765,206			Hillis et al.		7,996,465	B2	8/2011	Cromp et al.
7,769,975			Ripberger		8,000,724 8,010,100			Rayburn et al. Kushwaha et al.
7,774,158 7,774,418			Domingues Goncalves et al. Tang et al.		RE42,738	E	9/2011	Williams
7,774,453	B2	8/2010	Babu et al.		8,019,355 8,019,630		9/2011 9/2011	
7,783,297 7,784,684		8/2010 8/2010	Ishii Labrou et al.		8,023,958			Wang et al.
7,787,896	B2	8/2010	Kundu et al.		8,027,333			Grabelsky et al.
7,788,260 7,792,273			Lunt et al. Fano et al.		8,027,691 8,032,108			Bernas et al. Kuz et al.
7,793,316			Mears et al.		8,032,149	B2 1		Kennedy et al.
7,797,204 7,797,367		9/2010	Balent Gelvin et al.		8,043,159 8,046,000			Bae et al. Sylvain
7,797,307			Denman et al.		RE42,927	E 1	1/2011	Want et al.
7,802,724		9/2010			8,065,235 8,073,895			Narayanaswami et al. Hamzeh et al.
RE41,899 7,812,766			Rose et al. Leblanc et al.		8,078,189	B2 1	2/2011	Chang et al.
7,813,722	B2		Patel et al.		8,126,889 8,140,658		2/2012	Pitt Gelvin et al.
7,813,741 7,813,873			Hendrey et al. Smartt et al.		8,150,617			Manber et al.
7,814,502	B2	10/2010	Blomqvist et al.		8,150,925 8,171,516			Zimmers et al. Tischer
7,818,317 7,822,425	B1 B2		Emigh et al. Shim et al.		8,280,624			Riise et al.
7,822,426			Wuersch		8,312,083			Ahn et al.
7,827,176 7,827,279			Korte et al. Xu et al.		8,316,234 8,375,334			Huberman et al. Nakano et al.
7,828,655			Uhlir et al.		8,417,763	B2 ·		Stewart
7,831,668 7,840,224		11/2010	Deeds Vengroff et al.		8,611,919 8,706,542			Barnes, Jr. O'Meara et al.
7,840,681		11/2010	Acharya et al.		8,971,913	B2	3/2015	Moeglein et al.
7,840,699			Fujita et al.		9,026,454 9,137,771			Hinrichs et al. Wrappe
7,844,055 7,844,132			Mukherjee et al. Boese et al.		9,198,153	B2 1	1/2015	Kraufvelin et al.
7,844,254			Arnold et al.		001/0011247 001/0026221		8/2001 0/2001	O'Flaherty et al. Toyota
7,844,687 7,848,760			Gelvin et al. Caspi et al.		001/0029465		0/2001	Strisower
7,848,761	B2	12/2010	Caspi et al.		001/0033286 001/0040886		0/2001 1/2001	Stokes et al. Jimenez et al.
7,848,948 7,853,268			Perkowski et al. Karaoguz et al.		001/0040880			Boyle et al.
7,853,272	B2	12/2010	Tipnis et al.		001/0044310			Lincke
7,856,311 7,860,519			Matsuura et al. Portman et al.		001/0048364 001/0049274			Kalthoff et al. Degraeve
7,869,816			Merheb et al.		001/0049671		2/2001	Joerg
7,870,240 7,873,639	B1		Horvitz Shipman		001/0055976 001/0056363			Crouch et al. Gantz et al.
7,873,039		1/2011	Ball	20	002/0000930	A1	1/2002	Crowson et al.
7,885,898			Narayanaswami et al.		002/0002504			Engel et al.
7,893,826 7,895,263			Stenlund Kirchmeier et al.		002/0002899 002/0003470			Gjerdingen et al. Auerbach
7,899,473	B2	3/2011	Pohutsky et al.	20	002/0016197	A1	2/2002	Candelaria
7,899,682 7,900,039			Sacco et al. Shim et al.		002/0019829			Shapiro Miller et al.
7,900,039		3/2011			002/0022993			Kuzunuki et al.

(56) Refer	ences Cited	2003/0040272 A1		Lelievre et al.
U.S. PATEN	IT DOCUMENTS	2003/0040944 A1 2003/0054830 A1	3/2003	Hileman Williams et al.
		2003/0055560 A1 2003/0055665 A1		Phillips
	02 Ano 02 Tuoriniemi et al.	2003/0055983 A1		Fleming Callegari
	22 Tuorinieni et al. 22 Mozayeny et al.	2003/0056218 A1	3/2003	Wingard et al.
	22 Lessard et al.	2003/0060213 A1		Heinonen et al.
	22 Fayette et al.	2003/0060215 A1 2003/0060976 A1	3/2003	Graham Sato et al.
	2 Maggenti et al. 2 Heyward et al.	2003/0061206 A1	3/2003	
	22 Mozayeny et al.	2003/0061211 A1		Shultz et al.
	22 Mozayeny et al.	2003/0064705 A1 2003/0065788 A1		Desiderio Salomaki
	22 Steele et al. 22 Adams et al.	2003/0065934 A1		Angelo et al.
	22 Maggenti et al.	2003/0069683 A1		Lapidot et al.
	22 Kim et al.	2003/0069692 A1 2003/0074136 A1		Krasner et al. Hancock et al.
	22 Abbott et al. 22 King et al.	2003/0078064 A1	4/2003	
	22 King et al. 22 Liming	2003/0078886 A1		Minear et al.
	2 Dan et al.	2003/0087647 A1 2003/0087648 A1	5/2003	Hurst Mezhvinsky et al.
	22 King et al. 22 Rowe	2003/008/048 A1 2003/0096621 A1		Jana et al.
	22 Rowe 22 Maggenti et al.	2003/0096628 A1	5/2003	Bar-On et al.
2002/0068587 A1 6/200	2 Chapman	2003/0097468 A1		Hamadi Odamura
	12 Fitch et al. 12 Keller et al.	2003/0100316 A1 2003/0100320 A1		Ranjan
	22 Kener et al. 22 Udelhoven et al.	2003/0100326 A1*	5/2003	Grube et al 455/515
2002/0077897 A1 6/200	2 Zellner et al.	2003/0100334 A1		Mazzara, Jr.
	22 Castro 22 Avnet et al.	2003/0101225 A1 2003/0101341 A1		Han et al. Kettler, III et al.
	2 Avnet et al. 2 Fleischer et al.	2003/0101450 A1		Davidsson et al.
2002/0099769 A1 7/200	2 Yasui et al.	2003/0104782 A1		Wong et al.
	22 Calvert et al.	2003/0109245 A1 2003/0117316 A1		McCalmont et al. Tischer
	D2 Blank et al. D2 Eldering et al.	2003/0117516 AT 2003/0119528 A1		Pew et al.
	22 DeWolf et al.	2003/0120526 A1		Altman et al.
	22 Kushwaha et al.	2003/0125963 A1 2003/0126150 A1	7/2003 7/2003	
	02 Kelts 02 Poulin et al.	2003/0120130 A1 2003/0134648 A1	7/2003	
	22 Diacakis et al.	2003/0144009 A1		Nowlin
	02 Vataja	2003/0148774 A1 2003/0149527 A1	8/2003 8/2003	Naghian et al.
	D2 Burns et al. D2 Park	2003/0153340 A1		Crockett et al.
	22 Weakly	2003/0153341 A1		Crockett et al.
	22 Chowanic et al.	2003/0153343 A1 2003/0154126 A1		Crockett et al. Gehlot et al.
	O2 Altman et al. O2 Khayatan et al.	2003/0163287 A1		Vock et al.
	22 Sibyama et al.	2003/0177058 A1		Needham
	22 Patel et al.			Kaghazian Shepard et al.
	02 Jacob et al. 02 Elliot			Fineberg
	2 Dorenbosch			Doherty
	22 Younis			Bell et al. Haimberg
	02 Walker et al. 02 Natsuno et al.		11/2003	
	2 Taylor			Roese et al.
	22 Menard et al.		11/2003	Hight Barnes, Jr.
	22 Jin et al. 22 Boies et al.			Schroderus
	22 McDonnell et al.	2004/0002359 A1		Deas et al.
	22 Lurie et al.	2004/0010358 A1 2004/0010489 A1	1/2004 1/2004	Oesterling et al.
	Noreen et al. Steinbach et al.	2004/0019584 A1		Greening et al.
	22 Pierce et al.	2004/0021567 A1	2/2004	
	22 Hsu et al.	2004/0036649 A1 2004/0039527 A1	2/2004	Taylor McDonald, Jr. et al.
	Mar et al. Deshpande et al.	2004/0044574 A1		Cochran et al.
	3 Callegari	2004/0044623 A1	3/2004	Wake et al.
	3 Agarwal et al.	2004/0044674 A1		Mohammadioun et al.
	OS Hose et al. OS Mizune et al.	2004/0049424 A1 2004/0068439 A1		Murray et al. Elgrably
	33 Kraft et al.	2004/0068724 A1		Gardner, III et al.
	3 Mergler	2004/0072583 A1	4/2004	
	3 Knorr	2004/0073361 A1 2004/0083050 A1	4/2004 4/2004	Tzamaloukas et al.
	Wager et al. Klein et al.	2004/0083030 A1 2004/0093280 A1		Yamaguchi
	3 Chang et al.	2004/0102201 A1	5/2004	Levin
2003/0037110 A1 2/200	3 Yamamoto	2004/0103182 A1	5/2004	Krabel et al.

(56) Refere	nces Cited	2005/0116027 A1		Algiene et al.
IIS PATENT	T DOCUMENTS	2005/0119927 A1 2005/0120084 A1	6/2005 6/2005	Patel Hu et al.
0.5. 1711214	a become vis	2005/0124318 A1	6/2005	
2004/0106415 A1 6/2004	Maeda et al.	2005/0125343 A1		Mendelovich
	Dor et al.	2005/0131716 A1	6/2005	Vest Harwood et al.
	Hancock et al.	2005/0134504 A1 2005/0134578 A1		Chambers et al.
	Lecouturier Necsoiu et al.	2005/0143094 A1	6/2005	Reed et al.
	Lamb et al.	2005/0143097 A1*	6/2005	Wilson H04W 64/00
	Nesbitt	2005/0144222	6/2005	455/456.3
	Theiste et al.	2005/0144333 A1 2005/0149443 A1		Kotzin Torvinen
	Choi Reilly	2005/0153724 A1		Vij et al.
	Duncan	2005/0154793 A1		Khartabil
	Vellotti	2005/0162267 A1*		Khandelwal et al 340/506 Truesdale et al.
	Lundsgaard Bajikar	2005/0169248 A1 2005/0171954 A1		Hull et al.
	Magee et al.	2005/0174242 A1	8/2005	
2004/0198386 A1 10/2004	Dupray	2005/0176411 A1		Taya et al.
	Weiss	2005/0181803 A1 2005/0185060 A1	8/2005 8/2005	Weaver et al.
2004/0203630 A1 10/2004 2004/0203746 A1 10/2004	wang Knauerhase et al.	2005/0185000 A1 2005/0186954 A1		Kenney
2004/0203740 A1 10/2004 2004/0203845 A1 10/2004		2005/0192851 A1		Rangnekar
2004/0203847 A1 10/2004	Knauerhase et al.	2005/0192999 A1		Cook et al.
	Nowak	2005/0198305 A1 2005/0202830 A1	9/2005 9/2005	Pezaris et al.
	Karaoguz et al. Koster	2005/0202830 A1 2005/0202831 A1	9/2005	
	Mullen	2005/0202832 A1	9/2005	
2004/0204842 A1 10/2004	Shinozaki	2005/0202834 A1	9/2005	
	Sprigg et al.	2005/0203698 A1 2005/0209815 A1	9/2005	Russon et al.
2004/0215516 A1 10/2004 2004/0219933 A1 11/2004	Denoon et al.	2005/0209995 A1		Aksu et al.
	Spiridellis 379/201.01	2005/0210104 A1		Torvinen
	Camer	2005/0216457 A1		Walther et al.
	Ekerborn Bickford et al.			Friedman et al. Davis et al.
	Luneau		10/2005	
2004/0243307 A1 12/2004	Geelen			Staib et al.
	Patel et al.			Rousu et al. Estevez et al.
2004/0250212 A1 12/2004 2004/0253964 A1 12/2004				Roberts et al.
	Horstemeyer			Yamamura et al.
2004/0259641 A1 12/2004			10/2005 10/2005	Hamynen et al.
	De Luca et al. Doviak et al.			Allen et al.
	Ito et al.			Walther et al.
	Ohtsuji et al.			Jakober et al.
	Beck et al.		11/2005	Zhou et al.
	Gantman et al. Sheha et al.			Kim et al.
	Kalevik et al.		11/2005	
	Chen			Walther et al.
2005/0039178 A1 2/2005 2005/0041578 A1 2/2005	Marolia et al. Huotari et al.			Tuohino et al. Furukawa
	Indotali et al.			Newman
2005/0043042 A1 2/2005	Hwang et al.			Khartabil et al.
	Holland et al.			Ewert et al. D'Evelyn et al.
	Ribaudo et al. Kelly et al.			Janacek
	Karaizman	2005/0288036 A1	12/2005	Brewer et al.
	Turcanu et al.			Trossen et al.
2005/0055374 A1 3/2005	Sato Mohit et al.	2006/0003804 A1 2006/0004834 A1	1/2006	Pyhalammi et al.
	Soliman	2006/0009238 A1		Stanco et al.
	Smith et al.	2006/0021009 A1	1/2006	
	Morisawa	2006/0023747 A1 2006/0025071 A1		Koren et al. Yamazaki et al.
	Mammone Asokan et al.	2006/0023071 A1 2006/0030339 A1		Zhovnirovsky et al.
	Habeman et al.	2006/0030347 A1	2/2006	Biswaas
2005/0096840 A1 5/2005	Simske	2006/0035647 A1		Eisner et al.
2005/0096978 A1 5/2005 2005/0101314 A1 5/2005	Black	2006/0036680 A1 2006/0040676 A1	2/2006 2/2006	
	Montealegre et al.	2006/0040676 A1 2006/0040710 A1		Ruetschi et al.
	Currans	2006/0046761 A1		Bishop et al.
	Schybergson et al.	2006/0047419 A1	3/2006	Diendorf et al.
	Gaus	2006/0047825 A1		Steenstra et al.
	Isaac Hankey et al.	2006/0052057 A1 2006/0053048 A1		Persson et al. Tandetnik
2005,011 1527 111 5/2005		_555,5555010 711	2.2000	

US 9,584,960 B1

Page 19

(56)	Referen	nces Cited	DE DE	19914257 A1 10141695 A1	1/2000 3/2003
U.S	. PATENT	DOCUMENTS	EP	288068 B1	7/1992
2006/0052225 11	2/2007	D 11 11 1 1	EP EP	0745867 A1 0763749 A1	12/1996 3/1997
2006/0053225 A1 2006/0058042 A1	3/2006	Poikselka et al. Shim	EP	0785535 A1	7/1997
2006/0058955 A1		Mehren	EP EP	0786646 A2 0809117 A2	7/1997 11/1997
2006/0059023 A1 2006/0061488 A1		Mashinsky Dunton	EP EP	0809117 A2 0813072 B1	11/1997
2006/0061488 A1 2006/0064346 A1	3/2006		EP	699330 B1	4/1998
2006/0068753 A1		Karpen et al.	EP EP	0908835 A2 0997808 A2	4/1999 5/2000
2006/0079249 A1 2006/0080286 A1	4/2006 4/2006	Snim Svendsen	EP	1083764 B1	3/2001
2006/0085392 A1	4/2006	Wang et al.	EP	1300652 A2	4/2003
2006/0085477 A1 2006/0094353 A1		Phillips et al. Nielsen et al.	EP EP	1457928 A1 1465041 A2	9/2004 10/2004
2006/0034333 A1 2006/0111835 A1		Baker et al.	EP	1469287 A2	10/2004
2006/0111944 A1	5/2006		EP EP	1496338 A2 1659817 A2	1/2005 5/2006
2006/0116818 A1 2006/0128411 A1		Chao et al. Turcanu	FR	2730083 A1	8/1996
2006/0129438 A1	6/2006	Robinson	FR FR	2754093 A1 2810183 A1	4/1998
2006/0129451 A1 2006/0148490 A1		Kohanim et al. Bates et al.	GB	2810183 A1 2278196 A	12/2001 11/1994
2006/0149606 A1		Goan et al.	GB	2322248 A	8/1998
2006/0150119 A1		Chesnais et al.	GB GB	2359888 A 0324800.2	9/2001 10/2003
2006/0170956 A1 2006/0174203 A1	8/2006 8/2006	Ų.	GB	2407230 A	4/2005
2006/0174329 A1	8/2006	Dublish	JP	62142215 A	6/1987
2006/0179160 A1 2006/0187227 A1	8/2006 8/2006	Uehara et al. Jung et al.	JP JP	05-071974 08-005394	3/1993 1/1996
2006/0187227 A1 2006/0187228 A1	8/2006	Jung et al. Jung et al.	JP	08-069436	3/1996
2006/0187230 A1	8/2006		JР JР	08-069436 A 08-510578	3/1996 11/1996
2006/0189337 A1 2006/0190812 A1		Farrill et al. Ellenby et al.	JP	09-054895	2/1997
2006/0211453 A1	9/2006	Schick	JP	09-054895 A	2/1997
2006/0212558 A1 2006/0212562 A1		Sahinoja et al. Kushwaha et al.	ЈР ЈР	09-062993 A 04-354149	3/1997 12/2004
2006/0217127 A1		Drane et al.	JP	2005-006081	1/2005
2006/0218175 A1		Stuhec	JP KR	2006-260338 10-2004-0036490	9/2006 5/2004
2006/0218181 A1 2006/0221197 A1	9/2006 10/2006	Jeon Jung et al.	KR	2004-102440 A	12/2004
2006/0224662 A1	10/2006	Richardson et al.	KR	10-2005-14287	2/2005
2007/0019614 A1 2007/0022011 A1		Hoffmann Altberg et al.	KR KR	2005-096746 A 10-2004-112991	10/2005 7/2006
2007/0022011 A1 2007/0041513 A1	2/2007		KR	10-2004-115411	7/2006
2007/0049288 A1		Lamprecht et al.	KR KR	2005-1675 10-2004-0064538	7/2006 9/2006
2007/0121601 A1 2007/0202844 A1		Kikinis et al. Wilson et al.	KR	10-2005-0024544	9/2006
2007/0263560 A1	11/2007	Saarisalo et al.	TW TW	2004-26387 2006-27985 A	12/2004 6/2006
2007/0276591 A1 2008/0046516 A1	11/2007 2/2008	Lea et al. Hyoung et al.	TW	93135920	6/2006
2008/0040310 A1 2008/0086240 A1	4/2008		TW	94102945	6/2006
2008/0129528 A1		Guthrie	TW WO	93141508 93/20546	7/2006 10/1993
2008/0287116 A1 2009/0019532 A1		Drane et al. Jacobsen et al.	WO	9320546 A1	10/1993
2009/0030605 A1	1/2009	Breed	WO WO	94/08250 97/07467	4/1994 2/1997
2009/0047973 A1 2009/0197612 A1		MacNaughtan et al. Kiiskinen	WO	9707467 A1	2/1997
2009/0215465 A1	8/2009	MacNaughtan et al.	WO	9854682 A1	12/1998
2010/0125498 A1		Jaramillo	WO WO	9916036 A1 01/31966 A1	4/1999 5/2001
2011/0205054 A1 2011/0207479 A1		Ioppe et al. Ioppe et al.	WO	01/37597 A1	5/2001
2014/0005920 A1	1/2014	Jin et al.	WO WO	0208863 A2 02/054813 A1	1/2002 7/2002
2014/0018102 A1	1/2014	Brewer et al.	wo	03005747 A1	1/2002
FORE	IGN PATE	NT DOCUMENTS	WO	03009605 A2	1/2003
			WO WO	03/023593 A1 03/096055 A2	3/2003 11/2003
	03789	8/2003	WO	2004/008792 A1	1/2004
	005077 001352	9/2004 3/2005	WO	2004/021730 A1	3/2004
AU 20059	01353	3/2005	WO WO	2004/061576 A2 2004073217 A1	7/2004 8/2004
	04979 A .63215	12/2000 11/1994	WO	2004/076977 A1	9/2004
CA 21	89515 A1	7/1997	WO WO	2004093348 A1	10/2004 1/2005
	287596 A1 32239 A1	4/2000 12/2004	WO	2005/006258 A1 2005038400 A1	4/2005
DE 36	521456 A1	1/1988	WO	2005052802 A1	6/2005
	37360 A1	4/1996	WO	2005/084052 A1	9/2005
DE 195	606890 A1	8/1996	WO	2006001412 A1	1/2006

(56)	References Cited				
	FOREIGN PATENT DOCUMENTS				
WO WO WO WO WO WO	2006010977 A1 2/2006 2006014439 A2 2/2006 2006054340 A1 5/2006 2006/065856 A1 6/2006 2006108071 A2 10/2006 2006108071 A3 10/2006 2008065245 6/2008				

OTHER PUBLICATIONS

Wang et al., "Location Aware Information Agent over WAP," Tamkang Journal of Science and Engineering, 2000, 3 (2):107-115. Tarumi et al., "Public Applications of SpaceTag and Their Impacts," Digital Cities, LNCS 1765, 2000, 14 pages.

O'Grady et al., "A Tourist-Centric Mechanism for Interacting with the Environment," Proceedings of the First International Workshop on Managing Interactions in Smart Environments (MANSE '99), Dublin, Ireland, Dec. 1999, 12 pages.

McCarthy et al., "ACTIVEMAP: A Visualization Tool for Location Awareness to Support Informal Interactions," HUC '99, LNCS 1707, 1999, 13 pages.

Hodes et al., "Composable Ad hoc Location-based Services for Heterogeneous Mobile Clients," University of California, Berkeley, May 5, 1998, 16 pages.

Dey et al., "CyberDesk: a framework for providing self-integrating context-aware services," ACM, Inc, 1998, 8 pages.

Brown, "Triggering Information by Context," [online] Retrieved from the Internet on May 25, 2012: URL: http://kar.kent.ac.uk/21602/2/pdf.pdf, The University of Kent at Canterbury, 1998, 10 pages.

Brown, "The stick-e document: a framework for creating context-aware applications," Electronic Publishing, 1995, 8:259-272.

Clarke et al., "Development of Human Factors Guidelines for Advanced Traveler Information Systems (ATIS) and Commercial Vehicle Operations (CVO): Comparable Systems Analysis," U.S. Department of Transportation Federal Highway Administration, Publication No. FHWA-RD-95-197, Dec. 1996, 212 pages.

"LaBarge in joint venture on bus system," [online] Retrieved from the Internet on May 25, 2012: URL: http://www.bizjournals.com/stlouis/stories/1998/08/10/focus2.html, Aug. 9, 1998, 1 page.

Shekhar et al., "Genesis and Advanced Traveler Information Systems (ATIS): Killer Applications for Mobile Computing?" NSF Mobidata Workshop on Mobile and Wireless Information Systems, Nov. 1994, 20 pages.

Serafin et al., "Functions and Features of Future Driver Information Systems," Technical Report UMTRI-91-16, May 1991, 104 pages. Ni et al., "On-Board Advanced Traveler Information Systems," Earlier Faculty Research, University of California Transportation Center, UC Berkeley, Dec. 1, 2002, 11 pages.

"School Buses to Carry Noticom's First Application," [online] Retrieved from the Internet on May 25, 2012: URL: http://findarticles.com/p/articles/mi_m0BMD/is_1999_Feb_17/ai_n27547754/?tag=content;col1, Communications Today, Feb. 17, 1999. 2 pages.

Mahmassani et al., "Providing Advanced and Real-Time Travel/Traffic Information to Tourists," Center for Transportation Research, Bureau of Engineering Research, The University of Texas at Austin, Oct. 1998, 15 pages.

Yim et al., "Travinfo Field Operational Test: Work Plan for the Target, Network, and Value Added Reseller (VAR) Customer Studies," Working Papers, California Partners for Advanced Transit and Highways (PATH), Institute of Transportation Studies, UC Berkeley, Apr. 1, 1997, 48 pages.

Khattak et al., "Bay Area ATIS Testbed Plan," Research Reports, California Partners for Advanced Transit and Highways (PATH), Institute of Transportation Studies, UC Berkeley, Aug. 1992, 83 pages.

Burnett, "Usable Vehicle Navigation Systems: Are We There Yet?" Vehicle Electronic Systems 2000, Jun. 29-30, 2000, pp. 3.1.1-3.1. 12.

Noonan et al., "Advanced Traveler Information Systems," Intelligent Transportation Systems Field Operational Test Cross-Cutting Study, Sep. 1998, 27 pages.

Bonsignore, "A Comparative Evaluation of the Benefits of Advanced Traveler Information System (ATIS) Operational Tests," MIT Masters Thesis, Feb. 1994, 140 pages.

Hoogenraad, "Location Dependent Services," 3rd AGILE Conference on Geographic Information Science, Helsinki/Espoo, Finland, May 25-27, 2000, pp. 74-77.

Miller et al., "Integrating Hierarchical Navigation and Querying: A User Customizable Solution," ACM Multimedia Workshop on Effective Abstractions in Multimedia Layout, Presentation, and Interaction, San Francisco, CA, Nov. 1995, 8 pages.

Wheeler et al., "Development of Human Factors Guidelines for Advanced Traveler Information Systems and Commercial Vehicle Operations: Task Analysis of ATIS/CVO Functions," US Dept. Transportation Federal Highway Administration Research and Development, Publication No. FHWA-RD-95-176, Nov. 1996, 124 pages.

Benefon Esc! GSM+GPS Personal Navigation Phone, benefon.com, Copyright 2001, 4 pages.

Dey, "Context-Aware Computing: The CyberDesk Project," [online] Retrieved from the Internet on May 25, 2012: URL: http://www.cc.gatech.edu/fce/cyberdesk/pubs/AAAI98/AAAI98. html; AAAI '98 Spring Symposium, Stanford University, Mar. 23-25, 1998, 8 pages.

Ygnace et al., "Travel Time Estimation on the San Francisco Bay Area Network Using Cellular Phones as Probes", Working Paper, Institute of Transportation Studies, University of California, Berkeley, 2000, 56 pages.

Civilis et al., "Efficient Tracking of Moving Objects with Precision Guarantees", A DB Technical Report TR-5, Feb. 21, 2004, 23 pages. Clarke et al., "An Architecture for Dynamically Extensible Operating Systems," Distributed Multimedia Research Group, Department of Computing, Lancaster University, 1998, 20 pages.

Veltman, "Frontiers in Electronic Media", Interactions Journal of the ACM, New York, Jul.-Aug. 1997, pp. 32-64.

Goran M. Djuknie, Robert E. Richton, "Geolocation and Assisted GPS," Computer, vol. 34, No. 2, pp. 123-125, Feb. 2001.

Rozier et al., "Hear & There: An Augmented Reality System of Linked Audio", Proceedings of the International Conference on Auditory Display, Atlanta, GA, Apr. 2000, 6 pages.

Rekimoto et al., "Augment-able Reality: Situated Communication through Physical and Digital Spaces", iswc, Second International Symposium on Wearable computers (ISWC'98), 1998, 8 pages.

Nardi et al., "Integrating Communication and Information through Contact Map", Communications of the ACM, vol. 45, No. 4, Apr. 2002, 9 pages.

Meier et al., "Location-Aware Event-Base Middleware: A Paradigm for Collaborative Mobile Applications?", Department of Computer Science, Trinity College Dublin, Ireland, Sep. 2003, 5 pages.

"Map Reading and Land Navigation Field Manual No. 3-25.26", Headquarters Department of the Army, Washington, DC, [online] Retrieved from the Internet on May 25, 2012: URL: http://155.217. 58.58/cgi-bin/atdl.dll/fm/3-25.26/toc.htm, Jul. 20, 2001, pp. 1-7 and J-1 to J-3.

Dibdin, "Where are mobile location based services?", CM316 Multimedia Systems Paper, Dec. 14, 2001, 8 pages.

Charny, "AT&T puts 411 to the text", [online] Retrieved from the Internet on May 25, 2012: URL: http://news.cnet.com/2100-1039_3-1000669.html; May 8, 2003; 5 pages.

Bederson, "Audio Augmented Reality: A Prototype Automated Tour Guide", [online] Retrieved from the Internet on May 25, 2012: URL: http://www.cs.umd.edu/~bederson/papers/chi-95-aar/, ACM Human Computer in Computing Systems conference (CHI'95) 1995, 4 pages.

Feddema; et al., "Cooperative Sentry Vehicles and Differential GPS Leapfrog," 2000, United States Department of Energy, pp. 1-12. Maxwell, et al., "Alfred: The Robot Waiter Who Remembers You," AAAI Technical Report WS-99-15, 1999, 12 pages.

OTHER PUBLICATIONS

Shibata; et al., "Development and Integration of Generic Components for a Teachable Vision-Based Mobile Robot," IEEE/ASME Transactions on Mechatronics, 1996, 1(3):230-236.

"27 Countries in your pocket"; [online] [Retrieved on Sep. 29, 2005] Retrieved from the Internet URL: http://www.mio-tech.be/en/printview/press-releases-2005-09-29.htm; 1 page.

"Mio 269+ Users Manula"; 2005; 44 pages.

Balliet, "Transportation Information Distribution System", IBM Technical Disclosure Bulletin, [online] [Retrieved Nov. 7, 2008] Retrieved from the Internet, URL: https://www.delphion.com/tdbs/tdb?order=86A+61395; Jun. 1986; 2 pages.

Beard; et al., "Estimating Positions and Paths of Moving Objects", IEEE 2000, pp. 1-8.

Berman; et al., "The Role of Dead Reckoning and Inertial Sensors in Future General Aviation Navigation", IEEE, 1998, pp. 510-517. Boonsrimuang; et al., "Mobile Internet Navigation System", IEEE, 2002, pp. 325-328.

Camp; et al., "A computer-based method for predicting transit time systems", Decision Sciences, vol. 5, pp. 339-346, 1974.

Christie; et al., "Development and Deployment of GPS wireless devices for E911 and Location based services", IEEE 2002.

Dunn; et al., "Wireless Emergency Call System", IBM TDB, Sep. 1994.

Ebine, "Dual Frequency resonant base station antennas for PDC systems in Japan", IEEE, pp. 564-567, 1999.

Evans, "In-Vehicle Man-Machine Interaction the Socrates Approach", Vehicle Navigation & Information System Conference Proceedings, Aug. 31-Sep. 2, 1994, pp. 473-477.

Helal; et al., "Drishti: An Integrated Navigation System for Visually Impaired and Disabled", Fifth International Symposium on Wearable Computers (ISWC'01), IEEE, 2001, pp. 149-156.

Hohman; et al., "GPS Roadside Integrated Precision Positioning System", Position Location and Navigation Symposium (IEEE 2000), pp. 221-230.

Jain, R., "Potential Networking Applications of Global Positioning Systems (GPS)", [online] [retrieved on Nov. 18, 2008] [retrieved from http://arxiv.org/ftp/cs/papers/9809/9809079.pdf] OSU Technical Report TR-24, Apr. 1996, pp. 1-40.

Jirawimut; et al., "A Method for Dead Reckoning Parameter Correction in Pedestrian Navigation System", IEEE Transactions on Instrumentation and Measurement, vol. 52, No. 1, Feb. 2003, pp. 209-215.

Lloyd; et al., "Cellular phone base stations installation violate the Electromagnetic Compatibility regulations", IEEE, 2004.

Miller; et al., "Synchronization of Mobile XML Databases by Utilizing Deferred Views", IEEE 2004.

Nardi; et al., "Integrating Communication and Information through Contact Map", Communications of the ACM, vol. 45, No. 4, Apr. 2002.

Northard, "Docking Station Communication Link", IBM TDB, Feb. 1994

Oh; et al., "Spatial Applications Using 4S Technology for Mobile Environment", IEEE 2002.

Paksoy; et al., "The Global Position System—Navigation Tool of the Future", Journal of Electrical & Electronics, 2002, vol. 2, No. 1, pp. 467-476.

Parikh, "Tele Locate", IBM Technical Disclosure Bulletin, [online] [Retrieved Nov. 7, 2008] Retrieved from the Internet, URL: https://www.delphion.com/tdbs/tdb?order=92A+62775; Sep. 1992; 1 page. RD 409052, Research Disclosure Alerting Abstract, "Location dependent information for satellite based vehicle communication-required application of Global Position System (GPS) to automatically extract relevant portions of data package as vehiclechanges position," May 10, 1998, 1 page.

Rogers; et al., "Adaptive User Interfaces for Automotive Environments", IEEE Intelligent Vehicles Symposium 2000, Oct. 3-5, 2000, pp. 662-667.

Samadani; et al., "PathMaker: Systems for Capturing Trips", IEEE (2004) International Conference on Multimedia and Expo., Publication Date: Jun. 27-30, 2004, vol. 3, pp. 2123-2126, 2004.

Spohrer. "New Paradigms for Using Computers", 1997; retrieved from the Internet, URL: http://almaden.ibm.com/npuc97/1997/spohrer.htm.

Yang; et al. "Global Snapshots for Distributed Debugging", IEEE, pp. 436-440, 1992.

Yanyan; et al., "The model of optimum route selection in vehicle automatic navigation system based on unblocked reliability analyses", IEEE 2003.

Civilis; et al., "Efficient Tracking of Moving Objects with Precision Guarantees", IEEE, Proceedings of the First Annual International Conference on Mobile and Ubiquitous Systems: Networking and Services, 2004, 10 pages.

Budka; et al., "A Bayesian method to Improve Mobile Geolocation Accuracy", IEEE, 2002, pp. 1021-1025.

Yamamoto; et al., "Position Location Technologies Using Signal Strength in Cellular Systems", IEEE, 2001, pp. 2570-2575.

Drane; et al., "The accurate location of mobile telephones", Third Annual World Congress on Intelligent Transport Systems, Orlando, Florida, Oct. 1996.

Wang; et al., "A Unified Vehicle Supervising and Traffic Information System", IEEE, 1996, pp. 968-972.

U.S. Appl. No. 6,731,928, filed May 2004, Tanaka (withdrawn).

Challe, "CARMINAT—An Integrated information and guidance system," Vehicle Navigation and Information Systems Conference, Oct. 20-23, 1991, Renault—Direction de la Recherche, Rueil-Malmaison, France.

Pungel, "Traffic control—beat the jam electronically," Funkschau, 1988, 18:43-45.

Rillings and Betsold, "Advanced driver information systems," Vehicular Technology, IEEE Vehicular Technology Society, 1991, 40:31-40.

Tsuzawa and Okamoto, "Advanced Mobile Traffic Information and Communication System," First Vehicle Navigation and Information Systems Conference, Sep. 11-13, 1989, Toronto, Canada, Abstract only.

Wong, "GPS: making roads safer and solving traffic tangles," Asia Engineer, 1995, 23(9):31-32.

Ayatsuka; et al., "UbiquitousLinks: Hypermedia Links Embedded in the Real World, Technical Report of Information Processing Society, 96-HI-67," Information Processing Society of Japan, Jul. 11, 1996, 96(62):23-30.

Nagao; et al., Walk Navi: A Location-Aware Interactive Navigation/Guideline System and Software III, First edition, pp. 9-48, published by Kindai-Kagaku-Sya Co. Ltd., Dec. 10, 1995.

Freundschuh, "Does 'Anybody' Really Want (or Need) Vehicle Navigation Aids?" First Vehicle Navigation and Information System Conference, Sep. 11-13, 1989, Toronto, Canada, 5 pages.

Gould, "The Provision of Usable Navigation Assistance: Considering Individual Cognitive Ability," First Vehicle Navigation and Information System Conference, Sep. 11-13, 1989, Toronto, Canada, 7 pages.

Mark, "A Conceptual Model for Vehicle Navigation Systems," First Vehicle Navigation and Information System Conference, Sep. 11-13, 1989, Toronto, Canada, 11 pages.

Burnett, "Usable Vehicle Navigation Systems: Are We There Yet?" Vehicle Electronic Systems 2000, Jun. 29-30, 2000, 3.1.1-3.1.12. "New Handsets Strut Their Stuff at Wireless '99," Internet: URL:

http://findarticles.com/p/articles/mi.sub.--m0BMD/is.sub.--1999.sub.--Feb-.sub.--11/ai.sub.--n27547656/ downloaded from Internet on Feb. 11, 1999, 3 pages.

Green; et al., "Suggested Human Factors Design Guidelines for Driver Information Systems," Technical Report UMTRI-93-21, Nov. 1993, 119 pages.

Tijerina; et al., "Driver Workload Assessment of Route Guidance System Destination Entry While Driving: A Test Track Study," Proceedings of the 5th ITS World Congress, Oct. 12-16, 1998, Seoul, Korea, 9 pages.

Muraskin, "Two-Minute Warnings for School Bus Riders," [retrieved on Feb. 27, 2013] Internet: URL: http://www.embedded.

OTHER PUBLICATIONS

com/electronics-news/4129835/TWO-MINUTE-WARNINGS-FOR-SCHOOL-BUS-RIDERS# Jul. 1, 1999, 2 pages.

Kreller; et al., "A Mobile-Aware City Guide Application," ACTS Mobile Communication Summit, 1998, Rhodes, Greece, 7 pages. Pascoe; et al., "Developing Personal Technology for the Field," Personal Technologies, 1998, 2:28-36.

Tebbutt, "Dial your way out of the woods," The Australian, Feb. 2000, 1 page.

Tso; et al., "Always on, Always Connected Mobile Computing," Mobile Communications Operation—Mobile Handheld Products Group, 1996, pp. 918-924.

Abowd; et al., "Context-awareness in wearable and ubiquitous computing," 1st International Symposium on Wearable Computers, Oct. 13-14, 1997, Cambridge, MA, 9 pages.

Cheverst; et al., "The Support of Mobile-Awareness in Collaborative Groupware," Personal Technologies, 1999, 3:33-42.

Cheverst; et al., "Exploiting Context to Support Social Awareness and Social Navigation," SIGGROUP Bulleting Dec. 2000, 21(3):43-48.

Cheverst; et al., "Services to Support Consistency in Mobile Collaborative Applications," Proc. 3rd International Workshop on Services in Distributed Networked Environments, 1996, 8 pages.

Costa; et al., "Experiments with Reflective Middleware," Proceedings of the ECOOP'98 Workshop on Reflective Object-Oriented Programming and Systems, ECOOP'98 Workshop Reader, 1998, 13 pages

U.S. Appl. No. 60/266,559, filed Feb. 5, 2001. First named inventor: Athanassios Diacakis. Entitled, "Presence and availability management system."

U.S. Appl. No. 60/268,473, filed Feb. 12, 2001. First named inventor: Woody Denman. Entitled, "SIP-Based Push-to-Talk (PTT) Service."

U.S. Appl. No. 60/269,506, filed Feb. 16, 2001. First named inventor: Kevin Buckham. Entitled, "Monitoring and controlling access to wireless location information for group based and other applications."

U.S. Appl. No. 60/274,453, filed Mar. 9, 2001. First named inventor: Heikki Huomo. Entitled, "System, mobile station and method for managing context-related information."

U.S. Appl. No. 60/277,347, filed Mar. 19, 2001. First named inventor: Fano, Andrew E.; et al. Entitled, "Mobile valet."

U.S. Appl. No. 60/279,401, filed Mar. 28, 2001. First named inventor: Raymond J. Menard. Entitled, "Variable Distance RF Tag Disclosure."

U.S. Appl. No. 60/279,513, filed Mar. 28, 2001. First named inventor: Raymond J. Menard. Entitled, "Range and Bearing Indicator for Wireless Device."

U.S. Appl. No. 60/279,671, filed Mar. 30, 2001. First named inventor: H. Britton Sanderford Jr.. Entitled, "Enhanced wireless packet data communication system, method and apparatus applicable to both wide area networks and local area networks."

U.S. Appl. No. 60/281,038, filed Apr. 2, 2001. First named inventor: Fano, Andrew E.; et al. Entitled, "Mobile valet."

U.S. Appl. No. 60/282,205, filed Apr. 6, 2001. First named inventor: Kevin C. Jones. Entitled, "Digital asset management and linking media signals with related data using watermarks."

U.S. Appl. No. 60/283,929, filed Apr. 17, 2001. First named inventor: Steinbach, Galia ; et al. Entitled, "BeyondguideTM method and system."

U.S. Appl. No. 60/285,032, filed Apr. 19, 2001. First named inventor: Curtis A. Vock. Entitled, "Event Monitoring Systems and Methods."

U.S. Appl. No. 60/286,916, filed Apr. 27, 2001. First named inventor: Eric A. Portman. Entitled, "Location Based Services."

U.S. Appl. No. 60/289,586, filed May 9, 2001. First named inventor: Philip Klein. Entitled, "Preprocessing an Undirected Planar Network to Enable Fast Approximate Distance Queries."

U.S. Appl. No. 60/301,567, filed Jun. 28, 2001. First named inventor: Woody Denman. Entitled, "SIP-Based Push-to-Talk (PTT) Service."

U.S. Appl. No. 60/303,019, filed Jul. 5, 2001. First named inventor: Priya Viswanath. Entitled, "Passively tracking mobile subscribers by monitoring wireless network messages."

U.S. Appl. No. 60/303,615, filed Jul. 6, 2001. First named inventor: Randolph A. Jaramillo. Entitled, "Systems for Solving Challenges in Telecom Sales and Marketing."

U.S. Appl. No. 60/305,580, filed Jul. 16, 2001. First named inventor: Scott Hotes. Entitled, "Dynamic Polling Optimization Server." U.S. Appl. No. 60/305,975, filed Jul. 17, 2001. First named inventor: Sheha; et al. Entitled, "Position determination system."

U.S. Appl. No. 60/313,010, filed Aug. 20, 2001. First named inventor: Sheha; et al. Entitled, "Point of interest spatial rating search method and system."

U.S. Appl. No. 60/318,738, filed Sep. 12, 2001. First named inventor: Daubert; et al. Entitled, "High resolution tracking of mobile assets."

U.S. Appl. No. 60/319,162, filed Apr. 2, 2002. First named inventor: Randazzo. Entitled. "NAV-Cell Pier to Pier GPS."

U.S. Appl. No. 60/319,769, filed Dec. 11, 2002. First named inventor: Randazzo. Entitled, "Marine GPScell."

U.S. Appl. No. 60/323,601, filed Sep. 20, 2001. First named inventor: Curtis A. Vock. Entitled, "Event Monitoring Systems and Methods."

U.S. Appl. No. 60/327,327, filed Oct. 4, 2001. First named inventor: Stephen Michael Palik. Entitled, "Machine for providing a dynamic database of geographic location information for a plurality of wireless communications device and process for making same."

U.S. Appl. No. 60/335,203, filed Oct. 23, 2001. First named inventor: Mark J. Reed. Entitled, "Machine for providing a directional assistance network and process for same."

U.S. Appl. No. 60/337,945, filed Nov. 9, 2001. First named inventor: McCarthy; et al. Entitled, "Network text messaging organized by threads."

U.S. Appl. No. 60/349,251, filed Jan. 18, 2002. First named inventor: Larry Lu. Entitled, "Calendar Overlays."

U.S. Appl. No. 60/351,935, filed Jan. 24, 2002. First named inventor: Ryan Steelberg. Entitled, "RF Delivery."

U.S. Appl. No. 60/352,761, filed Jan. 29, 2002. First named inventor: Mark Jefferson Reed. Entitled, "Mchine for providing a wireless communications device location tracking system and process for making same."

U.S. Appl. No. 60/354,284, filed Feb. 1, 2002. First named inventor: Spriestersbach; et al. Entitled, "Integrating context information into enterprise applications for mobile applications."

U.S. Appl. No. 60/357,240, filed Feb. 14, 2002. First named inventor: Andrew Charles Zmolek. Entitled, "Presence Tracking and Namespace Interconnection Techniques."

U.S. Appl. No. 60/359,792, filed Feb. 26, 2002.First named inventor: Scott Hotes. Entitled, "Minimizing Mobile Location Lookups via Intelligent Scheduling."

U.S. Appl. No. 60/359,793, filed Feb. 26, 2002. First named inventor: Scott Hotes. Entitled, "Computing Location Updates for Applications Requiring Location-Based Triggering."

U.S. Appl. No. 60/360,527, filed Feb. 28, 2002. First named inventor: Phillip Klein. Entitled, "System for Multi-User Location Based Alerts"

U.S. Appl. No. 60/360,737, filed Mar. 1, 2002. First named inventor: Michael A. Sheha. Entitled, "Method and Apparatus for Sending, Retrieving, and Planning Location Relevant Information."

U.S. Appl. No. 60/361,380, filed Mar. 1, 2002. First named inventor: Richard W. Graham. Entitled, "A System and Method to Provide Security in a Network Based on Device Location Information."

U.S. Appl. No. 60/361,419, filed Mar. 1, 2002. First named inventor: John J. Roese. Entitled, "A System for Network Definition Based on Device Location."

U.S. Appl. No. 60/361,420, filed Mar. 1, 2002. First named inventor: Richard W. Graham. Entitled, "Systems and Methods to Define Location of a Network Device or a Netowrked Device."

- U.S. Appl. No. 60/361,421, filed Mar. 1, 2002. First named inventor: John J. Roese. Entitled, "a System to Regulate Access as a Function of Device Location."
- U.S. Appl. No. 60/362,155, filed Mar. 5, 2002. First named inventor: Andre Gueziec. Entitled, "Personalized road traffic information dissemination."
- U.S. Appl. No. 60/365,104, filed Mar. 18, 2002. First named inventor: Christopher J. Hall. Entitled, "An Alternative Solution to the Problem of the Geolocating a Portable Radio Transmitter."
- U.S. Appl. No. 60/365244, filed Mar. 18, 2002. First named inventor: Athanassios Diacakis. Entitled, "System and method for providing voice-activated presence information."
- U.S. Appl. No. 60/367,527, filed Mar. 22, 2002. First named inventor: William J. Sacco. Entitled, "Method and System of Mass Casualty Triage Prioritization."
- U.S. Appl. No. 60/367,708, filed Mar. 28, 2002. First named inventor: Gordon John Hines. Entitled, "Location Derived Presence Information."
- U.S. Appl. No. 60/367,967, filed Mar. 25, 2002. First named inventor: Jeffrey D. Mullen. Entitled, "Systems and methods for locating cellular phones."
- U.S. Appl. No. 60/370,862, filed Apr. 8, 2002. First named inventor: Douglas G. Dempster. Entitled, "Method for graphical interaction with geographic databases for broadcast presentation."
- U.S. Appl. No. 60/0371,941, filed Apr. 10, 2002. First named inventor: Michael A. Sheha. Entitled, "Methods and System for Dynamic Estimation and Predictive Route Generation."
- U.S. Appl. No. 60/375,998, filed Apr. 24, 2002. First named inventor: Lau; et al. Entitled, "System, method and apparatus for acquiring, presenting, managing and using position information." U.S. Appl. No. 60/377,019, filed Apr. 30, 2002. First named
- inventor: Michael Pechatnikov. Entitled, "Real-time distribution of dynamic maps."
- U.S. Appl. No. 60/654,951, filed Feb. 23, 2005. First named inventor: Harper; Gregory W. Entitled, "Systems and Methods for Storing Digital Content on Portable Devices."
- U.S. Appl. No. 60/656,642, filed Feb. 25, 2005. First named inventor: Tony F. Rodriguez. Entitled, "Digital asset management, targeted searching and desktop searching using digital watermarks." U.S. Appl. No. 60/657,222, filed Feb. 28, 2005. First named inventor: Ian Rogers. Entitled, "A System and Method for Delivering Media over a Network."
- U.S. Appl. No. 60/658,086, filed Mar. 3, 2005. First named inventor: Michael Keith Dery. Entitled, "Cellular Telephone Tracking System Employing a GPS Receiver."
- U.S. Appl. No. 60/658,312, filed Mar. 3, 2005. First named inventor: Andre Gueziec. Entitled, "7-Day traffic forecasts and trip advice." U.S. Appl. No. 60/658,328, filed Mar. 2, 2005. First named inventor: Robertson; et al. Entitled, "System and method for managing user interaction data in a networked environment."
- U.S. Appl. No. 60/659,643, filed Mar. 5, 2005. First named inventor: Sheha; Michael A.; et al. Entitled, "Method and System for Identifying and Defining Geofences."
- U.S. Appl. No. 60/660,111, filed Mar. 8, 2005. First named inventor: Ching-Fang Lin. Entitled, "Interruption free navigator."
- U.S. Appl. No. 60/661,056, filed Mar. 13, 2005. First named inventor: Kevin McKenzie. Entitled, "Method and System for Providing Security During Data Transmission over Wireless and Wired Network Connections."
- U.S. Appl. No. 60/666,424, filed Mar. 30, 2005. First named inventor: Krishnakant Patel. Entitled, "Technique for Implementing Advanced Voice Services Using an Unstructured Supplementary Service Data (USSD) Interface."
- U.S. Appl. No. 60/667,491, filed Apr. 1, 2005. First named inventor: Ching-Fang Lin. Entitled, "Interruption free navigator."
- U.S. Appl. No. 60/046,020, filed May 9, 1997. First named inventor: Clayton R. Karmel. Entitled, "Positioning system using packet radio to provide differential global positioning satellite corrections and information relative to a position."

- U.S. Appl. No. 60/046,021, filed May 9, 1997. First named inventor: Clayton R. Karmel. Entitled, "Positioning system using packet radio to determine position and to obtain information relative to a position."
- U.S. Appl. No. 60/046,400, filed May 13, 1997. First named inventor: Scott R. Jamison. Entitled, "Automated touring information systems and methods."
- U.S. Appl. No. 60/058,623, filed Sep. 11, 1997. First named inventor: Harold L. Peterson. Entitled, "Software Vending, Delivery, and Maintenance System."
- U.S. Appl. No. 60/066,653, filed Nov. 19, 1997. First named inventor: Steven Baker. Entitled, "Method and apparatus for distributing location-based messages in a wireless communication network."
- U.S. Appl. No. 60/068,775, filed Dec. 24, 1997. First named inventor: Wendell Alumbaugh. Entitled, "Travel guide."
- U.S. Appl. No. 60/072,090, filed Jan. 21, 1998. First named inventor: Craig A. Owensby. Entitled, "Method of Subscriber-Targeted Advertising for Mobile Personal Communications Services."
- U.S. Appl. No. 60/072,757, filed Jan. 27, 1998. First named inventor: Steven M. Hoffberg. Entitled, "Mobile communication device." U.S. Appl. No. 60/097,932, filed Aug. 25, 1998. First named inventor: Matthew G. Pallakoff. Entitled, "System designed to facilitate team buying."
- U.S. Appl. No. 60/097,933, filed Aug. 25, 1998. First named inventor: Matt Pallakoff. Entitled, "Network system designed to facilitate offering, sellingand purchasing goods and services."
- U.S. Appl. No. 60/105,493, filed Oct. 23, 1998. First named inventor: Raymond J. Menard. Entitled, "Low Power Two-Way Long Range Security System."
- U.S. Appl. No. 60/106,816, filed Nov. 3, 1998. First named inventor: James Fitch. Entitled, "Data Fusion for Wireless Location-Based Applications."
- U.S. Appl. No. 60/113,167, filed Dec. 21, 1998. First named inventor: Charles C. Cheng. Entitled, "Method for Location Based Asset Management."
- U.S. Appl. No. 60/115,074, filed Jan. 7, 1999. First named inventor: Harry E. Emerson, III. Entitled, "Enhanced Radio Graphic Data System."
- U.S. Appl. No. 60/123,821, filed Mar. 11, 1999. First named inventor: John D. Codignotto. Entitled, "Message publishing system and method."
- U.S. Appl. No. 60/123,882, filed Mar. 11, 1999. First named inventor: David S. Breed. Entitled, "Methods and Apparatus for Preventing Vehicle Accidents."
- U.S. Appl. No. 60/130,882, filed Apr. 23, 1999. First named inventor: Donald L. Fuchs. Entitled, "Method and Apparatus for Locating Mobile Receivers.",
- U.S. Appl. No. 60/135,862, filed May 25, 1999. First named inventor: Raymond J. Menard. Entitled, "Bidirectional Wireless Detection System."
- U.S. Appl. No. 60/158,255, filed Oct. 5, 1999. First named inventor: Dave Michaelson, . Entitled, "Ocean Bottom Proximity Warning Sensor."
- U.S. Appl. No. 60/160,326, filed Oct. 19, 1999. First named inventor: Michael L. Obradovich. Entitled, "Technique for Effective Navigation Based on User Preferences."
- U.S. Appl. No. 60/162,333, filed Oct. 29, 1999. First named inventor: Hirohisa Tanaka. Entitled, "Method for Providing Matching and Introduction Services to Proximate Mobile Users and Service Providers."
- U.S. Appl. No. 60/165,435, filed Nov. 15, 1999. First named inventor: Jay S. Walker. Entitled, "Uniseller Internet pricing."
- U.S. Appl. No. 60/170,844, filed Dec. 14, 1999. First named inventor: Jhan. Entitled, "Improved Systems for Communication among Mobile Internet Users."
- U.S. Appl. No. 60/184,248, filed Feb. 23, 2000. First named inventor: Robert M. Kalthoff. Entitled, "Locator system."
- U.S. Appl. No. 60/184,799, filed Feb. 24, 2000. First named inventor: Jay S. Walker. Entitled, "Redemption feedback loop for priceline for gas."

- U.S. Appl. No. 60/185,480, filed Feb. 28, 2000. First named inventor: C. Douglass Thomas. Entitled, "Method and System for Location Tracking,"
- U.S. Appl. No. 60/185,902, filed Feb. 29, 2000. First named inventor: John E. Boyd. Entitled, "A Computer-Based Networking Service and Method and Systems for Performing the Same."
- U.S. Appl. No. 60/186,155, filed Feb. 29, 2000. First named inventor: Blumberg; et al. Entitled, "Global positioning-based real estate database access device and method."
- U.S. Appl. No. 60/187,137, filed Mar. 6, 2000. First named inventor: Fisher; et al. Entitled, "ImageHub."
- U.S. Appl. No. 60/191,779, filed Mar. 24, 2000. First named inventor: Robert L. Piccioni. Entitled, "System and Method for Automated Distribution of Law Enforcement Intormation."
- U.S. Appl. No. 60/194,761, filed Apr. 3, 2000. First named inventor: Christopher Herringshaw. Entitled, "Method and Apparatus for Estimating Geographic Location of a Networked Entity."
- U.S. Appl. No. 60/196,575, filed Apr. 11, 2000. First named inventor: Michael Obradovich. Entitled, "GPS Publication Application Server."
- U.S. Appl. No. 60/199,528, filed Apr. 25, 2000. First named inventor: Todd Newville. Entitled, "Information Data Portal."
- U.S. Appl. No. 60/199,551, filed Apr. 25, 2000. First named inventor: Cooper. Entitled, "System and method for proximity searching position information using a proximity parameter."
- U.S. Appl. No. 60/202,147, filed May 5, 2000. First named inventor: Masoud Motamedi. Entitled, "Performance analysis tool for location systems."
- U.S. Appl. No. 60/205,938, filed May 18, 2000. First named inventor: Mathur, et al. Entitled, "System and method for creating content and preferences in a collaborative fashion with privacy." U.S. Appl. No. 60/210,682, filed Jun. 10, 2000. First named
- inventor: Hirohisa Tanaka. Entitled, "Method and System for Selectively Connecting Proximate Mobile Telecommunication Users Having Compatible Attributes."
- U.S. Appl. No. 60/210,691, filed Jun. 10, 2000. First named inventor: Geoffrey R. Hendrey. Entitled, "Method and System for Selectively Connecting Proximate Mobile Telecommunication Users."
- U.S. Appl. No. 60/212,155, filed Jun. 16, 2000. First named inventor: Tendler. Entitled, "Pager Activated GPS-Equipped Wireless Phone."
- U.S. Appl. No. 60/214,197, filed Jun. 26, 2000. First named inventor: Philip J. Koopman Jr. Entitled, "Mehod and Apparatus for Automatically Initiating Telecommunication Connections to Nearby Transceivers."
- U.S. Appl. No. 60/216,721, filed Jul. 7, 2000. First named inventor: Geoffrey R. Hendrey. Entitled, "Method and Apparatus for Facilitating Meetings Among Proximate Indirectly Related People."
- U.S. Appl. No. 60/218,454, filed Jul. 14, 2000. First named inventor: Norman Mohi. Entitled, "Locating system and method."
- U.S. Appl. No. 60/223,614, filed Aug. 7, 2000. First named inventor: Philip J. Koopman Jr. Entitled, "Method and System for Tracking Effectiveness of Mobile Telecommunication Advertisements."
- U.S. Appl. No. 60/225,076, filed Aug. 14, 2000. First named inventor: Ashutosh Pande. Entitled, "Multi-mode global positioning system for use with wireless networks."
- U.S. Appl. No. 60/228,102, filed Aug. 26, 2000. First named inventor: Thomas Black. Entitled, "Method and apparatus for restricting the assignment of VLANS."
- U.S. Appl. No. 60/241,776, filed Oct. 18, 2000. First named inventor: Brad Doctor. Entitled, "Method and System to Determine a Geographical Location Associated with a Network Address."
- U.S. Appl. No. 60/256,069, filed Dec. 15, 2000. First named inventor: Curtis A. Vock. Entitled, "Ubiquitous Movement Monitor Device"

- U.S. Appl. No. 60/257,386, filed Dec. 22, 2000. First named inventor: Curtis A. Vock. Entitled, "Movement Monitoring Systems and Methods."
- U.S. Appl. No. 60/259,271, filed Dec. 29, 2000. First named inventor: Curtis A. Vock. Entitled, "Movement Monitoring Systems and Methods."
- U.S. Appl. No. 60/264,164, filed Jan. 24, 2001. First named inventor: Yi-chung Chao. Entitled, "Methods and Implementation for Improving Mobile User Position Accuracy and Information Input/Output Formats."
- U.S. Appl. No. 60/574,988, filed May 26, 2004. First named inventor: Randolph A. Jaramillo. Entitled "Hot-Merchant Network (Mobile-Commerce or M-Merchant Network)."
- U.S. Appl. No. 60/576,092, filed Jun. 2, 2004. First named inventor: Krishnakant Patel. Entitled, "Pre-Provisioning for P2T Over the Air Activation."
- U.S. Appl. No. 60/576,094, filed Jun. 2, 2004. First named inventor: F. Craig Farrill. Entitled, "Technique for Zero Delay Call Set-Up in Press to Talk (P2T) Systems."
- U.S. Appl. No. 60/577,971, filed Jun. 8, 2004. First named inventor: Dan Illowsky. Entitled, "Architecture, Apparatus and Methods Thereof for an Efficient Low Cost Seamless Device Interoperability Software Platform."
- U.S. Appl. No. 60/579,309, filed Jun. 14, 2004. First named inventor: Ravi Ayyasamy. Entitled, "Client Specification and Architecture for Supporting Press to Talk and Other Premium Voice Services in Wireless Networks."
- U.S. Appl. No. 60/579,322, filed Jun. 15, 2004. First named inventor: Ahmad, Ahmad M. Entitled, "Method and system for Modeling People Traveling Behavior."
- U.S. Appl. No. 60/581,466, filed Jun. 21, 2004. First named inventor: Arianna Bassoli. Entitled, "Synchronized media streaming between distributed peers."
- U.S. Appl. No. 60/581,954, filed Jun. 22, 2004. First named inventor: F. Craig Farrill. Entitled, "Press-to-Connect (PTC) for Wireless Communications Systems."
- U.S. Appl. No. 60/582,280, filed Jun. 22, 2004. First named inventor: Tony F. Rodriguez. Entitled, "Digital asset management and targeted searching using digital watermarks."
- U.S. Appl. No. 60/582,313, filed Jun. 23, 2004. First named inventor: Julian Bourne. Entitled, "Method and System for Identifying, Locating and Contacting Like-Minded People."
- U.S. Appl. No. 60/588,464, filed Jul. 16, 2004. First named inventor: Deepankar Biswaas; and Title: "Virtual Push to Talk (PTT) and Push to Share (PTS)"
- U.S. Appl. No. 60/590,152, filed Jul. 21, 2004. First named inventor: Brian Roundtree. Entitled, "Mobile Device Assistance, Mobile Device Management, and Call Interceptor for Mobile Devices."
- U.S. Appl. No. 60/592,838, filed Jul. 30, 2004. First named inventor: David S. Breed. Entitled, "System for obtaining vehicular information."
- U.S. Appl. No. 60/595,805, filed Aug. 4, 2004. First named inventor: Igor Zhovnirovksy. Entitled, "System for Implementing Serverless Applications Over the Public Wireless Network."
- U.S. Appl. No. 60/602,642, filed Aug. 19, 2004. First named inventor: Harper; Gregory W. Entitled, "Digital Music Download." U.S. Appl. No. 60/605,345, filed Aug. 27, 2004. First named inventor: Scott Shamp. Entitled, "Wireless communication of context sensitive content, systems methods and computer program product"
- U.S. Appl. No. 60/605,498, filed Aug. 31, 2004. First named inventor: William Meadow. Entitled, "Video and data processing system."
- U.S. Appl. No. 60/606,590, filed Sep. 2, 2004. First named inventor: Diendorf; John R.; et al. Entitled, "Telematic method and apparatus for managing shipping logistics."
- U.S. Appl. No. 60/609,948, filed Sep. 15, 2004. First named inventor: Phil Stanhope. Entitled, "System and method for synchronizing data."
- U.S. Appl. No. 60/609,989, filed Sep. 15, 2004. First named inventor: John Landry. Entitled, "System and method for sharing content."

- U.S. Appl. No. 60/609,990, filed Sep. 15, 2004. First named inventor: John Landry. Entitled, "System and method for linking data."
- U.S. Appl. No. 60/610,016, filed Sep. 15, 2004. First named inventor: Phil Stanhope. Entitled, "System and method for sharing content."
- U.S. Appl. No. 60/610,079, filed Sep. 15, 2004. First named inventor: Phil Stanhope. Entitled, "System and method for auditing data."
- U.S. Appl. No. 60/611,607, filed Sep. 21, 2004. First named inventor: Brian Roundtree. Entitled, "Secure Mobile Device Software Execution, Help-Support-Care Initiation for Mobile Devices, and Smart Network Configuration Selection for Mobile Devices." U.S. Appl. No. 60/613,646, filed Sep. 27, 2004. First named inventor: Morris Lee. Entitled, "Methods and apparatus for using location information to manage spillover in an audience monitoring system."
- U.S. Appl. No. 60/614,939, filed Sep. 29, 2004. First named inventor: Morris Lee. Entitled, "Methods and apparatus for using location information to manage spillover in an audience monitoring system."
- Ú.S. Appl. No. 60/618,201, filed Oct. 12, 2004. First named inventor: Wendy Wan-Lin Yang. Entitled, "Systems and methods for managing and presenting entity information."
- U.S. Appl. No. 60/618,748, filed Oct. 15, 2004. First named inventor: Blumberg; et al. Entitled, "Mobile location aware search engine and method of providing content for same."
- U.S. Appl. No. 60/620,456, filed Oct. 19, 2004. First named inventor: Rosen; James S. Entitled, "System and method for location based social networking."
- U.S. Appl. No. 60/622,797, filed Oct. 29, 2004. First named inventor: Bill. Entitled, "Dynamically Predicting an Event at a Location."
- U.S. Appl. No. 60/623,10, filed Oct. 29, 2004. First named inventor: Edward James Morgan. Entitled, "Wireless data Scanning Network for Building Location Beacon Database."
- U.S. Appl. No. 60/624,281, filed Jan. 29, 2005. First named inventor: Ching-Fang Lin. Entitled, "Interruption free navigator."
- U.S. Appl. No. 60/625,467, filed Nov. 5, 2004. First named inventor: Houston Staton. Entitled, "Method and System for Remote Monitoring and Control of Movable Entities."
- U.S. Appl. No. 60/626,573, filed Nov. 10, 2004. First named inventor: Chung, Wing Yeung; et al. Entitled, "Locomotive wireless video recorder and recording system."
- U.S. Appl. No. 60/626,977, filed Nov. 12, 2004. First named inventor: Lyn Seidler. Entitled, "System and method for automated friend-to-friend delivery item."
- U.S. Appl. No. 60/627,785, filed Nov. 12, 2004. First named inventor: Gagan Puranik. Entitled, "Two-way messaging with encryption."
- U.S. Appl. No. 60/629,721, filed Nov. 19, 2004. First named inventor: Wong; Raymond et al. Entitled, "Bid Write-Up."
- U.S. Appl. No. 60/631,602, filed Nov. 30, 2004. First named inventor: Jeffrey Lynn MecKley. Entitled, "Phase persistent agile signal source."
- U.S. Appl. No. 60/631,876, filed Dec. 1, 2004. First named inventor: Barry Appelman. Entitled, "Automatically Enabling the Forwarding of Instant Messages."
- U.S. Appl. No. 60/634,951, filed Dec. 10, 2004. First named inventor: Andre Gueziec. Entitled, "Real-time and predictive traveler information for routing."
- U.S. Appl. No. 60/635,856, filed Dec. 13, 2004. First named inventor: Dan Burkhart. Entitled, "Instant Messaging Method and Apparatus."
- U.S. Appl. No. 60/636,953, filed Dec. 17, 2004. First named inventor: Coch; et al. Entitled, "Geo-Collaboration System."
- U.S. Appl. No. 60/639,267, filed Dec. 27, 2004. First named inventor: Andrew Levi. Entitled, "Method and system for peer-to-peer advertising between mobile devices."

- U.S. Appl. No. 60/643,721, filed Jan. 13, 2005. First named inventor: Baowei Ji. Entitled, "Medium access control (MAC) protocol for use in ad hoc wireless networks."
- U.S. Appl. No. 60/647,897, filed Jan. 28, 2005. First named inventor: Baowei Ji. Entitled, "Asynchronous wireless collision detection with acknowledgment for use in ad hoc wireless networks."
- U.S. Appl. No. 60/649,180, filed Feb. 3, 2005. First named inventor: Cyril Houri. Entitled, "System and Method for Geographically Locating Computing Devices in a Wireless Network."
- U.S. Appl. No. 60/650,840, filed Feb. 7, 2005. First named inventor: Jens Eilstrup Rasmussen. Entitled, "Method and Apparatus for Generating Tiles in a Digital Mapping System."
- U.S. Appl. No. 60/652,144, filed Feb. 11, 2005. First named inventor: Brian Roundtree. Entitled, "Call Intercept Methods, Such as for Customer Self-Support on a Mobile Device."
- U.S. Appl. No. 60/654,271, filed Feb. 18, 2005. First named inventor: Krishnakant Patel. Entitled, "Enhanced Features on an Advanced Voice Services (AVS) Framework."
- U.S. Appl. No. 60/654,811, filed Feb. 22, 2005. First named inventor: Edward James Morgan. Entitled, "Continuous Data Optimization in Positioning System."
- U.S. Appl. No. 60/471,743, filed May 20, 2003. First named inventor: Edmund J. Fish. Entitled, "Presence and Geo-Location Information for Mobile Devices and Computing Devices."
- U.S. Appl. No. 60/474,207, filed May 30, 2003. First named inventor: Stephen Vaughan Murphy. Entitled, "Spoken User Identifier."
- U.S. Appl. No. 60/480,532, filed Jun. 23, 2003. First named inventor: Ho, David YC. Entitled, "Game to Fame—An Internet Game that helps players become famous."
- U.S. Appl. No. 60/482,362, filed Jun. 25, 2003. First named inventor: Steve Kirchmeier. Entitled, "Telephony notification system."
- U.S. Appl. No. 60/488,399, filed Jul. 21, 2003. First named inventor: Andrew Weaver Entitled, "Multiple Personalities."
- U.S. Appl. No. 60/488,638, filed Jul. 18, 2003. First named inventor: F. Craig Farrill. Entitled, "Real-Time Exchange."
- U.S. Appl. No. 60/488,784, filed Jul. 22, 2003. First named inventor: Kreft. Entitled, "Improved Information Mapping Program."
- U.S. Appl. No. 60/492,650, filed Aug. 5, 2003. First named inventor: Bruce D. Lawler. Entitled, "CDMA Press-to-Talk (P2T) Proof-of-Concept Demonstration."
- U.S. Appl. No. 60/493,704, filed Aug. 8, 2003. First named inventor: Michael A. Sheha. Entitled, "Method and System for Collecting, Synchronizing, and Reporting Telecommunication Call Events and Work Flow Related Information."
- U.S. Appl. No. 60/494,644, filed Aug. 11, 2003. First named inventor: Konstantin Othmer. Entitled, "Bandwidth Usage Optimization and Enhanced Performance for Wireless Networks."
- U.S. Appl. No. 60/503,260, filed Sep. 16, 2003. First named inventor: Steve Kirchmeier. Entitled, "Telephony notification system"
- U.S. Appl. No. 60/503,530, filed Sep. 16, 2003. First named inventor: William J. Sacco. Entitled, "Method and System of Rule-Based Triage."
- U.S. Appl. No. 60/507,110, filed Oct. 1, 2003. First named inventor: Robert Khedour. Entitled, "Portable internet-linked subscription-capable audio-visual player apparatus and system and method for distribution and use thereof."
- U.S. Appl. No. 60/512,852, filed Oct. 22, 2003. First named inventor: Patrick Blattner. Entitled, "Providing Video, Sound, or Animated Content with Instant Messages."
- U.S. Appl. No. 60/516,351, filed Oct. 31, 2003. First named inventor: Habeman, William E.; et al. Entitled, "Instantaneous Wireless Communicative Display and Interface System."
- U.S. Appl. No. 60/517,657, filed Nov. 5, 2003. First named inventor: Prabhakar R. Chitrapu. Entitled, "Mobile Wireless Presence and Situation Management System and Method."
- U.S. Appl. No. 60/518,333, filed Nov. 10, 2003. First named inventor: Uri Levi. Entitled, "Wireless communication system."
- U.S. Appl. No. 60/520,846, filed Nov. 18, 2003. First named inventor: Sugla. Entitled, "Method of Improving Location Accu-

- racy, Achieving Seamless Tracking and Enabling Novel Applications Using Information From Multiple Location and Positioning Technologies."
- U.S. Appl. No. 60/522,490, filed Oct. 6, 2004. First named inventor: Otman A. Basir. Entitled, "Spatial Calendar."
- U.S. Appl. No. 60/524,343, filed Nov. 21, 2003. First named inventor: Poitras, Jean-Guy. Entitled, "Virtually Interlinked Collaborative Information System Based on Physical Locations of Tangible Real Property."
- U.S. Appl. No. 60/525,420, filed Nov. 25, 2003. First named inventor: Lars Eilstrup Rasmussen. Entitled, "System for automatically integrating a digital map system with world wide web sites." U.S. Appl. No. 60/528,055, filed Dec. 8, 2003. First named inventor: Doug Brams. Entitled, "Push to Talk User Interface."
- U.S. Appl. No. 60/530,935, filed Dec. 19, 2003. First named inventor: Brian E. Smartt Entitled, "Geocoding locations near a specified city."
- U.S. Appl. No. 60/533,052, filed Dec. 30, 2003. First named inventor: Harper; et al. Entitled, "Universal Digital Music Licensing and Download System."
- U.S. Appl. No. 60/540,505, filed Jan. 29, 2004. First named inventor: Mark Hull. Entitled, "System and Method for Social Networking."
- U.S. Appl. No. 60/543,105, filed Feb. 9, 2004. First named inventor: Julian Bourne. Entitled, "Method and Computer System for Social Networking."
- U.S. Appl. No. 60/544,209, filed Feb. 11, 2004. First named inventor: Richard Mgrdechian. Entitled, "Method and Apparatus for Wirelessly Communication and Messaging Between Previously Known and Unknown Parties."
- U.S. Appl. No. 60/544,639, filed Feb. 13, 2004. First named inventor: Mark Hull. Entitled, "System and Method for Social Networking."
- U.S. Appl. No. 60/546,687, filed Feb. 20, 2004. First named inventor: Brian Roundtree. Entitled, "Call Intercept Methods for Customer Self Support and Methods for Navigating Data Screens." U.S. Appl. No. 60/549,484, filed Mar. 1, 2004. First named inventor: Richard Mgrdechian. Entitled, "Method and Apparatus for Wirelessly Communicating and Messaging Between Previously Known and Unknown Parties."
- U.S. Appl. No. 60/549,937, filed Mar. 5, 2004. First named inventor: Barry Appelman. Entitled, "Passive Population of Buddy List form a Contact List."
- U.S. Appl. No. 60/550,262, filed Mar. 3, 2004. First named inventor: Richard Mgrdechian. Entitled, "Method and Apparatus for Wirelessly Communicating and Messaging Between Previously Known and Unknown Parties."
- U.S. Appl. No. 60/550,300, filed Mar. 4, 2004. First named inventor: Tom Miltonberger. Entitled, "Method and System to Facilitate Geo-Location and Geo-Compliance Utilizing a Client Agent."
- U.S. Appl. No. 60/552,406, filed Mar. 10, 2004. First named inventor: Greg Tseng. Entitled, "Enhancing virally marketed facilities."
- U.S. Appl. No. 60/552,718, filed Mar. 15, 2004. First named inventor: Jeremy Liew. Entitled, "Social Networks."
- U.S. Appl. No. 60/553,240, filed Mar. 15, 2004. First named inventor: Isaias Sudit; and Title: "Telephone User Interface for Efficient Self-Location of Mobile Phone".
- U.S. Appl. No. 60/553,241, filed Mar. 15, 2004. First named inventor: Isaias, Sudit; and Title: "Meet Function for Telephone Auto Location System Based on Geographic Location and User Profiles".
- U.S. Appl. No. 60/555,501, filed Mar. 22, 2004. First named inventor: Jens Eilstrup Rasmussen. Entitled, "Sub-Pixel Bitmaps and Their Use in Generating, Storing and Displaying Maps."
- U.S. Appl. No. 60/560,087, filed Apr. 6, 2004. First named inventor: Cesar Cabral. Entitled, "Method and system for traffic management between a vehicle and a remote location."

- U.S. Appl. No. 60/560,468, filed Apr. 7, 2004. First named inventor: Brian Lawler. Entitled, "Trust-metric network methods and apparatus."
- U.S. Appl. No. 60/562,785, filed Apr. 15, 2004. First named inventor: Brian Wilson. Entitled, "System for Providing Location-Based Services in a Wireless Network, Such as Locating Sets of Desired Locations."
- U.S. Appl. No. 60/566,644, filed Apr. 29, 2004. First named inventor: John N. Gross. Entitled, "System & method of identifying and predicting innovation dissemination."
- U.S. Appl. No. 60/567,598, filed May 3, 2004. First named inventor: Klassen, Gerhard D. Entitled, "System and method for interrupt control on a handheld device."
- U.S. Appl. No. 60/567,946, filed May 3, 2004. First named inventor: Jens Eilstrup Rasmussen. Entitled, "An Image Tile-Based, Digital Mapping System for the World Wide Web."
- U.S. Appl. No. 60/568,482, filed May 6, 2004. First named inventor: Nathan Norfleet Eagle. Entitled, "Combined Short Range Radio Network and Cellular Telephone Network for Interpersonal Communications."
- U.S. Appl. No. 60/569,953, filed May 11, 2004. First named inventor: Ravi Ayyasamy. Entitled, "Press to Talk Client Application Programming Interface (PCAPI)."
- U.S. Appl. No. 60/570,410, filed May 12, 2004. First named inventor: Dennis R Crowley. Entitled, "Location-Based Social Software for Mobile Devices."
- U.S. Appl. No. 60/571,075, filed May 14, 2004. First named inventor: Krishnakant Patel. Entitled, "Roaming Gateway for Support of Advanced Voice Services While Roaming."
- U.S. Appl. No. 60/573,059, filed May 21, 2004. First named inventor: Krishnakant Patel. Entitled, "SMSC Bypass (SB) for Expedited Presence Messaging."
- U.S. Appl. No. 60/573,780, filed May 24, 2004. First named inventor: Krishnakant Patel. "SIM Toolkit."
- Lamarca, Anthony et al. "Place Lab: Device Positioning Using Radio Beacons in the Wild." 2005. 18 pages.
- Mulligan, Morris et al. "Framework for Location Computation Scenarios." Internet-Draft. Nov. 2001. pp. 1-11.
- Priyantha, Nissanka B. "The Cricket Location-Support System." MIT Laboratory for Computer Science. The 6th ACM International Conference on Mobile Computing and Networking (ACM MOBICOM). Aug. 2000. 12 pages.
- Reed, Jeffrey H. et al. "An Overview of the Challenges and Progress in Meeting the E-911 Requirement for Location Service." IEEE Communications Magazine. Apr. 1998. pp. 30-37.
- Sen, Sumit. "Open Standards in Location Based Services." Applied Technology Group, Tata Infotech Limited. 2002. 6 pages.
- Abowd et al., "Cyberguide: A mobile context-aware tour guide." Baltzer Journals. Sep. 23, 1996. pp. 1-21.
- Kim H. Veltman "Frontiers in Electronic Media", Interactions Journal of the ACM, New York, Jul.-Aug. 1997, pp. 32-64.
- Henning Maass "Location-aware mobile applications based on directory services." Mobile Networks and Applications 3 (1998) 157-173.
- Sinclair "Integrating Hypermedia Techniques with Augmented Reality Environments" University of Southampton. Jun. 2004. pp. 1-155.
- Eija Kaasinen "User needs for location-aware mobile services." Springer-Verlag London Limited. Aug. 2002. pp. 70-79.
- Broadbent et al. "Location Aware Mobile Interactive Guides: usability issues." Proceedings of the Fourth International Conference on Hypermedia and Interactivity in Museums. (ICHIM97) (Paris, 1997). pp. 1-15.
- "DaimlerCrysler Guide5 Usecases Overview Map." Oct. 2001. 1
- "GPS 12 Personal NavigatorTM Owner's Manual & Reference." Garmin Corporation. 1999. 66 pages.
- "Travel Time Data Collection Handbook—Chapter 5: ITS Probe Vehicle Techniques." FHWA-PL98-035 Report, Department of Transport, University of Texas. Mar. 1998. 70 pages.
- Hoogenraad "Location Dependent Services." 3rd AGILE Conference on Geographic Information Science, Helsinki/Espoo, Finland, May 2000. pp. 74-77.

OTHER PUBLICATIONS

Balsiger et al., "MOGID: Mobile Geo-depended Information on Demand." Workshop on Position Dependent Information Services (W3C-WAP), 2000, 8 pages.

Efstratiou et al. "Reflection: A Solution for Highly Adaptive Mobile Systems," 2000 Workshop on Reflective Middleware, 2000, 2 pages.

Popescu-Zeletin et al., "Applying Location-Aware Computing for Electronic Commerce: Mobile Guide" Proc. 5th Conference on Computer Communications, AFRICOM-CCDC'98, Oct. 20-22, 1998, 14 pages.

Zhao, "Mobile Phone Location Determination and Its Impact on Intelligent Transportation Systems," IEEE Transactions on Intelligent Transportation Systems, Mar. 2000, 1(1):55-64.

Popescu-Zeletin et al., "Applying Location-Aware Computing for Electronic Commerce: Mobile Guide," Proc. 5th Conference on Computer Communications, AFRICOM-CCDC'98, Oct. 20-22, 1998, 14 pages.

Yokote, "The Apertos Reflective Operating System: The Concept and Its Implementation," SCSL TR 92 014, Jun. 26, 1992, 23 pages. Long et al., "Rapid Prototyping of Mobile Context-Aware Applications: The Cyberguide Case Study," MobiCom '96, 1996, 11 pages.

Leonhardt et al., "Towards a general location service for mobile environments," Proc. Third International Workshop on Services in Distributed and Networked Environments, Jun. 3-4, 1996, 8 pages. Leonhardt et al., "Multi-Sensor Location Tracking," MOBICOM 98, Dallas, TX, 12 pages.

Kreller et al., "UMTS: A Middleware Architecture and Mobile API/Approach," IAPRS, vol. XXXIII, Amsterdam, 2000, 7 pages. Klinec and Volz, "Nexus-Positioning and Communication Environment for Spatially Aware Applications," IAPRS, vol. XXXIII, Amsterdam, 2000, 7 pages.

"Digital cellular telecommunications system (Phase 2+); Specification of the SIM Application Toolkit for the Subscriber Identity Module—Mobile Equipment (SIM-ME) interface (GSM 11.14)" Global System for Mobile Communications, Dec. 1996, 56 pages. "Estonian operator to launch world's first Network-based location services," Ericsson Press Release, Oct. 11, 1999, 1 page.

Efstratiou et al., "Architectural Requirements for the Effective Support of Adaptive Mobile Applications," 2000, 12 pages.

Drane et al., "Positioning GSM Telephones," IEEE Communications Magazine, Apr. 1998, pp. 46-59.

Dix et al., "Exploiting Space and Location as a Design Framework for Interactive Mobile Systems," ACM Transactions on Computer-Human Interaction (TOCHI)—Special issue on human-computer interaction with mobile systems, 2000, 36 pages.

Davies et al., "'Caches in the Air': Disseminating Tourist Information in the Guide System," Second IEEE Workshop on Mobile Computer Systems and Applications, Feb. 25-26, 1999, 9 pages. Davies et al., "L2imbo: A distributed systems platform for mobile computing," Mobile Networks and Applications, 1998, 21 pages. Cheverst et al., "Supporting Collaboration in Mobile-aware Groupware," Workshop on Handheld CSCW, 1998, 6 pages.

Cheverst et al., "Sharing (Location) Context to Facilitate Collaboration Between City Visitors," 2000, 5 pages.

Cheverst et al., "Services to Support Consistency in Mobile Collaborative Applications," Proc. 3rd International Workshop on Services in Distributed Networked Environments, 1996, 8 pages.

Cheverst et al., "Experiences of Developing and Deploying a Context-Aware Tourist Guide: The GUIDE Project," 2000, 12 pages.

Cheverst et al., "Developing Interfaces for Collaborative Mobile Systems," 1999, 15 pages.

Cheverst et al., "Design of an Object Model for a Context Sensitive Tourist Guide,", 1999, 4 pages.

Efstratiou et al., "Reflection: A Solution for Highly Adaptive Mobile Systems," 2000 Workshop on Reflective Middleware, 2000, 2 pages.

Cheverst et al., "The Role of Connectivity in Supporting Context-Sensitive Applications," HUC'99, LNCS 1707, 1999, 15 pages. Cheverst et al., "Architectural Ideas for the Support of Adaptive Context-Aware Applications," Proceedings of Workshop on Infrastructure for Smart Devices—How to Make Ubiquity an Actuality, HUC'00, Bristol, Sep. 2000, 3 pages.

Balsiger et al., "MOGID: Mobile Geo-depended Information on Demand," [online] Retrieved from the Internet on May 25, 2012: URL: http://www.w3.org/Mobile/posdep/wap-v2.htm, Workshop on Position Dependent Information Services (W3C-WAP), 2000, 9 pages.

Borsodi, "Super Resolution of Discrete Arrivals in a Cellular Geolocation System," University of Calgary Thesis, Apr. 2000, 164 pages.

Akerblom, "Tracking Mobile Phones in Urban Areas," Goteborg University Thesis, Sep. 2000, 67 pages.

Digital cellular telecommunications system (Phase 2+); Location Services (LCS); Service description, Stage 1 (GSM 02.71) ETSI, Apr. 1999, 22 pages.

"3rd Generation Partnership Project (3GPP); Technical Specification Group (TSG) RAN; Working Group 2 (WG2); Report on Location Services," TS RAN R2.03 V0.1.0, Apr. 21-23, 1999, 43 pages.

"Enabling UMTS / Third Generation Services and Applications," No. 11 Report from the UMTS Forum, Oct. 2000, 72 pages.

"3rd Generation Partnership Project; Technical Specification Group Radio Access Network; Stage 2 Functional Specification of Location Services in UTRAN," 3G TS 25.305 v.3.1.0, Mar. 2000, 47 pages.

"3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Functional stage 2 description of location services in UMTS," 3G TS 23.171 v.3.11.0, 1999, 55 pages. Davies; et al., "Caches in the Air': Disseminating Tourist Information in the Guide System," Second IEEE Workshop on Mobile Computer Systems and Applications, Feb. 25-26, 1999, 9 pages. Diane and Rizos, "Role of Positioning Systems in ITS," Positioning Systems in Intelligent Transportation Systems, Dec. 1997, pp. 312, 346-349.

Fischer; et al., "System Performance Evaluation of Mobile Positioning Methods," IEEE, Aug. 2002, pp. 1962-1966.

Flinn and Satyanarayanan, "PowerScope: A Tool for Profiling the Energy Usage of Mobile Applications," Proc. WMCSA '99 Second IEEE Workshop on Mobile Computing Systems and Applications, Feb. 25-26, 1999, 9 pages.

French and Driscoll, "Location Technologies for ITS Emergency Notification and E911," Proc. 1996 National Technical Meeting of the Institute of Navigation, Jan. 22-24, 1996, pp. 355-359.

Friday; et al., "Developing Adaptive Applications: The MOST Experience," J. Integrated Computer-Aided Engineering, 1999, 35 pages.

Gunnarsson; et al., "Location Trial System for Mobile Phones," IEEE, 1998, pp. 2211-2216.

Kovacs; et al., "Adaptive Mobile Access to Context-aware Services," Proc. ASAMA '99 Proc. First International Symposium on Agent Systems and Applications Third International Symposium on Mobile Agents, IEEE Computer Society Washington, DC, 1999, 12pages.

Kugler and Lechner, "Combined Use of GPS and LORAN-C in Integrated Navigation Systems," Fifth International Conference on Satellite Systems for Mobile Communications and Navigation, London, UK, May 13-15, 1996, pp. 199-207.

Kyriazakos; et al., "Optimization of the Handover Algorithm based on the Position of the Mobile Terminals," Communications and Vehicular Technology, Oct. 2000, pp. 155-159.

Bennett; et al., "Location-based services", Mar. 1, 2002, Downloaded: Feb. 24, 2013, http://www.ibm.com/developerworks/ibm/library/i-lbs/, 7 pages.

Persson; et al., "GeoNotes: a real-use study of a public location-aware community system (2002)", Dec. 2002, 10 pages.

Munson; et al., "Location-based notification as a general-purpose service", Proceedings of the 2nd international workshop, WMC'02, Sep. 28, 2002, 5 pages.

OTHER PUBLICATIONS

Stroud, "Minority Report Has Ad-ded Value", [online] Retrieved from the Internet on Mar. 3, 2013: URL: http://www.wired.com/entertainment/music/news/2002/06/53555, Jun. 29, 2002, 1 page. Barwise; et al., "Permission-Based Mobile Advertising", Journal of Interactive Marketing, vol. 16 / No. 1 / Winter 2002, pp. 14-24. Aalto; etal., "Bluetooth and WAP Push Based Location-Aware Mobile Advertising System", MobiSYS'04, Jun. 6-9, 2004, 10 pages.

Kölmel; et al., "Location Based Advertising", The First International Conference on Mobile Business, M-Business Conference 2002, 7 pages.

Bulander; et al., "Enabling Personalized and Context Sensitive Mobile Advertising While Guaranteeing Data Protection", Proceedings of the EURO-mGOV 2005, Brighton, UK Mobile Government International LLC, pp. 445-454.

Rao; et al., "EVOLUTION of Mobile Location-based Services", Communications of the ACM Dec. 2003/vol. 46, No. 12, pp. 61-65. Ko; et al., "Geocasting in Mobile Ad Hoc Networks: Location-Based Multicast Algorithms", International Conference on Mobile Computing and Networking, MobiCom'98, 1998, 10 pages.

Varshney, "Location Management for Mobile Commerce Applications in Wireless Internet Environment", ACM Transactions on Internet Technology, vol. 3, No. 3, Aug. 2003, pp. 236-255.

Ko; et al., "Location-Aided Routing (LAR) in mobile ad hoc networks", Wireless Networks 6 (2000), pp. 307-321.

Gratton, "M-commerce: The Notion of Consumer Consent in Receiving Location-Based Advertising", Canadian Journal of Law & Technology, vol. 1 No. 3, Nov. 2002, pp. 59-77.

Corson, et al., "Mobile Ad hoc Networking (MANET): Routing Protocol Performance Issues and Evaluation Considerations", Request for Comments: 2501, The Internet Society, Jan. 1999, 12 pages.

Perkins; et al., "Ad hoc On-Demand Distance Vector (AODV) Routing", Request for Comments: 3561, The Internet Society, Jul. 2003, 37 pages.

Clausen; et al., "Optimized Link State Routing Protocol (OLSR)", Request for Comments: 3626, The Internet Society, Oct. 2003, 75 pages.

Ogier; et al., "Topology Dissemination Based on Reverse-Path Forwarding (TBRPF)", Request for Comments: 3684, The Internet Society, Feb. 2004, 46 pages.

Kaasinen, "User needs for location-aware mobile services", Pers Ubiquit Comput (2003), 7: pp. 70-79.

Dimpfel; et al., "Integration and Content", ELBA (European Location Based Advertising), IST-2001-36530, 2002, 22 pages.

"Location Based Advertising—Overview", ELBA (European Location Based Advertising), IST-2001-36530, Jun 30, 2002, 17 pages. Kölmel, "ELBA Location Based Advertising—Status", ELBA (European Location Based Advertising), IST-2001-36530, Sep. 2003, 21 pages.

Porak, "ELBA Real Life scenarios of LBA"; M-Business 2003, Vienna 2003, 22 pages.

Dimpfel, "Overview Technical Integration and Advertising Content Management", ELBA (European Location Based Advertising), IST-2001-36530, 2003, 8 pages.

"ELBA—Project Summary", ELBA (European Location Based Advertising), 2002, 2 pages.

U.S. Appl. No. 09/206,627, filed Dec. 7, 1998. First named inventor: Alvin C. Allen Jr. Entitled, "Apparatus and Method for Triggerable Location Reporting."

U.S. Appl. No. 10/865,114, filed Jun. 9, 2004. First named inventor: Ricardo D. Craft. Entitled, "Aggregated Perceived Presence."

U.S. Appl. No. 10/916,960, filed Aug. 11, 2004. First named inventor: Othmer; Konstantin. Entitled, "Systems and methods for populating a ticker with location-based content."

U.S. Appl. No. 10/917,200, filed Aug. 11, 2004. First named inventor: Othmer. Entitled, "Bandwidth usage optimization and enhanced performance for wireless networks."

U.S. Appl. No. 11/019,526, filed Dec. 23, 2004. First named inventor: Bill. Entitled, "Predicting an event at a location."

U.S. Appl. No. 11/030,904, filed Jan. 10, 2005. First named inventor: Kurt Nosack. Entitled, "System and method for determining a nearest network resource using GPS coordinates."

U.S. Appl. No. 11/063,096, filed Feb. 22, 2005. First named inventor: Ellenby; et al. Entitled, "Pointing systems for addressing objects."

"U.S. Appl. No. 11/099,362, Non-Final Office Action mailed Aug. 28, 2006", 13 pgs.

"U.S. Appl. No. 11/099,362, Notice of Allowance mailed Jun. 6, 2007", 7 pgs.

"U.S. Appl. No. 11/099,362, Response Filed Jan. 29, 2007 to Non-Final Office Action mailed Aug. 28, 2006", 24 pgs.

U.S. Appl. No. 09/365,748, filed Aug. 3, 1999. First named inventor: Michael David Bednarek. Entitled, "System and Method for Supporting Participant Specific Incentives and Promotions."

U.S. Appl. No. 09/540,214, filed Mar. 31, 2000. First named inventor: Jay S. Walker Entitled, "Method and apparatus for conducting a transaction based on brand indifference."

U.S. Appl. No. 09/589,684, filed Jun. 7, 2000. First named inventor: Neeraj Jhanji. Entitled, "Improved Systems for Communicating Future Activity Information Among Mobile Internet Users and Methods Therefor."

U.S. Appl. No. 09/589,685, filed Jun. 7, 2000. First named inventor: Neeraj Jhanji. Entitled, "Improved Systems for Communicating Future Activity Information Among Mobile Internet Users and Methods Therefor."

"Buddy Locator." Jun. 11, 2003. http://www.halfbakery.com/idea/Buddy_20Locator.

"Hansel and Gretel" a German folk tale recorded by the Brothers Grimm and published in 1812. Illustrated by Arthur Rackham in 1909. Specifically, we would like to cite the "white pebbles" and "bread crumbs" used as a form of tracking in the folk tale.

"Mobile Phone Utility." Jan. 8, 2004. http://www.halfbakery.com/idea/mobile_20phone_20utility.

"Mobile Proximity Link." Sep. 30, 2001. http://www.halfbakery.com/idea/Mobile_20Proximity_20Link.

"Networks in Motion Named Semi-Finalist for Wireless LBS Challenge." Mar. 18, 2004. http://www.tmcnet.com/usubmit/2004/Mar/1025200.htm.

"Proposal for Free, Open Source Cell Phone Location Service." Mar. 6, 2004. http://george.hotelling.net/90percent/geekery/proposal_for_free_open_source_cell_phone_location_service.

"SignalSoft Corporation Has Been Awarded a Location-Based Services Patent." Apr. 27, 2001. http://www.cellular.co.za/news_2001/04282001-signalsoft-patent.htm.

"Star Trek Communicator" the prop utilized in the Star Trek television series. The first appearance was in "The Cage" episode airing in 1964. The Science Fiction series was created by Gene Roddenberry.

Want, Roy et al. "The Active Badge Location System." Olivetti Research Ltd., Cambridge, England. ACM Transactions on Information Systems (TOIS), vol. 10, Issue 1. Jan. 1992. 10 pages.

"The Tetra System." Ashcom Systems Ltd.—TETRA Communications Networks. Feb. 1, 2011. 2 pages.

(Editor) Saint-Andre, Peter; (Contributors) Adachi, Shin et al. "Liberty ID-SIS Presence Service Specification." Version 1.0-10. Liberty Alliance Project. Copyright 2005. 14 pages.

"Complete Coverage—Unrivalled Coverage with Lower Costs." Nokia TB3 TETRA Base Station—Data Sheet. Copyright Nokia 2004. 2 pages.

"Complete Nokia TETRA for Public Safety." Nokia Code: 11113. Copyright 2003 Nokia. 20 pages.

Cuervo, F. et al. "Megaco Protocol Version 1.0." Network Working Group; Request for Comments: 3015; Obsoletes: 2885, 2886; Category: Standards Track. Copyright The Internet Society. Nov. 2000. 179 pages.

Day, M. et al. "A Model for Presence and Instant Messaging." Network Working Group; Request for Comments: 2778; Category: Informational. Copyright The Internet Society. Feb. 2000. 17 pages.

OTHER PUBLICATIONS

Groves, C. et al. "H.24B / MEGACO Registration Procedures." Network Working Group; Request for Comments: 5615; BCP:151; Category: Best Current Practice. Copyright IETF Trust and the persons identified as the document authors. Aug. 2009. 14 pages. "Improving TETRA Base Station Coverage with Revolutionary Radio Access Solution." White Paper. 0604 PMIR. Copyright Nokia 2004. 9 pages.

Klyne, G. et al. "Date and Time on the Internet: Timestamps." Network Working Group; Request for Comments: 3339; Category: Standards Track. Copyright The Internet Society. Jul. 2002. 18 pages.

Leighton, Paul "Tetra Security—2nd ETSI Security Workshop: Future Security." Jan. 16-17, 2007. Sophia-Antipolis, France. 31 pages.

"Location Architecture Overview Requirements." Historic Version 1.0. "Open Mobile Alliance." OMA-RD-LOC_ArchOverview-V1_0-20041118-H. Nov. 18, 2004. 49 pages.

Makelainen, Sami I. et al. "OMA IMPS (Previously Wireless Village)." A paper for instant messaging and presence-seminar, University of Helsinki. 2005. 12 pages.

"Network Wide TETRA Services." Press Backgrounder for Nokia. Sep. 2004. pp. 1-3.

"Nokia NetAct for TETRA—Ensuring a Reliable and Always Available Service." Copyright Nokia 2001. 2 pages.

"Operational Best Practices for Managing Trunked Land Mobile Radio Systems." PSWN—Public Safety Program Wireless Network. Final Version. May 2003. 77 pages.

Salinas, Arturo. "Advantages and Disadvantages of Using Presence Service." Helsinki University of Technology. May 4-5, 2006. 8 pages.

"TETRA is the Winner in Bahrain." Nokia TETRA is proving its worth in Bahrain, including the challenge of the first Middle Eastern Grand Prix. Copyright 2004. 2 pages.

"TETRA Touch." Nokia TETRA customer newsletter. www.nokia. com/tetra_touch. vol. 4. 2004. 28 pages.

"What is TETRA?" TETRA Quick Guide. Press Backgrounder. Sep. 2004. 9 pages.

Wireless Village—The Mobile IMPS Initiative. Client-Server Protocol Session and Transactions. Version 1.1. WV Internal Tracking No. WV-022. Copyright 2001-2002 Ericsson, Motorola and Nokia. Cover page, i-i, pp. 1-92.

Wireless Village—The Mobile IMPS Initiative. Command Line Protocol. Version 1.1. WV Internal Tracking No. WV-031. Copyright 2001-2002. Ericsson, Motorola and Nokia. Cover page, i-iii, pp. 1-31.

Wireless Village—The Mobile IMPS Initiative. Presence Attributes. Version 1.1. WV Internal Tracking No. WV-029. Copyright 2001-2002. Ericsson, Motorola and Nokia. Cover page, i-ii, pp. 1-23.

Wireless Village—The Mobile IMPS Initiative. SSP—Server to Server Protocol Semantics Document. Version 1.1. WV Internal Tracking No. WV-032. Copyright 2001-2002 Ericsson, Motorola and Nokia. Cover page, i-ix, pp. 1-125.

Wireless Village—The Mobile IMPS Initiative. System Architecture Model. Version 1.1. WV Tracking No. WV-020. Copyright 2001-2002 Ericsson, Motorola and Nokia. Cover page, i-i, pp. 1-10. "Wireless Village Initiative Announces Intent to Join the Open Mobile Alliance." Business, Wire (Vancouver, Canada), Business & High-Tech Editors. Jun. 13, 2002. 3 pages.

"Location Baed Services." GSM Association, Permanent Reference Document: SE 23. Version 3.1.0. Jan. 2003. 75 pages.

"Location-Based Services System (LBSS)." 3GPP2 S.R0019 v 1.0.0. Stage 1 Description. 3rd Generation Partnership Project 2 "3GPP2." Sep. 22, 2000. 56 pages.

"Senior Projects Garner Awards at Spring 2001 Design Expo." Department of Computer Science, University of Colorado at Boulder. 2004. 1 page.

"The World in Your Hand." Newsweek. May 31, 1999. 1 page. Bahl, Paramvir et al. "Radar: An In-Building RF-based User Location and Tracking System." IEEE INFOCOM. 2000. pp. 775-784.

Barkhuus, Louise. "Privacy in Location-Based Services, Concern vs. Coolness." Department of Design and Use of IT, The IT University of Copenhagen. Sep. 2004. 6 pages.

Beresford, Alastair R. et al. "Location Privacy in Pervasive Computing." Published by the IEEE CS and IEEE Communications Society, Jan.-Mar. 2003. pp. 46-55.

Bisdikian, C. et al. "Enabling Location-Based Services Through Passive Monitoring Techniques: Mobile Positioning with the HINTON Locator Probe." A White Paper from Telesoft Technologies, 1st Workshop on Mobile Commerce. 2001. pp. 1-20.

Burak, Assaf et al. "Usage Patterns of FriendZone—Mobile Location-Based Community Services." MUM '04 Proceedings of the 3rd International Conference on Mobile and Ubiquitous Multimedia. 2004. 8 pages.

Colbert, Martin. "A Diary Study of Rendezvousing: Implications for Position-Aware Computing and Communications for the General Public." Kingston University, Group '01. ACM Press. Sep. 30-Oct. 3, 2001. 10 pages.

Cuellar, J. et al. "Geopriv Requirements." Internet Draft. Jun. 2002. pp. 1-23.

Cuellar, J. et al. "Geopriv Requirements." Internet Draft. Nov. 2001. pp. 1-13.

Dobson, Jerome E. et al. "Geoslavery." IEEE Technology and Society Magazine, Spring 2003. pp. 47-52.

Gruteser, Marco et al. "Anonymous Usage of Location-Based Services Through Spatial and Temporal Cloaking." Department of Computer Science, University of Colorado at Boulder. Proc. MobiSys 2003, ACM Press. 12 pages.

Jose, Rui et al. "Scalable and Flexible Location-Based Services for Ubiquitous Information Access." First International Symposium on Handheld and Ubiquitous Computing, HUC'99, Karlsruhe, Germany. Sep. 27-29, 1999. Published by Springer, Lecture Notes in Computer Science. vol. 1707. pp. 1-15.

Kottman, Cliff. "Geospatial Sciences in support of Digital Government." Open GIS Consortium, Inc. Nov. 16, 2000. 36 pages.

U.S. Appl. No. 60/170,914, filed Dec. 16, 1999. First named inventor: Semyon Dukach. Entitled, "Apparatuses Methods and Computer Programs for Displaying Information on Signs."

U.S. Appl. No. 60/196,099, filed Apr. 11, 2000. First named inventor: Dara Ung. Entitled, "Wireless chat status tracking."

U.S. Appl. No. 60/196,104, filed Apr. 11, 2000. First named inventor: Erik Wallace. Entitled, "Mobile activity status tracker." U.S. Appl. No. 60/382,909, filed May 22, 2002. First named inventor: Myra Hight. Entitled, "Child locator system."

U.S. Appl. No. 60/387,482, filed Jun. 10, 2002. First named inventor: Suman Beros. Entitled, "Method and apparatus for effecting a detection of mobile devices that are proximate and exhibit commonalities between specific data sets associated with each mobile device."

U.S. Appl. No. 60/400,603, filed Aug. 2, 2002. First named inventor: Alex Mashinsky. Entitled, "Method, system and apparatus for providing transportation service."

U.S. Appl. No. 60/473,738, filed May 28, 2003. First named inventor: Scott A. Horstemeyer. Entitled, "Advertisement business methods for notification systems."

U.S. Appl. No. 60/473,742, filed May 28, 2003. First named inventor: Scott A. Horstemeyer. Entitled, "Response systems and methods for notification systems for modifying future lotifications." U.S. Appl. No. 60/473,949, filed May 28, 2003. First named inventor: Scott A. Horstemeyer. Entitled, "Response systems and methods for notification systems."

U.S. Appl. No. 60/486,768, filed Jul. 11, 2003. First named inventor: Scott A. Horstemeyer. Entitled, "Stop location determination systems and methods based upon user-defined timing criteria."

U.S. Appl. No. 60/498,084, filed Aug. 27, 2003. First named inventor: Charles S. Ribaudo. Entitled, "System and method for personal area matching."

U.S. Appl. No. 60/498,819, filed Aug. 29, 2003. First named inventor: Scott A. Horstemeyer. Entitled, "Notification systems and methods enabling a response to change particulars of a delivery or pickup."

U.S. Appl. No. 60/540,346, filed Feb. 2, 2004. First named inventor: Philip E. Cohen. Entitled, "Monitoring method and system."

OTHER PUBLICATIONS

U.S. Appl. No. 60/547,509, filed Feb. 25, 2004. First named inventor: Charles S. Ribaudo. Entitled, "Personal area matching." U.S. Appl. No. 60/563,639, filed Apr. 20, 2004. First named inventor: Keith A. Kreft. Entitled, "Information mapping methods, systems and applications."

U.S. Appl. No. 60/611,801, filed Sep. 22, 2004. First named inventor: Jim Karpen. Entitled, "Emergency call handling system." U.S. Appl. No. 60/621,345, filed Oct. 22, 2004. First named inventor Purva R. Rajkotia. Entitled, "System and method for provisioning broadcast and multicast services in a wireless net-

U.S. Appl. No. 60/631,293, filed Nov. 24, 2004. First named inventor: Gregory J. Winter. Entitled, "Mobile resource management system."

U.S. Appl. No. 60/650,927, filed Feb. 8, 2005. First named inventor: Michael F. Gende. Entitled, "Procedures for provisioning and routing 9-1-1 voice over IP (VoIP) and/or wireless voice calls to the proper public safety answering point (PSAP)."

U.S. Appl. No. 60/655,230, filed Feb. 22, 2005. First named inventor: Kathy Pierce. Entitled, "Geographic redundancy or back up switch.'

U.S. Appl. No. 60/657,560, filed Feb. 28, 2005. First named inventor: Thomas Breen. Entitled, "Methods and systems for foreign call back number compatibility for VoIP E 9-1-1 calls."

U.S. Appl. No. 60/658,223, filed Mar. 3, 2005. First named inventor: Robert F. Cromp. Entitled, "Incident command system."

U.S. Appl. No. 60/661,506, filed Mar. 15, 2005. First named inventor: Rakesh Kushwaha. Entitled, "System and method for monitoring and measuring end-to-end performance ising wireless devices."

U.S. Appl. No. 60/661,507, filed Mar. 15, 2005. First named inventor: Rakesh Kushwaha. Entitled, "System and method for trap management and monitoring on wireless terminals."

U.S. Appl. No. 60/668,242, filed Apr. 4, 2005. First named inventor: Hermann Schulte-Kellinghaus. Entitled, "Home zone solution using radio frequency identification (RFID) technology.'

U.S. Appl. No. 60/608,180, filed Sep. 9, 2004. First named inventor: Robert S. Block. Entitled, "Radio Interoperability." U.S. Appl. No. 60/608,181, filed Sep. 9, 2004. First named inventor:

Robert S. Block. Entitled, "Presence Detection."

U.S. Appl. No. 60/630,332, filed Nov. 24, 2004. First named inventor: Mark Greenstein. Entitled, "System and method for dispatching transportation to persons who want ransportation.'

U.S. Appl. No. 60/328,263, filed Oct. 10, 2001. First named inventor: Robert D. Summer. Entitled, "System and method for emergency notification content delivery." U.S. Appl. No. 60/444,248, filed Jan. 31, 2003. First named inven-

tor: Douglas Rowitch. Entitled, "Global positioning system (GPS) user plane mobile station mobile positioning benter (MS-MPC). U.S. Appl. No. 60/445,815, filed Feb. 5, 2003. First named inventor: Douglas Rowitch. Entitled, "Global positioning system (GPS) user plane mobile station mobile positioning enter (MS-MPC).

U.S. Appl. No. 60/476,262, filed Jun. 3, 2003. First named inventor: Bart Stanco. Entitled, "Personal communication devices."


U.S. Appl. No. 60/590,667, filed Jul. 23, 2004. First named inventor: Richard Poppen. Entitled, "Automated prioritization of map objects.

U.S. Appl. No. 09/494,553, filed Jan. 31, 2000. First named inventor: James M. Zombek. Entitled, "Messaging method and apparatus for sending and receiving messages in a client server environment over multiple wireless networks.'

U.S. Appl. No. 09/694,297, filed Oct. 24, 2000. First named inventor: James M. Zombek. Entitled, "Messaging method and apparatus for sending and receiving messages in a client server environment over multiple wireless and wireline networks."

Huff, "Macro Management: New Advancements in Wireless Technology Automate Driver Input and Turn Volumes of Vehicle and Driver Data Into Byte-Size Pieces That Help Drivers and Managers Alike," Commercial carrier journal for professional fleet managers. May 2003, vol. 169 No. 5, pp. 36-40.

* cited by examiner



OPENING SCREEN

FIG. 1





FIG. 2A



MATRIX OF BUDDY LIST




FIG. 2C




FIG. 2D




FIG. 2E





FIG. 2F

	BUDDIES	SETTINGS	UPDATE	HELP
18	TENNIS TÉAM			
	SKI			
	ĄUSŢIN///			
	JO\$E/.//			
	KIRSTEN			
	PAUL			
6	INST01			
	MAPIŤ ÁLĹ			
	GROUPS ONLY			
	BUDS ONLY			
	INSTANT BUD			
	†			
	14			
	HOME	-	-	-
	BUDS ONLY INSTANT BUD 14	_	-	


TYPICAL SCREEN SHOWING A NAMED BUDDY LIST'S CONTENTS

FIG. 3




TYPICAL SCREEN SHOWING A BUDDY'S LOCATION ETC.

FIG. 4



MAPIT™ DISPLAY

FIG. 5




MAPIT DISPLAY SHOWING POSITION HISTORY OF A BUDDY

FIG. 6

BUDDIES	SETTINGS	UPDATE	HELP
TRACIE			
ĎĘAŃ /	DEAN SMITH	—36	
KAREN	LAST: 11:14 -	34	
STEVE	DJ8: 3.4MI	—38	
	DIR. E (90°)	<u>40</u>	
	LAT: 25°15m27s	<u>42</u>	
	LNG:/22°13m48s	<u>44</u>	
	SPEED: 1,5	<u>46</u>	
	MAPIT —	<u>48</u>	
	MAPIT W HIS		

TYPICAL SCREEN SHOWING POSITION AND STATUS OF A MEMBER OF A GROUP

FIG. 7




MAPIT DISPLAY WHEN THE POSITION OF A BUDDY IS REQUESTED

FIG. 8

	BUDDIES	SETTINGS	UPDATE	HELP
	TENNIS TEAM			
	SKI			
	AUSTIN			
	JOSE			
	KIRSTEN			
	PAUL			
	12313134Kdx1	INST01 -	— 52	
		LAST: 10:47	 54	
		DIS: 4.7MI	 56	
		DIR: NE (45°)	— 58	
		LAT: 25°15m27s	 60	
		LNG: 22 ⁰ 13m48s	<u>62</u>	
		SPEED: NONE	 64	
		MAPIT -	— 66	
		MAPIT W HIS	 68	
Ē	НОМЕ	_	_	_


SCREEN SHOT SHOWING AN INSTANT BUDDIES LOCATION

FIG. 9



INSTANT BUDDY SETUP SCREEN

FIG. 10



INSTANT BUDDY SETUP SCREEN DISPLAYED ON PHONE OF INSTANT BUDDY

FIG. 11





FIG. 12 PRIOR ART CELL PHONE SYSTEM PEER TO PEER EMBODIMENT



BUDDY WATCH SERVER & CELL PHONE PROCESS TO EXCHANGE POSITION DATA

FIG. 13A





FIG. 13B



ALT. EMB. OF POSITION EXCHANGE PROCESS

FIG. 14A





FIG. 14B






FIG. 15




FIG. 16 SERVER-BASED BUDDY WATCH SYSTEM

PREFERRED INSTANT BUDDY SETUP PROCESS




FIG. 17A







FIG. 17B





PROCESS TO ESTABLISH AND USE PERSONAL BREAD CRUMBS MODE







FIG. 20B

PROCESS TO ESTABLISH AND USE PERSONAL BREAD CRUMBS MODE



250~

POSSIBLE)

INITIATOR SELECT INSTANT

BUDDY SETUP MENU OPTION

INITIATOR ENTERS THE PHONE

BUDDY SCREEN ID ARE AUTO-

INITIATOR FILLS IN A TIMEOUT

PERIOD OR SELECTS THE

DEFAULT PERIOD - CLICK NEXT

INSTANT BUDDY PACKETS GET

ROUTED IN CELL SYSTEM AND

ROUTED TO RUBICON SERVER

AUTHENTICATES INITIATOR

RECIPIENT AND FORWARDS

PACKETS TO CELL SYSTEM

CELL SYSTEM ROUTES

PACKETS TO CELL WHERE

PROPOSED NEW INSTANT

BUDDY WIRELESS DEVICE

PROPOSED INSTANT BUDDY

RECEIVES MESSAGE ON

INSTANT BUDDY REQUEST

NUMBER AND REQUEST TO

SCREEN DISPLAYS INITIATOR'S

OPTIONAL DISPLAY OF PHONE

ΝO

DONE

WIRELESS DEVICE AND **DISPLAYS INSTANT BUDDY**

RUBICON SERVER

IS REGISTERED

REQUEST SCREEN

BUDDY ID, SCREEN ID


ACCEPT OR DENY


ACCEPTED


266 √₩


AND AUTHENTICATES


Feb. 28, 2017











RECENTER ON USER









FIG. 27














SEQUENCE FROM SERVER TO AUTO DELETE A USER - SCHEDULE






FIG. 33


SEQUENCE FROM SUPERVISOR TO ADD USER




SEQUENCE FROM SUPERVISOR TO EDIT USER



SEQUENCE FROM SUPERVISOR TO DELETE USER



SEQUENCE FROM SUPERVISOR TO ISSUE TOKEN



ALL COMMUNICATION BETWEEN HANDSETS IS ROUTED THROUGH THE RUBICON SERVER. DATABASE UPDATES ARE MADE TRACKING THE PROGRESS

FIG. 37

SEL = SELECT

SEQUENCE FOR PREFERENCE SETUP LAUNCH TALKCONTROL APPLICATION ON HANDSET SCROLL DOWN STARTUP SCREEN TO ADD/EDIT/DEL USER PRESS SEL **LOGIN AND** PRESS SEND OR HAVE AUTO LOGIN ENABLED SCROLL AND SELECT PREFERENCES PRESS NEXT SELECT PREFERENCE MAIN MAIN FEATURE CH/UPDATE, LOGIN, PASSWORD, ID PRESS SEL SEL CH/UPDATE SET SET ID **LOGIN PASSWORD NOTIFY** PRESS SEL PRESS SEL PRESS SEL PRESS SEL **AUTO LOGIN** TYPE IN TYPE IN AND CHECK CHECK TO AND SET SET ID METHOD(S) **ENABLE PASSWORD PRESS NEXT** AUDIO, VIB PRESS NEXT PRESS NEXT PRESS NEXT ALL COMMUNICATION BETWEEN HANDSETS IS ROUTED THROUGH THE RUBICON SERVER. DATABASE UPDATES ARE MADE TRACKING THE PROGRESS FIG. 38 SEL = SELECT

SEQUENCE FROM SUPERVISOR FOR STATUS





FIG. 39

THE PROGRESS SEL = SELECT

SEQUENCE FROM SUPERVISOR TO CREATE GROUP



ONTO CARRIER SERVER

FIG. 40

RENDEZ VOUS MANAGEMENT USING MOBILE PHONES OR OTHER MOBILE DEVICES

CLAIM OF PRIORITY

This application is a continuation of U.S. patent application Ser. No. 13/889,132, filed Jun. 17, 2013, which is a continuation of U.S. patent application Ser. No. 12/075,408, filed Mar. 11, 2008 (now issued as U.S. Pat. No. 8,538,458), which is a continuation of U.S. patent application Ser. No. 11/099,362, filed Apr. 4, 2005 (now issued as U.S. Pat. No. 7,353,034. Priority is hereby claimed under 35 U.S.C. §120 or 365(c) to each application, and each application is incorporated herein by reference.

FIELD OF USE AND BACKGROUND OF THE INVENTION

The cellular market in 2003 was around 150-160 million 20 devices in the US and the number is growing at over 10% per year at least. Europe already has 320 million cell phone users, and the global market is over 1.4 billion devices.

Cell phone carriers are looking for opportunities to increase both revenue and profits by providing new services. 25 For example, recently cell phones have been provided with browsers to allow surfing the internet from the phone. One of the needs businesses, families and individuals have is the need to know where their employees, children and friends are. No two way position information sharing technology 30 currently exists as far as the applicant is aware.

The one way location sharing prior art includes On Star and the Mercedes Benz TeleAid services where, via GPS receivers and cellular phone capability built into a car, an aid center can track cars all over the world and speak with the 35 occupants and sense when the cars airbags have deployed. Other commercial services allow parents to track the locations of their children in a one way location sharing manner. None of these services allow the occupants of the car to know where the aid center is or allows the children to know 40 where their parents are.

Another need is for a system for use by motorists, hikers, pilots and boatmen to allow them to be able to contact rescuers and know the location of the rescuers as they come to the aid of the stranded person and to allow the rescuers to 45 know the location of the victims they are trying to rescue. The need requires that cell phones have the capability to be reconfigured in the field to add an "instant buddy" to the list of people with whom location information is shared. The prior art kid tracking systems could not be reconfigured in 50 the field to add new individuals with whom location information was to be shared.

Differences Over Kid Tracking Prior Art

In the prior art, one could buy phones that were set up at the manufacturer to enable parents to locate their children. 55 One such service allows up to eight phones to be used and allows parents to monitor the locations of their kids. But these services do not allow the kids see the locations of their parents because the service is not set up to share location information between phones. In other words, it is a one way 60 service with the kid's locations being sent to the parents phones for display but not vice versa. Further, there is no mechanism to add groups and members of groups, and there is no mechanism to set up "instant buddies" as that term is used below (temporary location sharing between phones on 65 an ask and accept basis which automatically expires after a configurable interval terminates). The kid locator phones are

2

set up at the factory and nothing can be changed in the field by the users and they are always on and cannot be disabled.

It is useful to be able to share locations among multiple cell phones which have GPS locator ability. Such an ability would be useful for people in groups who have made plans to meet at specific locations at specific times. When one person is late, the others in the group would be able to ascertain the tardy person's location. To alleviate privacy concerns, it would be useful to be able to turn off location sharing or to program location sharing so that it turns itself on automatically at some date and time and turns itself off at some other programmable date and time. It would also be useful to have a map display on cell phones which are picture enabled and to plot the locations on the map of persons in a group who have their location sharing capability turned on.

SUMMARY OF THE INVENTION

The invention contemplates 2.5 GHz and 3 GHz Java enabled, web enabled (or similar) cell phones and Personal Digital Assistants or other web enabled wireless products with global positioning system (GPS) receivers and sufficiently large liquid crystal displays for the preferred embodiment. The phones must be web enabled to be able to send and receive TCP/IP or other protocol packets over the internet to the Buddy Watch server.

In some embodiments where push-to-talk enablement is implemented, GPS receivers are not necessary in the cell phones but they must be web enabled to be able to send and receive TCP/IP or other packets over the internet to the Buddy Watch server.

These phones and other wireless devices are programmed with software (programmed at the factory or downloaded from the assignee of the present invention) to have the user interface and functionality described herein to allow mutual tracking and optional position mapping displays of members of groups and of instant buddies coming to the rescue of stranded motorists, hikers, pilots and boatmen. These phones work with a Buddy WatchTM server coupled to the internet. The server is not limited to any specific language or technology nor is it limited to any specific wired or wireless solution or any particular transmission physical layer or protocol.

The teachings of the invention do not require development of new cell phone or PDA technology nor do they require development of new cellular communication infrastructure. The functionality implemented by the software of the invention utilizes existing platforms and infrastructure. In the preferred embodiment, the software of the invention is developed to JAVA specifications.

In its primary mode, the process of the invention only allows exchanging and mapping of position data with persons on a Buddy ListTM programmed into a Buddy WatchTM (synonym for Buddy TrackerTM) device (defined as any of the devices mentioned anywhere in the specification when programmed to operate in Buddy Watch mode or coupled to another device operating in Buddy Watch mode). The user must allow others on his Buddy Lists to "see" his location (location sharing may be turned off), and the user must request to see the location of others on his Buddy Lists to be able to have their positions reported and/or mapped. Position information exchanged via radio transmission on the cellular infrastructure is encrypted so that outsiders cannot see or use location information that is transmitted. A simple menu structure allows easy setup and management of Buddy Watch application programs. The keypad of the phone or

PDA is used to enter information into the Buddy Watch enabled device. Online help is available to setup and use the Buddy Tracker application program(s).

The teachings of the invention can also be integrated into other products and services such as autos with GPS based 5 navigation systems. This would be done by expanding the navigation system to have a cellular transceiver capable of sending and receiving digital data including position data to the Buddy Tracker server. It could also be done by expanding the GPS navigation system product to have a USB or 10 other interface port to couple the system to a cell phone or PDA of the type described above. This interface would allow the GPS navigation system to receive position data from the wireless digital data transceiver and map the position data on the GPS navigation system display of the auto. Handheld 15 GPS navigation devices can also be expanded by integrating a cell phone therein or providing a port to interface to a cell phone to exchange position information with the Buddy Tracker server.

In a system employing the teachings of the invention, the 20 users can change things on the fly in the field such as: adding groups and members; adding instant buddies, changing the size of the area in which their buddies can be tracked, enabling or disabling the location information sharing function without disabling the phone, etc.

Some of the benefits of the Buddy Tracker technology are that it allows businesses to easily identify which service persons are closest to the next job and to let personnel in the field know the positions of their co-workers and to share their location with their co-workers. Parents can keep track of where their kids are. Friends can keep track of where their buddies are and share their position with their buddies. Location information will be shared only so long as the phone is on and in an area where the device can receive a GPS signal and send the phone's coordinates out on the 35 cellular network (and the location sharing capability is enabled).

Further, the cellular carriers do not have to invest in engineering or infrastructure to offer the Buddy Watch functionality. The software that implements the Buddy 40 Watch functionality can be downloaded from the web or installed at the point of sale of a cell phone or PDA. Use and sale of an application that makes use of the on-board GPS capability of cell phones and PDAs built to comply with the E911 requirement allows the carriers to recoup some of the 45 costs imposed upon them by the E911 requirement.

Enhancements to cellular phones in recent years such as the addition of cameras and web browsers have lost track of one of the basic reasons for cell phones in the first place—people want to communicate with and know where other people are. This is applicable to parental monitoring and increasing the efficiency of business and increasing the effectiveness of law enforcement. The Buddy Watch system also functions to decrease the load on the 911 system since not every situation requires the help of 911 authorities.

BRIEF DESCRIPTION OF THE DRAWINGS

- FIG. 1 is a screen shot of a typical opening screen which would be displayed on a cellphone with the BuddyTrackerTM 60 software enabled.
- FIG. 2A shows a block diagram of the Buddy Watch system.
- FIG. 2B illustrates a matrix or web of supervisorial relationships and Buddy Lists.
 - FIG. 2C is a diagram of the start-up screen.
 - FIG. 2D shows the Mapit page.

4

- FIG. 2E shows additions options for manual refresh, etc. which can be reached by scrolling down the Mapit page below the list of active users. FIG. 2F is a screen of active users.
- FIG. 3 represents a display in the user interface which shows individuals on the phone's Buddy List as well as a group of buddies which has been given the name Tennis Team.
- FIG. 4 is a user interface display showing the result when the tennis team Buddy List entry is selected and the information that is displayed when one of the members of the tennis team is selected for display of location information.
- FIG. 5 is a user interface display showing a map rendering with the location of a selected member of the tennis teach group displayed thereon.
- FIG. 6 is a user interface display showing a map rendering with the location history of a selected member of the tennis team rendered thereon.
- FIG. 7 is a screen shot of a display in a typical system employing the invention showing positions and status of members of a selected group.
- FIG. 8 is a screen display showing what is displayed when Dean is selected and the Mapit command in box 48 is given by double clicking on the box or by any other means.
- FIG. 9 is a screen shot of an instant buddy display after an instant buddy relationship has been set up.
- FIG. 10 is a screen shot of a typical display in a system employing the teachings of the invention to establish an instant buddy ID in box 70, and give the instant buddy a caller ID in box 72 (the instant buddy's caller ID or phone number is used by default).
- FIG. 11 is a screen shot of the display which appears on at least the instant buddy's phone after a stranded motorist, pilot or hiker has contacted 911 and entered a caller ID and carrier for a proposed instant buddy.
- FIG. 12 is a block diagram of a typical prior art cellular system infrastructure in which the method and apparatus of the invention work in a peer-to-peer embodiment.
- FIG. 13, comprised of FIGS. 13A and 13B, is a flowchart of the method of exchanging GPS position data among cell phones of a watch list.
- FIG. 14, comprised of FIGS. 14A, 14B and 14C, is a flowchart of processing of an embodiment that implements several modes of operation.
- FIG. **15** is a flowchart of the process of establishing an Instant Buddy Relationship.
- FIG. **16** is a block diagram of a typical cellular system coupled by a gateway and a Wide Area Network such as the internet to a Buddy Watch server to provide the infrastructure of the invention.
- FIGS. 17A and B are a flowchart of the preferred Instant Buddy Setup process.
- FIGS. 18 and 19 are diagrams of some of the user 55 interface display screens involved in the Instant Buddy Setup process.
 - FIGS. 20A and B are a flowchart of the process of enabling the personal bread crumbs mode and how it works.
 - FIG. **21** is a flowchart of another embodiment of a process to establish and use the personal bread crumbs mode.
 - FIG. 22 is a flowchart of the preferred embodiment for the instant buddy setup process.
 - FIG. 23 is a flowchart of another embodiment of a process to receive buddy location update requests and process them.
 - FIG. **24** is a diagram of the default start screen and some of the other user interface screens that the user can navigate to from the start screen.

FIG. 25 is a help screen showing how navigation to a view new alarms screen can be accomplished.

FIG. 26 shows the tree structure of a plurality of other screens which can be used to add target locations, annotate the target locations with text, voice or photo notes, add a text 5 message, give commands to take a picture or find a picture file, record a voice message to be appended to the target, request position updates for all active buddies, map the positions of all active buddies or select particular buddies for mapping or requesting a position update.

FIG. 27 shows a number of screens which can be displayed to map the position of a selected user with history and give information about the user as well as send short text messages, record and send voice messages, photos, Instant Messenger links, target positions, etc.

FIGS. 28A and 28B show user interface screens created by Buddy Tracker software to create settings such as bread crumbs on or off, security codes for personal bread crumbs tracking and verification that a user is OK, set checkup timeout intervals, establish phone numbers and email 20 addresses of other users to call in case of emergency in personal bread crumbs mode, add, change or delete group names, set the Mapit screen radius, refresh rate and update setting, refresh time, delta position change for refresh.

FIG. **29** shows the user interface screens to create a new ²⁵ buddy and showing the communication paths and accept protocol to do this.

FIG. 30 is a diagram of the user interface screens for defining, deleting and using map rooms for closed proximity groups, open proximity groups, etc. For closed proximity group map rooms, listed users can set their preferences to automatically enter or be alerted that they are in the Zone and manually decide to enter.

FIG. 31 is a block diagram of the system for TalkControl to simplify cell phone walkie-talkie operations.

FIG. 32 is a flow diagram of a process a user of a walkie-talkie enabled phone can initiate to join a talk group to enable subsequent walkie-talkie operations.

FIG. 33 is a flowchart of the process the Rubicon server carries out to automatically delete a user.

FIG. **34** is a flowchart of the process the Rubicon server carries out to allow a supervisor to add a user.

FIG. 35 is a flowchart of the process for a supervisor to edit a user in a talk group.

FIG. 36 is a flowchart of a process for a supervisor to 45 delete a user from a talk group.

FIG. 37 is a flowchart of a process for a supervisor to issue a token.

FIG. 38 is a flowchart for the process of setting up preferences.

FIG. 39 is a flowchart of the process to allow a supervisor to request status.

FIG. 40 is a process flowchart of the process for a supervisor to create a group.

DETAILED DESCRIPTION OF THE PREFERRED AND ALTERNATIVE EMBODIMENTS

FIG. 1 is a screen shot of a typical opening screen which 60 would be displayed on a cellphone with the Buddy Tracker™ software enabled on the phone. FIG. 2A is a block diagram of the Buddy Watch system. A Buddy Watch or Rubicon server communicates with wireless devices 2 through 6 via the internet 9 and wireless carrier systems 7 65 and 8. In the claims, the Buddy Tracker software is called the GPS position data sharing software application and it is

6

resident on each of wireless devices 2 through 6. Generally, communication between the handsets and the Rubicon (Buddy Watch) server occurs as follows. Each handset communicates data packets through its local cellular carrier network via TCP/IP compliant data packets encapsulated in cell system packets. The carrier network tower receives the packets and strips off the cellular encapsulation and forwards the TCP/IP packet to an appropriate gateway connected to the internet 9. Routers in the internet route the packet to its destination, generally the Buddy Watch server 1. The receiving server validates the content of the IP packet to authenticate the sender as a registered Rubicon user and to verify that the sending phone EIN matches the phone EIN stored in the server. Once authenticated, the packet content is processed by the server. A response to the request in the packet is prepared using information from a database maintained by the Rubicon server and any associated map needed for the response is requested from a map server. The complete response is compiled, including any data needed to render a map on the recipient wireless device display and packetized into a TCP/IP packet and sent back to the originator of the request via internet routers and carrier gateways that couple the wireless carrier systems to the internet. The gateway of the carrier identifies the correct tower for the cell in which the recipient's phone is currently resident and the packet is encapsulated in a cell system packet and forwarded to the appropriate tower where it is transmitted wirelessly to the cell phone or other wireless device of the recipient. The wireless device then recovers the data in the TCP/IP packet and the port address in the TCP/IP packet header causes the packet to be routed to the Buddy Watch software where it is processed.

FIG. 2C is a diagram of the start-up screen. On startup, each handset starts its GPS sampler and the Buddy Watch application program. If Main is pressed, the user is taken to the Nextel default page (or whatever other carrier is being used). If Mapit is selected, the user is taken to the Mapit page shown in FIG. 2D. FIG. 2D shows the Mapit page where the positions of active users within the radius set up in the preferences of the center point XXX within radius YYY is shown. Scrolling down the Mapit page below the map is the list of active users including those outside the radius. FIG. 2E shows additional options for manual refresh, etc. which can be reached by scrolling down the Mapit page below the list of active users. FIG. 2F is a screen of active users. Color is used to highlight items. Scrolling to a user and pressing OK gives two options: re-centering the map on the user and displaying details of that user.

The Buddy Tracker software creates the displays such as 50 that shown in FIG. 1 and other user interface displayed discussed elsewhere herein. FIG. 24 is a diagram of the default start screen and some of the other user interface screens that the user can navigate to from the start screen. This is a help/emergency screen 15 which has a next command 19 which can be selected to take the user to the 911 screen 17 which can be used to take the user to a screen 21 wherein the user can select the type of help requested. FIG. 25 is the help screen and shows how navigation to view a new alarms screen can be accomplished. FIG. 26 shows the tree structure of a plurality of other screens which can be used to add target locations, annotate the target locations with text, voice or photo notes, add a text message, give commands to take a picture or find a picture file, record a voice message to be appended to the target, request position updates for all active buddies, map the positions of all active buddies or select particular buddies for mapping or requesting a position update. FIG. 27 shows a number of screens

which can be displayed to map the position of a selected user with history and give information about the user as well as send short text messages, record and send voice messages, photos, Instant Messenger links, target positions, etc. FIGS. 28A and 28B show user interface screens created by Buddy Tracker software to create settings such as turning bread crumbs on or off, security codes for personal bread crumbs tracking and verification that a user is OK, set checkup timeout intervals, establish phone numbers and email addresses of other users to call in case of emergency in 10 personal bread crumbs mode, add, change or delete group names, set the Mapit screen radius, refresh rate and update setting, refresh time, delta position change for refresh. FIG. 29 shows the user interface screens to create a new buddy and shows the communication paths and accept protocol to 15 do this. FIG. 29, is discussed more below, and is a representation of the screens and protocols to initiate and accept an instant buddy relationship. FIG. 30 is a diagram of the user interface screens for defining, deleting and using map rooms for closed proximity groups, open proximity groups, 20 etc. For closed proximity group map rooms, listed users can set their preferences to automatically enter or be alerted that they are in the Zone and manually decide to enter. For Open Proximity Group Map Rooms, anyone can join by opting in from their phone or from a sponsor's website. Upon entry, 25 they can view and be viewed by all other members in the map room. Proximity rooms are useful to find and be found by friends attending an event.

In FIG. 1, area 10 discloses that the Buddy Tracker location sharing application software is active and is sharing 30 the location of the phone with other members of a designated group. Area 12 indicates that parental status is active which means that the employer of the employee carrying the phone or the parent of the kid carrying the phone can see the location of the employee or kid if the phone is on. When 35 parental status is active, the supervisory function cannot be turned off or evaded. This supervisory location sharing can be hierarchical such that an employer can see the location of all its employees, and each of the employees can be set up as supervisor of their children such that the employees can 40 see the locations of their children, but the employer of each employee cannot see the locations of the children of each employee. The supervisorial relationships can be set up to define a matrix or web of Buddy List and supervisorial relationships, such as is illustrated in FIG. 2B.

In FIG. 2B, phone A has phones C and D on its Buddy List and is set up as the supervisor of those two phones. Phone B has phones A, G, F and E on its Buddy List and is set up as the supervisor of those phones. Phone H has phones E, J and I on its Buddy List and is set up to supervise those. 50 Phone K has phone I on its Buddy List and is set up to supervise phone I.

Each of the phones in FIGS. 2A and B is coupled to the cellular carrier infrastructure in a conventional manner and can send phone calls or short text messages or email 55 messages to any other phone including the cell phones represented by lettered circles in FIG. 2B. FIG. 12 is a block diagram of a typical prior art cellular system infrastructure in which the teachings of the invention in a peer-to-peer embodiment can be practiced. An area of the country is 60 divided into several cells represented by circles such as 93 and 95. Inside each cell is a transceiver tower, represented by blocks 94 and 96 which carries out time division multiple access or code division multiple access digital radio communications with cell phones in its cell. The cell phones or 65 PDAs are represented by autos 98 and 100. Data recovered from the cell phone transmissions is transmitted to a central

8

switching system 102 by data paths such as 104 and 106. The central switching system 102 is coupled to a public service telephone network 108.

Transmissions from one cell phone to another take place via the towers such as 94 and 96 and the central switching system 102. For example, suppose cell phone 98 wants to send its GPS location data to cell phone 100 and cell phone 100 wants to send its GPS location data to cell phone 98. The system of the invention uses some communication protocol such as XML, modified short text messages or other methods to send GPS location information to all cell phones on a Watch list. XML is a slimmed down version of SGML and enables Web authors to create their own tags so that they can more accurately capture the structure of their data. Because this structure can be read by SML-compliant browsers, the information encoded in these tags can be made available to programs such as Java applets or it can be displayed by formatting the XML tags with a style sheet.

In the preferred embodiment, the wireless devices in a group which has location tracking turned on periodically send their GPS position data to all the other members in the group. The process for each wireless device to send its position data to any other wireless device in the group is as shown in FIGS. 13A and 13B. Basically, FIG. 13 is a flow chart of the process of two or more cell phones exchanging encrypted GPS position data. FIG. 23, discussed below, is a flowchart of another embodiment of a process to receive and process Buddy location update requests. The process of FIG. 13 starts at step 110 with a request for a position update. In the preferred embodiment, this happens when a user of a Buddy Tracker phone uses his phone to make a request for a location update. In other embodiments, location updates can be requested automatically and periodically by the Buddy Tracker software on a device that is reporting its position. In other embodiments, a position update can be automatically generated by a device which is reporting its position to other members of a group whenever the position of the device has changed from its last reported position by a programmable amount. The requested position update may be sent to everybody on a selected Buddy List or just a single person's wireless device. In some embodiments, the position update is sent to some subset of persons on a selected Buddy List. Step 112 represents the process of looking up the addresses for all people on the selected Buddy List, a watch list, or just a selected individual or a subset of individuals from a watch list, as the case may be. Some embodiments may be limited to position updates on entire Buddy Lists.

Step 114 represents the process of reading the GPS position data from the built in GPS receiver of the phone (or the GPS receiver of the navigation system) and encrypting the position data.

In step 116, cell phone 98 puts its encrypted GPS location data into a message according to the chosen communication protocol (assume short text message—SMS for short) and addresses the message packets to the one or more phones of the selected persons with which position information is to be shared.

In step 118, the SMS message packets are transmitted to tower 94 using whatever physical layer protocol the cellular system uses such as TDMA or CDMA. The header of the SMS packets contains data indicating the payload data is to be sent to the Buddy Watch software of a particular cell phone and not to the inbox of the phone's SMS software. The payload data of these packets is the encrypted GPS position data. The physical layer protocol typically involves the following steps. First, the packets are disassembled into groups of bits of some predetermined size called codewords

the size of which depends upon the particular configuration of the forward error correction software. The codewords are then interleaved to help defeat burst errors. Each codeword can then be encoded with error detection and correction bits such as by using Reed Solomon encoding. The codewords are then broken down into groups of bits called constellation points. The number of bits in each group depends upon the type of modulation scheme in use. In some embodiments, the groups of bits are then further encoded in a Trellis encoder

The encrypted GPS position data packets would be addressed such that they would be routed in the cellular system to all the other wireless devices using the Buddy Tracker software which requested a position update. This is done by routing the packets to the cell transceivers in the cells in which the wireless devices which require updates are currently registered, as represented by step 120. For example, if cell phone 100 in FIG. 12 is on the Watch list or is being automatically updated or has requested a position 20 update manually, it will have transmitted a packet to transceiver 96 indicating it needs a position update and, when the wireless device entered cell 95, it will have exchanged packets with transceiver 96 to achieve synchronization with transceiver 96 and to register in cell 95. Each wireless device 25 that is registered in a cell will have done this, and the transceivers in each cell will communicate with the central switching system 102 to indicate which wireless devices are registered in their cells. Therefore, the routers in central switching system 102 will know which wireless devices are 30 registered in each cell and will know which wireless devices are to receive position updates. Step 120 represents the process of receiving the signals from each wireless device that are modulated with constellation points that contain the data of packets that contain GPS positions, recovering the 35 data from the constellation points and doing error detection and correction and recovering the GPS position data packets. These packets are then routed to the central switching system which uses the destination addresses in the packets and its routing tables to route them to the transceivers in 40 whatever cell or cells the wireless devices that require position updates are registered. There, the packets are disassembled, encoded with error correction and detection data, and assembled into symbols or constellation points in whatever type modulation (QAM, QPSK, etc.) is being used and 45 transmitted to the wireless device. This happens for every wireless device on a watch list or which has requested a position update.

At each wireless device which receives the signals modulated with the constellation points bearing the GPS position 50 data, the data of each packet is recovered and the packet is reassembled, as symbolized by step 122. The header data of the packet (the port number in the case of TCP/IP packets) causes the wireless device to pass the packet to the Buddy Tracker software which is monitoring a particular port, step 55 124. When a packet is passed to that port (or just the payload data thereof), the payload data is decrypted and the position data recovered, step 126. Step 126 also represents the process of reading the header data of the incoming packets and determining which other member of a buddy group sent 60 the position update so that the position information for the proper member of the Buddy Group is displayed. The position data is then used to display the position of the other party in the group who sent the packet, and, if the user gives the "Mapit" command, the position data will be converted to 65 a waypoint on a displayed map so as to graphically display the position of the wireless device which sent the packet.

10

Step 128 represents the process of the device which received the position update encrypting its own GPS position into short message or email packets addressed to the other members of a Buddy Watch group or to a single other wireless device. These packets are then sent to all the other wireless devices by the same process described in steps 116, 118, 120, 122 and 124 of FIGS. 13A and 13B, as represented by step 130.

FIG. 23 is a flowchart of another embodiment of a process to receive buddy location update requests and process them. Step 220 represents requesting a buddy location update. Addresses of all persons on the buddy list or just a selected buddy are located in step 222. Message packets are generated in 224 addressed to the selected Buddy List or individuals, and encrypted position data is put in them. A request is sent—226, and these packets get routed to the Rubicon server—228. The initiator and recipient are authenticated-230, and the packets are forwarded to the recipients via the cell system. The cell system forwards the packets to whatever cell each recipient is in—232. The packet arrives and causes a GPS position request to be made in each wireless device—234. The device captures its current GPS position, and encrypts it and packetizes the GPS position in the payload portion of a packet addressed to the Rubicon server with information as to the requestor in some embodiments. The packet is then sent with a timestamp to the Rubicon server for forwarding to the requesting Buddy-238 and 240. The Rubicon server authenticates the initiator and the recipient and forwards the packet to the initiator via the cell system—242. The cell system forwards the packet to the cell where the initiator recipient is located—244. The initiators cell phone receives the packet, and recovers the timestamp—246, and reads the packet header and port number of the GPS information and uses the port number to route the packet to the Buddy Tracker software—248. The Buddy Tracker application program on the initiator's cell phone receives and decrypts the GPS information from the packet, displays the position of the Buddy, and uses information in the header to determine which other Buddies sent position updates—250. The wireless device of the initiator responds to the position update of each Buddy by sending a reply packet with the encrypted position of the initiator—252. Each requested Buddy device updates the Rubicon server and the wireless device of the requesting buddy with its position—254.

Out of Coverage Update Response

In some embodiments, when a wireless device requests an update from another wireless device, and the other wireless device is out of cellular coverage, a timeout occurs. When a timeout occurs without receiving a position update, the wireless device expecting the update changes its display to yellow or some other color for the wireless device which is out of coverage. The Buddy Watch system only works when the phone is on and in a cellular coverage area.

Buddy Watch Modes

FIG. 14, comprised of FIGS. 14A, 14B and 14C is a flowchart of processing of an embodiment that implements the several modes described below. The steps that are numbered with like numbers to steps in FIG. 13 represent the same functionality.

1) Disable: The Buddy Watch application can be disabled by the user. When disabled, the wireless device does not share its GPS position data with any other wireless device so no other buddy can see your position. There is an exception for the parental monitoring function. When parental monitoring is turned on, as symbolized by line 111 in FIG. 14A, the wireless device always shares its GPS position and

cannot be disabled. The disable functionality is represented by test 113 in FIG. 14A which determines when a position update is requested whether the Buddy Watch function has been turned off. If so, processing proceeds to test 115 which determines if parental monitoring is turned on. If not, 5 processing proceeds back to step 110 along line 117 and GPS position sharing does not happen. If the Buddy Watch function has not been disabled, processing proceeds to step 112 to look up the addresses of the wireless devices to which the position update is to be sent. When the Buddy Watch application is disabled and it has been operating and parental monitoring is not turned on, a final position update is sent is sent to those wireless devices on the current Watch List (the wireless devices which are active and monitoring each other's positions).

- 2. Enable: This is the normal mode of operation. Buddies can be added or deleted from the Watch List at any time. Any wireless device that is operating and on the Watch List can find the location of any other device on the Watch List by issuing a position update request. If a buddy is removed 20 from a Buddy List, he or she is not able to receive position updates. Multiple lists can be joined to form a group.
- 3. Supervisor—Parental/Corporate Code: In this mode, as long as the wireless device of the worker or child is on, the supervisor will be able to monitor position by GPS position 25 updates. The worker or child will not be able to disable the Buddy Watch feature nor remove the parent or supervisor from the Watch List. Only the supervisor or parent will have the necessary password to remove himself from a Buddy List or watch list.
- 4. Buddy Lists: This is the normal mode of operation. Buddies can be added or deleted from a list at any time. If a buddy is off a Buddy List, he cannot receive position updates from any other wireless device on the list. Multiple Buddy Lists can be joined into a group and entire groups 35 may be enabled and disabled. Workgroup lists are lists of buddies which need to be aware of the location of their coworkers during working hours but not after. Buddy Lists or Buddy Groups are a means to have a single icon, folder or some similar graphic user interface (GUI) mechanism to 40 represent a list of people and enables single commands to turn on or turn off tracking of a group of people. If a folder is used for each Buddy Group, a drop down list showing the specific names and locations of each person on the list can be displayed when the folder or icon representing the group 45 is selected. If an icon is used, the Buddies would be grouped in and shown on the phone display. Groups receive a color on the GUI and the members of the group are connected by a translucent shaped outline encompassing all the points representing positions on the Mapit display. If the group is 50 spread too far apart to be shown on a single Mapit display, then the shaped outline for the group is not shown and on the specific color coded Buddy positions that can be shown are shown. If the Mapit display is zoomed out, the translucent group outline returns when all members of the group can be 55 shown on a single screen. Buddies that are in multiple groups are colored a non group color or the color of any of the displayed groups. If groups overlay and when Buddies that are in two active groups are shown, the translucent outline shall overlap as needed, and only cover Buddies that 60 exist in both lists.
- 5. Instant Buddies: Instant Buddies can be created when a call is placed between two cell phones, phone enabled PDAs or other wireless Buddy Watch enabled devices. FIG. **15** is a flowchart of the process of establishing an Instant 65 Buddy Relationship. The first step is **132** where the wireless device places or receives a call from a Buddy Watch enabled

wireless device to or from another Buddy Watch enabled wireless device. The two users such as a stranded motorist and a tow truck driver discuss the situation and decide to establish an Instant Buddy relationship. After the call is established, and the two agree to allow it, the two wireless device users can click on the Instant Buddy menu choice in the Buddy Watch menu, as symbolized by step 134. The wireless devices then each display an Instant Buddy Setup screen like that shown in FIG. 11 (step 136) and fill in the appropriate data (fields 84, 88 and 86) in step 138. Both users then indicate their acceptance (field 92 or deny the relationship (field 90), or in some embodiments, only the recipient of the call needs to accept or deny the relationship. Once the Instant Buddy relationship is accepted, the two wireless devices start exchanging position data (step 140). After 24 hours, or some other time set in the Instant Buddy preference menu (timeout checked in step 142), Instant Buddies are discarded (step 144). The Instant Buddy preference menu allows the time period for the Instant Buddy relationship to be set to something other than the default value of 24 hours.

Preferred Instant Buddy Setup Process

FIG. 16 is a block diagram of a typical cellular system coupled by a gateway and a Wide Area Network such as the internet to a Buddy Watch server to provide the infrastructure of the invention. The cellular system shown in FIG. 16 is typical and has the same structure and operation as the cellular system of FIG. 12. What is new is the connection between the central switching system and a Buddy Watch server 146 through gateway 148. The purpose of this will be made clear in the following discussion of the preferred Instant Buddy setup process.

Buddy Watch Server Functions

The Buddy Watch server's main function is to serve maps to the cell phones registered in the Buddy Watch system and implement GPS position data exchanges between itself and the phones on a buddy list to enable members of a buddy list to view the locations of other members of the list. In some embodiments, the Buddy Watch server also downloads application software as needed to phones registered in the system as the phones send packets to the Buddy Watch server indicating a particular command has been given which requires an application program on the phone which is not present.

In the preferred embodiment, the Buddy Watch server runs all the application programs on the server and just sends pages to be displayed on the phone to solicit the user to enter data needed to implement a function.

If the phones had as much memory as the Personal Digital Assistants, the application programs could be loaded and run on the phones themselves.

Other functions of the Buddy Watch server are: setup of user profiles, billing and database access and maintenance. Purchase/Payment Activate Deactivate Key

The functions of the Buddy Watch server will be made clear in discussions which follow. But one of its functions will be to manage activate and deactivate codes. The Buddy Watch application will be a service which a cellular carrier offers on a subscription basis. When a subscriber buys a Buddy Watch enabled phone, he will be issued an activation code and the Buddy Watch server will also be given the activation code. This activation code will be kept in active status as long as the subscriber has paid for the service. Subsequent communications of packet data between the Buddy Watch server and the phone such as downstream position updates of positions of buddies on a Buddy List, receipt of phone position for use in updating other buddies

on a Buddy List, etc. will only be enabled as long as the activation code is in active status. When the subscriber stops paying for the service, the activation code will be changed to a deactivation code status, and subsequent communication between the phone and the Buddy Watch server will be 5 impossible. The Buddy Watch server implements this functionality by checking the activation code status each time before communication with a phone is carried out.

The Buddy Watch application is downloaded via the internet for subscribers who do not already have it on their 10 phones. The customer receives an activate code to key into the phone, or an activation application on the Buddy Watch server receives confirmation of the purchase and automatically sends the activate code to the phone/Personal Digital Assistant and receives back a confirmation. Each month, 15 payment for the service is required. Failure to make the payment results in an application receiving a request to deactivate the Buddy Watch application on the phone/PDA. A deactivate code is sent and a response is received back confirming the phone application has been deactivated. 20 Further attempts to use the application are met with a simple display indicating the service subscription has expired.

The protocol to activate and deactivate the Buddy Watch application is secure in the preferred embodiment.

FIGS. 17A and B are a flowchart of one embodiment for 25 an Instant Buddy Setup process. FIGS. 18 and 19 are diagrams of some of the user interface display screens involved in the Instant Buddy Setup process. All three figures will be referred to in the following discussion. In the preferred embodiment, the Instant Buddy relationship is set 30 up in the following manner.

- 1) An initiator selects the Instant Buddy menu choice options in step 150. This is done by selecting menu option 151 of screen 153 in FIG. 18. This causes a transition to display screen 155 on the initiator's device where the user selects menu option 157. This causes a transition to screen 159 on FIG. 19 which is the Instant Buddy setup screen. This screen shows the initiator's phone number, Instant Buddy ID and Screen ID in auto filled fields 161, 163 and 165, respectively (step 152). There is also a timeout field 167 which the initiator can set to some time if the default time of midnight is not acceptable (step 154). After filling in the timeout value, the Initiator clicks Next in field 169.
- 2) Instant Buddy request packets are generated and sent to the cell transceiver of whatever cell the wireless device of 45 the initiator is registered. These packets contain data which identifies the initiator and the recipient (proposed Instant Buddy) and are addressed to the IP address of the Buddy Watch server 146 in FIG. 16. The packets are recovered by the cell transceiver, sent to the central switching system 102 and routed from there to gateway 148 where they are routed over wide area network 147 to the Buddy Watch server (step 156)
- 3) Buddy Watch server authenticates the initiator and the recipient from data in the packet as a Buddy Watch subscribers. If either is not a Buddy Watch subscriber, the server blocks the transaction by not forwarding the packets to the recipient. Assuming both are subscribers, the server forwards the Instant Buddy request packets to the recipient's wireless device and these packets get routed in the cell 60 system (step 160) via the gateway, central switching system and cell transceiver of the cell in which the recipient's wireless device is registered.
- 4) The proposed Instant Buddy's wireless device receives the packets and displays an Instant Buddy Request screen 65 (step 164) like that shown at 171 in FIG. 19 (step 162). This screen shows the phone number, Instant Buddy ID and

14

Screen ID of the Initiator so the recipient knows who has requested the Instant Buddy relationship. The recipient can either accept or deny the relationship using commands displayed at 173 and 175.

- 5) If the Instant Buddy relationship is accepted (step 166), processing proceeds to step 168 where an accepted packet is sent back to the initiator's wireless device. If the Instant Buddy relationship is denied, step 170 sends a denied packet back to the Initiator device and the process is over (step 172) save for a display on the Initiator device that the Instant Buddy relationship has been denied.
- 6) When the accepted packet arrives at the Initiator device, the device shows an Instant Buddy accepted screen as shown at 177 in FIG. 19 (step 174). This screen shows the phone number, Instant Buddy ID and Screen ID of the recipient and provides commands to accept or cancel the relationship at fields 179 and 181.
- 7) If the Initiator accepts the Instant Buddy relationship (step 176), step 178 occurs where an accepted packet is sent back to the Recipient through the Buddy Watch server.
- 8) The Buddy Watch server records the existence of the new Instant Buddy relationship (step 180), and both wireless devices start sending their GPS position data in packets addressed to the Buddy Watch server. The Buddy Watch server stores the position data from each wireless device and forwards the packets to the other device for updating of their displays. In the preferred embodiment, the Buddy Watch server pulls an appropriate map from the MapQuest server 149 in FIG. 16 based upon the GPS position data of the Initiator and sends that map and the GPS position data in packets addressed to the Recipient. The Buddy Watch server then pulls an appropriate map from the MapQuest server based upon the Recipient's position, and sends that map and the Recipient's GPS position to the Initiator. Each wireless device then displays the position of the other Instant Buddy on the map provided by the Buddy Watch server.

An alternative Instant Buddy setup process is described

- 1) A call from one wireless device to another is initiated;
- 2) After agreeing to establish an Instant Buddy relationship, the initiator clicks on the Instant Buddy menu option;
- 3) This causes an Instant Buddy Setup screen to be shown on the initiator's device which has a first field which is auto-filled with the initiator's phone number, a second field which is auto-filled with an Instant Buddy ID, and a third field which is auto-filled with a Screen ID for the Instant Buddy (this screen ID is a three digit number which will be displayed with the position of the Instant Buddy and is shorter than the Instant Buddy ID);
- 4) The initiator fills in a timeout period for the Instant Buddy relationship or accepts the default value of midnight and clicks a Next command;
- 5) The recipient's wireless device receives the instant buddy request and displays an Instant Buddy Request screen that shows the initiator's phone number, Instant Buddy ID and Screen ID and displays an accept or deny command;
- 6) The recipient either accepts or denies the Instant Buddy relationship;
- 7) If the recipient accepts the Instant Buddy relationship, this fact is communicated to the initiator's wireless device which then displays a screen which displays the recipient's phone number and the recipient's Instant Buddy ID and his or her Screen ID and displays an accept or deny command which the initiator can click on;

8) If the initiator selects the accept command, both wireless devices start exchanging GPS position data, but they do not if the initiator decides to deny the Instant Buddy relationship.

FIG. 22 is a flowchart of the preferred embodiment for the 5 instant buddy setup process. The initiator selects the instant buddy setup process-250, and enters the phone of the proposed new instant buddy-252. The initiator fills in timeout period-254, and instant buddy packets get routed to the Rubicon (Buddy Watch) server through the cell 10 system—256. Rubicon server authenticates the initiator and recipient and forwards packets to cell system—258. The cell system routes packets to the cell where the proposed new instant buddy is-260, and the proposed instant buddy receives a message on her wireless device and displays the 15 instant buddy request screen—262. The instant buddy sees the initiator buddy ID, screen ID and, optionally, his phone number—264, and accepts or denies the relationship—266, 270, 272. If accepted, a packet is sent back to the initiator's wireless device—268, which causes the initiator's device to 20 show an Instant Buddy accept screen with the recipient's phone number, buddy ID and screen ID which the initiator must OK to establish the relationship—274. Steps 276, 278 and 280 handle the acceptance or rejection. In 282, if accepted, the Rubicon server records the new instant buddy 25 relationship and both wireless devices start sharing location information with the Rubicon (X One) server where it is stored and forwarded to the other Instant Buddy. In 284, the initiator's device shows the Instant Buddy Accept screen. Steps 286, 288 verify the phone is collecting GPS data using 30 the GPS sampler program.

User Interface Displays for Buddy Lists

FIG. 3 represents a display in the user interface which shows individuals on the phone's Buddy List as well as a group of buddies which has been given the name Tennis 35 Team. In all the user interface screen shots in the figures of this patent application, a cross hatched area indicates an active status and is typically colored green on the phone display. For example, each cross hatched buddy in column 14 indicates that that buddy's location sharing is active and 40 his position can be seen if the user clicks on that buddy using whatever navigation or pointing mechanism that is built into the cell phone user interface.

The Buddy Tracker software also has the ability to set up instant buddies with, for example, tow truck drivers. Display area 16 shows an instant buddy entry for an instant buddy named Inst01. For example, the user's car breaks down. The user calls a towing service, and finds out the tow truck driver has a cell phone with Buddy Tracker on it. The user dials the tow truck driver's cell phone and requests to be an instant buddy of the tow truck driver's phone. His phone is then set up as an instant buddy on the user's phone. After both phones are set up as instant buddies, each phone shows the location of the other phone on its moving map. This allows the tow truck driver to find the user tow truck customer and 55 the user customer to know where the tow truck driver is.

FIG. 4 shows another user interface display that results from selecting the tennis team entry 18 on the Buddy List of FIG. 4 and then clicking on the Tracie entry. When the Tracie entry is clicked, the information in column 20 appears 60 showing her full name, position, the time of her last fix, her distance from the user and her speed. A green status (cross hatched) means a buddy has his phone on with location sharing turned on and the phone is within range. A yellow status for a buddy (stippled) means the buddy was active and 65 had his location sharing turned on, but contact with him has been lost for one reason or another. A darker green status

16

(double cross hatched), means the buddy is active and has his location sharing turned on but he is out of the immediate area that can easily be shown on the phone's map display. For example, suppose most of the tennis team group are in the Northern California area, but one member of the group is in Los Angeles. If the member in Los Angeles has his phone turned on with location sharing on, his entry in the tennis team list will be shown as dark green meaning his position cannot be mapped.

The Mapit function shown at 22 in FIG. 4 is a function that can be invoked to map the location of Tracie Saka on the phone's display. If Tracie is within range, and the Mapit function is clicked, a display such as the one shown in FIG. 5 is rendered on the phone's display showing the general area and showing Tracie's position at 24 with a text box 26 superimposed on the map with Tracie's name rendered therein.

FIG. 6 is a user interface display showing a map rendering with the location history of a selected member of the tennis team rendered thereon. This display is rendered when the Mapit with History function 28 in FIG. 4 is selected. This display shows the path Tracie took to get to her current location by way of waypoints 30, 31, 32 and 33. In some embodiments, when a user wishes to record a waypoint for their current position, a command can be given that causes the current position of the phone to be reported and saved as a waypoint on the Buddy Watch server 146 in FIG. 16.

In other embodiments, a particular position such as the phones current position or a position selected by moving crosshairs on a map display on a phone can be sent as a meeting place to all buddies on a Buddy List. When such a command is given and a Buddy List is selected, the position of the meeting place and the designated Buddy List is put into packets addressed to the Buddy Watch server **146** and transmitted thereto where the information is stored. The meeting position is then packetized in packets addressed to all the buddies of the designated Buddy List, and those packets are addressed to the phones of the buddies on the designated Buddy List and sent thereto.

Referring to FIG. 7, there is shown a display of a screen showing positions and status of members of a selected group. In this example, Tracie and Karen's positions are known and their name boxes in the left column are displayed in some color such as green indicating they are within cellular coverage and their positions are known. On the other hand, Dean's name box is shown in some other distinctive color such as yellow (represented by single cross hatch) to indicate contact with Dean has been lost. This happens when a user travels outside cellular coverage. Because Dean's name box is currently selected by the cursor, the settings column has the last known information about Dean also displayed in the distinctive color and represented by a single cross hatch. These boxes show Dean's last known position fix time (box 34), his full name (box 36), his last known distance (box 38), and his last known direction, latitude, longitude and speed (boxes 40, 42, 44 and 46, respectively).

FIG. **8** is a screen display showing what is displayed when Dean is selected and the Mapit command in box **48** is given by double clicking on the box or by any other means. When this Mapit command is given, Dean's last known position is displayed with a circle of a distinctive color (such as red), as illustrated at **50**.

Instant Buddy Display with Mapit Position Mapping

An instant buddy relationship also allows the location of the motorist, lost or injured hiker or other user to appear on the tow truck or ambulance driver's cell phone Mapit display.

FIG. 9 is an instant buddy display showing the instant buddy position. This display can be selected after an instant buddy relationship has been set up. This display shows the ID of the instant buddy in box 52, the time of the last position fix in box 54, the distance to the instant buddy in box 56. The direction to the instant buddy, latitude and longitude and speed of the instant buddy are shown in boxes 58, 60, 62 and 64, respectively. If the user selects the Mapit command in box 66 or the Mapit with history command in box 68, the phone display will change to a display like that shown in FIG. 8 or FIG. 6, respectively, with the current position of the instant buddy shown and the prior positions shown if the history option is selected.

Alternative Instant Buddy Setup Process: To set up an instant buddy relationship, the phone is given a command to display an instant buddy setup screen like that shown in FIG. 10. The display of FIG. 10 is used to establish an instant buddy ID in box 70, give the instant buddy a caller ID in box 72 (the instant buddy's caller ID or phone number is used by default). Box 74 is used to establish a timeout period at the end of which the instant buddy relationship is automatically terminated. The timeout period can be set to any interval in some embodiments, or to some selected interval from a drop down menu. Box 76 is used to establish the carrier the 25 instant buddy is using. A cancel command is shown at 78 and a request command is shown at 80.

To start the instant buddy relationship, the request command is issued after the other boxes are filled in. Typically, a stranded motorist or hiker will call a tow truck or 911 and 30 get the caller ID and carrier of the tow truck driver or rescuer. The stranded motorist or hiker will then enter this information in boxes 72 and 76. Box 70 shows an instant buddy ID which is automatically assigned by the system. After entering the information, the request command shown 35 at **80** is selected. The screen of the rescuer's phone will then change to the display shown in FIG. 11. The information the requester filled in on the FIG. 10 screen will appear in boxes 82, 84, 86 and 88 on the stranded motorist or hiker's phone as well as on the instant buddy's phone (the tow truck or $911\ 40$ rescuer). Commands for Denied and Accepted will also appear at 90 and 92 of the instant buddy's phone. If the instant buddy desires to accept the instant buddy relationship, he or she selects the accept command, and the tracking of the two instant buddies' positions will begin. Upon 45 acceptance of the instant buddy relationship, each instant buddy's phone displays changes to the display shown in FIG. 9 from which the Mapit or Mapit with history command can be issued.

Corporate Supervision Setup Via Passcode

Corporations that wish to monitor the locations of their employees can use the system of the invention by using a corporate passcode. In this mode of operations, corporate employees are set up as a group with their supervisor as one member of the group. Each employee in the group can have 55 his own buddies but he cannot delete the supervisor from the group. Only the supervisor can delete himself from the group of each employee's phone since only the supervisor has the passcode to change the group's members to delete himself. In one embodiment, the location information shar- 60 ing is unidirectional from employees to supervisor but each employee can see the location of other employees on their phones but not the location of the supervisor. In this embodiment, the location sharing can be configured to be on only during working hours Monday to Friday. In other embodi- 65 ments, the employees can see the locations of the supervisor as well as the locations of the other employees.

18

Timed Updates

The teachings of the invention contemplate doing position updates periodically at configurable intervals as well as a configuration option to do periodic updates as well as an update every x miles if a buddy in a group being monitored moves more than x miles between periodic updates. In some embodiments, the velocity at which a Buddy is moving or the amount of distance since the last update a Buddy has moved controls the frequency of the updates. Timed updates are handy for parents to monitor the positions of their children to make sure they do not move more than X miles from their home base. Position updates can be requested by a member of a Buddy List for position updates from the Buddy Watch server. The server receives positions reports from all the Buddy Watch phones registered with it and stores them and knows the Buddy Lists for each phone. When a request for a position update is received, positions of all the buddies on Buddy Lists of which that phone is a part will be transmitted as packets addressed to all the phones on all the Buddy Lists of which the requester is a part. In alternative embodiments, the position updates will be sent for all members of all Buddy Lists of which the requesting phone is a part, but will only be sent to the requesting phone to avoid excess network traffic. In other alternative embodiments, the requesting phone can designate a particular member of a particular Buddy List and request an update only for the position of the designated buddy. The position update will be sent only to the requesting phone.

Follow Me Mode

In some applications such as construction sites with large construction crews and one supervisor, it is useful for everybody working on the job to be able to find the supervisor but the supervisor does not care where anybody else is. In embodiments with this capability, the supervisor turns on the Follow Me mode, typically making a menu selection. This causes the supervisor's position to be reported to the Buddy Watch server on a regular basis in packets that have information in their headers or elsewhere which indicate they are Follow Me packets and which designates to which Buddy List this information is pertinent. The Buddy Watch server takes these position updates and packetizes them into packets addressed to each of the phones on the designated Buddy List and sends those packets to the Buddy List phones. Position updates from the phones on the Buddy List are not sent to the supervisor phone or any of the other phones on the Buddy List.

This Follow Me mode can also be done in a blind code mode. This means that the supervisor does not need to list everyone on his buddy list. This is an "open channel" mode. 50 Any "follower" who wants to track the position of the supervisor only needs to list the supervisor's name and phone number on a buddy list of the "follower" phone. The supervisor enters a blind code in the Follow Me mode, and this code is published to all phones that have Buddy Watch software. This blind code entry and publication allows any follower to enter the blind code in a buddy list on the follower phone and thereafter to receive the supervisor's position reports. This entry of the blind code will give any follower the ability to receive position reports from the supervisor's phone, and the supervisor will not have to approve each buddy individually. This can be a great convenience since on some job sites, there may be hundreds or thousands of workers. The follower phone sends a packet to the Buddy Watch server telling it that the follower phone is in the Follow Me mode for the particular supervisor. This causes the Buddy Watch server to send position reports it receives from the supervisor phone to the follower phone,

but the server does not send position reports from the follower phone to the supervisor phone. The follower phone does not send position reports to the Buddy Watch server when in the Follow Me mode. Disabling, removing or changing the blind code, stops Follow Me mode. Buddies Only Mode

The Buddies only mode differs from the All On Follow Me mode and the Blind Code Buddies modes in that position reports are only received from Buddies on a specifically named Buddy List with specifically named Buddies. No 10 blind code Buddies or Instant Buddy position reports can be received in this mode.

Waypoint Store Mode

This mode is useful for parents to monitor the travels of their children. In this mode, the child's phone periodically 15 reports the child's position, and the parent can have the position reports sent to his phone (or computer in some embodiments). In some embodiments, position alert data can be configured to send an alarm signal to a parent if a child's position gets too close to a specified location or too far from 20 the home location or some other location.

Request Update

This mode allows a specific user to request an update on the position of a specific Buddy. The requesting phone sends a request packet to the Buddy Watch server identifying itself 25 and requesting a position update on a specified Buddy. The Buddy phone need not do anything other than do its normal operation of sending position updates to the Buddy Watch server. The update request causes the Buddy Watch server to provide a two-way update so that the requesting phone's location is sent by the Buddy phone and the Buddy phone's location is sent by the Buddy Watch server to the requesting phone. If the requester is part of a group, then the Buddy phone's location is sent to all phones in the group.

Timed Update

In this mode, periodic updates from the phone of a person such as a child or other person being cared for can be periodically sent to a list of parental or other supervisor destinations such as the parent's cell phone or email address. 40 The sender phone may also be configured to send its location periodically to all others on a list. Updates on position can be every 15 minutes or some other configurable interval. In addition, each supervisorial user can request an update and the updates will be sent to every phone on the supervisorial 45 list. If a phone on the list is not available, the update will indicate that no update is available, change the display to yellow and the status to unavailable but keep displaying the last way point.

Personal Bread Crumbs

This is an emergency feature which allows tracking down children or elderly people who are no longer responding to inquiries sent to their phone. This mode is useful for children who do not want to be watched but want a safety line to their friends and family in case something happens. A user who 55 wishes to use this feature sets up their profile such that the Buddy Watch server checks in with them via their Buddy Watch enabled phone on a daily basis to determine if all is OK. The user must enter their secret code to confirm that all is OK. The phone prompts them to enter this code, and a 60 certain number of prompts can be ignored before the system raises any alarms.

FIGS. **20**A and B are a flowchart of one embodiment of the process of enabling the personal bread crumbs mode and how it works. Step **200** represents the process of enabling 65 this mode. Typically, this is done by the user in selecting a menu command, but in some embodiments, it may be

20

permanently configured to be on by the phone manufacturer. When this mode is enabled, the phone stores waypoints of the position of the holder of the phone periodically (step 202). The phone does not send the waypoints to anybody, but it does send data or a message to the Buddy Watch server that the personal bread crumbs feature has been enabled (step 204), so the Buddy Watch server starts a timer (step 206). The purpose of starting this timer is to establish intervals at the end of which an "Are you OK?" message will be sent to the phone which is in Personal Bread CrumbsTM mode.

Step 208 represents the process of monitoring the timer for a timeout event. This may take the form of a hardware or software interrupt. When a timeout occurs, the Buddy Watch server sends an inquiry to the phone inquiring if the user is OK (step 210). The phone then displays the "Are you OK?" message, and the user either enters his or her secret code to say they are OK or does not. If the user does not respond, processing proceeds back to step 206 to start the timer again as the user may simply be busy, have their phone off, be asleep, etc. However, after a configurable number of attempts to establish contact with no response, step 216 will conclude that the user may be in trouble and need rescue. In that case, processing is vectored by step 216 to step 218. In step 218, the phone is commanded by the Buddy Watch server to send distress messages out to predetermined phone numbers (five in the preferred embodiment) and/or email addresses. The voice mail message may indicate to check email for details. The email contains a content of a position report file that contains all the waypoints since the last OK was received. If there are no stored waypoints, at least one set of stored waypoints previously recorded are sent. The waypoints all provide latitude, longitude, date and time of recording.

The personal bread crumbs profile includes:

- 1) a list of emails to which messages should be sent;
- 2) a list of phone numbers to which the prerecorded voicemails are to be sent;
- 3) frequency of OK confirmation the user needs to agree to (default is daily at noon);
- 4) the text of an email to describe the emergency situation to readers which should include the mobile phone number, home phone number, work phone number, home address and other pertinent information; and
- 5 5) whether or not auto attachment of waypoints to emails is to be carried out.

In an alternative embodiment, step 218 represents the Buddy Watch server itself sending out the distress messages. In some embodiments, the distress messages are prerecorded voicemail messages which indicate the user may be in trouble and giving instructions to the recipient how to retrieve the position reports from the Buddy Watch server. Step 218 also represents the process of the phone sending its GPS position waypoints to the Buddy Watch server. In some embodiments, the prerecorded voicemails are sent to predetermined phone numbers and the predetermined emails are sent to predetermined email addresses and include the GPS position reports in the text of the message. The email messages at least will include the personal breadcrumb position reports. These messages indicate to the recipients that there may be trouble and that they should start looking for the person who owns the phone.

FIG. 21 is a flowchart of another embodiment of a process to establish and use personal bread crumbs mode. In step 201, the user enables the bread crumbs mode, and in step 203 the mobile phone contacts the Buddy Watch server (also called the Rubicon server herein) and informs it that per-

sonal bread crumbs mode is on. GPS sample data is collected (205) and the server is contacted to start the "Are you OK" timeout interval (207). Timeout causes the phone to display an "Are you OK" message (209). Steps 211 and 213 handle the situation where the user does not enter a secret code and retries. Step 215 represents the Rubicon server response if the user does not respond to the "Are you OK" message properly and timely, said response involving sending whatever distress messages are set up in the preferences file. GPS location samples and timestamps are included in the distress messages (217) and the messages are sent to the users listed in the preferences file (219).

Relational Database Compatibility The Buddy Watch server is configured and programmed to be compatible with business applications where the 15 customer may desire to find individuals based upon their capabilities, certifications or the equipment they are carrying. By making the Buddy Watch fields of the Buddy Watch database available for search and/or integration into other business databases, a company such as a service based 20 organization can determine which individuals have the proper certification to work on a specific problem and/or who have the appropriate tools and where those individuals are located relative to a site to which the company wishes them to be dispatched. The Buddy Watch server is pro- 25 grammed to provide information about the subscribers and their locations in a format which is compatible with the other business database structures of customers who are interested in having this data. Each position update received by the Buddy Watch server then is exported and automatically 30 updates the customer database. This can be done over the Internet or over a dedicated local area or wide area network. Radar Inclusion

The radar inclusion mode is a mode which allows police departments or fire departments or any other emergency 35 response type organizations to instantly expand their buddy lists to predetermined lists of all available personnel. This is useful when it is necessary to know the whereabouts of persons to assist in an emergency situation or other situation. This feature may be used by police or other groups where the 40 formation of a group may vary throughout the day. This feature can be used in conjunction with standard groups. How this feature differs is that a user does not need to be identified and only when the user comes within the "radar" range or radius does the user get included within the radar 45 inclusion group.

City, County, State or Federal law enforcement or other agencies can offer two capabilities with radar inclusion. The first capability is to send an alert with a fixed target or to add a moving target to any individuals or groups without any 50 input from the field officers. The target could be a suspect on the move. The target affords all the officers a better view of what is going on. The second capability allows the agency using the radar inclusion feature to "light up" the positions of other individuals or groups of individuals on a Mapit 55 display so that one or more officers/firemen responding to an emergency can see the positions of possible reinforcements relative to their position. This is useful when groups that normally do not work together such as perhaps the fire and police need to work together. Details about each Buddy 60 which is lit up on the Mapit display can be sent to any other Buddy in need thereof by a command to the Buddy Watch server issued by the controlling personnel of the agency.

In the instant messaging protocol packets transmitted from a phone to the Buddy Watch server, there is a field that 65 can be left blank or a prefix can be put in. An agency using radar inclusion can put a code in this field and then all Buddy

Watch phones/PDAs operating in radar inclusion mode are sent these packets and retain the Buddy whose information is in the packets in a group. This new group can be retained for a user programmable time up to 24 hours beyond the radar inclusion Buddy display disappearing.

22

The Buddy Watch server determines if a matching radar code is in range of a user and is not currently part of their active buddy list. If not they are added if the radar inclusion mode is active.

Split Groups

When a member of a group specified by a Buddy in that group for Mapit display is outside the radius set up in a Group Map Size configuration entry, then that member is split from the group and will not appear on the map of the group. However, that member which has been split from the group will have an entry in a distinctive color such as dark green on the list of active users in the group. Changing the Group Map Size configuration entry to a larger size may allow the split member to be displayed. If the location of the split member must be viewed but the Group Map Size is not to be changed, clicking on the member of the group which has been split from the Buddy List will cause the Mapit display to change to the locale of the split member and display the member's location on the map so long as the split member's Buddy Watch status is active.

Power Off or Disable Buddy Tracker

When the phone is turned off or the Buddy Tracker application is disabled, a final transmission to the Buddy Watch server of the location of the Buddy is made. The Buddy Watch server distributes this location in packets addressed to all the members of the group of the Buddy who just went to inactive status.

Targets

The Buddy Tracker software allows targets to be designated to specify meeting points, sites of emergencies or service call locations. Law enforcement agencies can use this feature to silently redirect personnel to the site of a crime or emergency without broadcasting the location on the radio for persons using police scanners to hear. Each target can have a user defined label associated with it and a message, photo(s) or other document(s) can be attached to the target. All the data defining the target, any label associated therewith and any photos or other documents is packetized in packets identifying the data therein as target data or attachments to the target. These packets are received by the Buddy Watch server and re-packetized addressed to all members of a group or a radar inclusion group or specific Buddies.

A target can be specified by any member of a group or by a dispatcher of a law-enforcement or other agency. Targets can be specified using a web browser. The target is a forward looking waypoint. This can be useful if groups are to meet at a predefined location and the first to arrive may find this is either not the right location or for some reason the meeting point should be changed. The target can be moved, and then packets containing the data of the new target location are sent by the Buddy Watch server to all members of the group with an alert message indicating the target has moved. Targets can be moved simply by dragging and dropping the target to a new location on the display on the web browser which is logged into the Buddy Watch server and which has invoked the target specification command. Once the target has been initially set, moving it to a new location creates a waypoint history. Each target can have a description associated with it, and if the target has been moved, the history can be viewed.

Out of Coverage Operation

When devices are out of cellular coverage, some limited operations are still possible based on the device. For devices with a full GPS receiver, the user can set targets or force waypoints that are stored. Each device may differ based on 5 the amount of available memory.

23

If a Buddy takes his phone into areas of intermittent coverage, it offers a means of some contact. Additionally, one may visit a site on a rural road or other location out of coverage. Setting a target or forcing a waypoint from a phone or desktop computer which is not located at the target provides the location, but does not provide any idea regarding what is at the location. A picture phone at the location can capture a picture of the location, and this picture be 15 associated with the target to give other Buddies in the group some idea of what to expect when they get to a meeting point or target.

When a user wants to return to the site, the saved target can be recalled and sent to other Buddies in a group or 20 individually designated so a return trip can be planned. This provides the ability to return to spots not located on roads or at intersections such as pastoral settings.

Local maps when out of coverage would not show up on the user's phone when the Mapit command is issued. This is 25 because the map pixels are sent from the Buddy Watch server to the phone after being retrieved from a mapping server such as Yahoo maps. When the phone is out of coverage, the map pixel packets cannot reach the phone and it cannot render a map. However, if the phone has a GPS 30 receiver, it can store the point the user indicated he would like to capture, and, later when the phone is back in coverage, it can send the GPS location to the Buddy Watch server in a Mapit command packet, and get the map pixels back from the Buddy Watch server along with any attach- 35

Phones with limited memory will decrease the frequency of position updates so as to not exceed the memory capacity. Attachments to Targets and Waypoints

Attachments such as photos can be appended to targets 40 and waypoints even with travelling outside a coverage area. Once the phone is back in coverage, the attachment to a waypoint for example will be sent to the Buddy Watch server and can be distributed to other users. Documents created with phone apps or pictures captured by the phone's built in 45 camera can be attached, and, if the phone has a USB port, pictures captured by a digital camera or camcorder can be imported and attached.

Encryption of Data

encrypted when it is downloaded to prevent other unauthorized users from installing and using it. The Buddy Watch application program is decrypted and enabled when the access code is downloaded after a subscription is purchased since the decryption key is or is part of or is encoded into the 55 access code.

Access Codes

Access codes to enable the Buddy Watch application are designed to incorporate the phone number or phone serial number as part of the encryption key so that the access code 60 can only enable one phone. Large groups with many phones, can ask for and receive access codes that allow operation across a large number of phones.

Access codes are downloaded to the phone from the cell provider's server or emailed to the user when the user 65 provides their name, phone number, phone serial number and a form of payment. The application may be downloaded

24

to a MAC or PC, and then configured on the personal computer before being uploaded to the phone by a computerto-phone USB connection.

Targets

A member of a buddy group can market a target on a Mapit display, and that target location can be shared to all the members of the group and show up on their Mapit displays so they all know where to meet. Marking targets is done using cursors on the Mapit display on the phone. The user then designates the buddy list to which the marked target is to be published. Packets are generated in the Buddy Watch application on the phone which include the GPS location, any name assigned to the target and the identification of the buddy list to which the location is to be published. These packets are sent to the Buddy Watch server which then extracts the data and packetizes it into packets addressed to all the phones on the designated buddy list. These packets are then sent to the buddies on the list and the location of the target is extracted and posted on a Mapit display.

User Waypoints

The users can mark particular waypoints as they travel using the Mapit displays on their phones, and pictures or memos can be attached to these waypoints. In one embodiment, this is done by sending a packet with the location marked by the user to the Buddy Watch server and in that packet giving an identifier or pointer that will be contained in other packets which record the memo or photo to be attached to the waypoint. The Buddy Watch server then extracts the data from these packets and stores the user waypoint location with a pointer to the file in which the memo or photo is stored.

SOS Support

Each user of Buddy Watch can define a profile of buddies to which an SOS alert is to be sent in the case of emergency. The SOS alert message includes location, time and phone number (caller ID) and a preset message for email or Instant Message service and a prerecorded voice message. This data is sent in packets addressed to the Buddy Watch server when the user gives a command to send the SOS message. The Buddy Watch server then receives the SOS message, determines who it is from, retrieves the SOS profile stored on the server for that user and generates packets for email and IM and sends them on the internet and generates packets containing the digitized voice message and addresses them to the phones listed in the SOS profile and sends those packets to the cellular system central switching system 102 in FIG. 16 via internet gateway 148.

The SOS message protocol can be carried out by the The Buddy Watch software application is disabled and 50 Buddy Watch server either on demand from the user, or automatically in conjunction with any 911 call made from a phone which has a stored SOS profile. The SOS support configuration file contains data which defines which way the phone will act, and the buddies receiving the SOS messages will be aware of whether an 911 call was made or not. The buddies are actually in a better condition to help the caller since they can see the caller's position on their Mapit displays, and they may be closer to the caller and be able to act quicker than the 911 support personnel.

> The preferred embodiment causes the SOS messages to be sent when the user dials **911**. A **411** dialed call will send the SOS messages to only active buddies whose phones are registered in the system and on with Buddy Watch activated.

The User Interface Genus

All species within the genus of user interfaces according to the teachings of the invention will display buddy lists and

a list of buddies on each buddy list when that buddy list is selected. All species will display the specific information about a buddy when a particular buddy is selected including at least their current location and the time of the fix. All species will display a command or icon or menu choice that 5 can be invoked to allow a user to turn off location sharing. All species will display commands, icons or menu choices to add, delete or edit buddy lists, or to add or delete or edit buddies.

Some species within this genus will also display one or 10 more of the following items of information about individual buddies: speed, last contact, altitude or direction. Some species within the genus will provide icons, menu choices, etc. which a user can invoke to allow the user to select a map display with the location of a buddy displayed thereon. 15 Some species within the genus will allow a user to give a command to request historical fixes which trace a path to the buddy's current position. Some species within the genus will allow instant buddy relationships to be set up to allow location sharing between a person in trouble and a rescuer. 20 The Server Genus

All servers programmed with Buddy Watch software will have functionality to:

- 1. either store map data for entire geographical areas that they serve or to obtain pertinent map data from another 25 server such as a MapquestTM server and pick the appropriate maplet that surrounds the positions of buddies to be displayed and serve the maplet data to Buddy Watch enabled phones;
- 2. pick the appropriate maplet for each buddy list or buddy 30 based upon the center of gravity of the buddy positions of the buddies within the selected buddy list and exclude buddies which are out of the coverage area;
- 3. render buddy locations on maplets based upon GPS location data gathered from Buddy Watch applications running on GPS enabled cell phones and PDAs;
- 4. store user defined data that embodies each user's buddy lists and buddies and configuration data;
- 5. store at least some preference data that defines who can use the server, e.g. only those with a valid Buddy Watch user 40 request software needed to execute commands given by the ID and password);

 An important species with this genus will be able to request software needed to execute commands given by the user from the Buddy Watch server, receive a download of the
- 6. request and receive update and regularly scheduled GPS location data from users who have their Buddy Watch application turned on their phones or PDAs and to distribute location data and maplets to the phones and PDAs of the 45 buddies on buddy lists who have their Buddy Watch capability turned on; and
- 7. turn Buddy Watch functionality on or off in terms of receiving location data from users who have indicated they want their Buddy Watch application turned off and turn off 50 sharing location data of buddies who have turned off their Buddy Watch application.

Various species within this genus: can calculate the center of gravity of the best fit for the maximum number of buddies that are within the coverage of one maplet; determine the 55 proper maplet size to send to the client phone or PDA based upon configuration data which defines the screen size of the device; send the same size maplet to all clients; allow each client to determine its own maplet size; send maplets with buddies color coded to show who is out of bounds and who 60 is in lost contact status; implement a permissive buddy list wherein a person cannot be added to a buddy list until they consent; implement timed updates for GPS position and scheduled cutoff times for position sharing; store auxiliary information about each buddy such as phone numbers, etc.; 65 offer the functionality to allow each user to specify the maplet size they receive or specify a maximum maplet size

26

for a buddy list; offer the functionality to request updates whenever a programmable delta time or delta position difference over the last update occurs; offer a user preference to turn on or turn off GPS position updates; the ability to cross communicate with other carrier's cellular systems to send maplets to and receive location data from users on other systems; function to enable or disable the Buddy Watch application without disabling location sharing with parental or supervisor units; storing as a preference or configuration data SOS emails and voicemail messages which can be sent out to email addresses and/or phone numbers specified in a configuration data file on demand or automatically when a 911 call is made.

The Client Application Genus

The client Buddy Watch application and phone or PDA platform genus collectively provide the following functionality:

- 1. the programmed phone or PDA must be able to retrieve GPS position data directly or indirectly from a GPs receiver in the phone or PDA, and it should be able to wirelessly send the GPS position data to the Buddy Watch server either periodically or on demand from the server, but one or another, it must be able to exchange position information data with the server:
- 2. the phone or PDA must have a display large enough to display maplets and be able to download maplets from the Buddy Watch server;
- 3. it must have Java or similar software to exchange digital data with the Buddy Watch server using a wireless web application program;
- 4. it must be able to communicate with the phone's application programmatic interface and any application programmatic interface of the cell phone service provider to:

be able to receive maplets from the Buddy Watch server with location data rendered thereon and display the maplets;

send location data and receive downstream messages and requests from the Buddy Watch server.

An important species with this genus will be able to request software needed to execute commands given by the user from the Buddy Watch server, receive a download of the software requested, install it into random access memory and execute it to carry out the requested command. In other species, the software Apparatus and Process are to simplify Push to Talk walkie-talkie operations in cell phones.

FIG. 31 is a block diagram of the system for TalkControl to simplify cell phone walkie-talkie operations. Block 300 is a location determination component which functions to determine user locations. This can be done in the cell phones or the Rubicon server and provides a generic solution to extract location from GPS, J2ME location API or bespoke development for extracting Cell ID. If done on the server, the GMLC based solution us used. Block 300 also does distance calculations, location format conversion etc. LDG can expose a LIF based interface to location based services when applicable. This provides location determination flexibility as needed.

SBC component 302 functions to do buddy group/list management, mapping techniques, refresh based upon time or delta movement, geo coding, reverse geo coding, routing, etc.

CMC block 304 functions to provide local content to location based services. The content can be local maps or commercial/enterprise specific content. Multiple parties like commercial content providers, government establishments or enterprises will provide the content. This CMC component will provide a common API to extract content from

multiple providers and provide the flexibility to choose any content provider based upon parameters such as accuracy, availability of content, rates, whether the content is the latest, etc.

The SRC block **306** is a software rendering component 5 which provides multiple channel and device rendering, mobile application provisioning, service creation environment, OSS/BSS integration in both pre-paid and post paid modes, usage analysis reports and SNMP based system management software.

GSC block 308 provides alert and notification systems, personalization, payment integration etc.

Individual services block 310 provides tools and generic components to build individual applications in consumer and enterprise domains. Consumer services like child tracking, buddy location, location based advertisements for target user groups can be built. Enterprise services such as work force management, fleet tracking, emergency services, etc. can use the generic components.

FIG. 32 is a flow diagram of a process a user of a 20 walkie-talkie enabled phone can initiate to join a talk group to enable subsequent walkie-talkie operations. This process greatly simplifies the process of signing up for walkie-talkie operations of a wireless carrier. A user who wishes to join a walkie-talkie talk group launches the TalkControl applica- 25 tion, scrolls down to Join Group menu option, selects an Enter Tokens option, fills in her name, phone number, project ID, and Token and presses send. One or more packets are sent to the Rubicon server which authenticates the token and the recipient and creates a database entry. The Rubicon 30 server then determines a time to add the user to the talk group and contacts a server of the wireless carrier to add a user. The Rubicon server logs onto the Carrier Server and adds the user to the appropriate talk group and receives a confirmation. The confirmation is sent to the user who 35 initiated the process, and the Rubicon server logs out of the carrier server.

FIG. 33 is a flowchart of the process the Rubicon server carries out to automatically delete a user. Users in talk groups can be deleted automatically based upon a scheduled 40 deletion time using this process. The Rubicon (X One) server compares the current date and time with a database for users scheduled to be deleted. If a user is to be deleted per schedule, the Rubicon server logs onto a carrier server and deletes the user from the appropriate talk group and 45 receives confirmation. The Rubicon server then deletes the user from the talk group in its database and logs out of the carrier server. The Rubicon server then sends the deletion confirmation to the user phone.

FIG. 34 is a flowchart of the process the Rubicon server 50 carries out to allow a supervisor to add a user. The supervisor launches the TalkControl application program and scrolls down to the add/edit/delete user menu option and logs in as a supervisor and presses send. The supervisor then selects User Name and selects Next to take him to the user screen 55 where the user's name, phone number, and project ID are entered. The supervisor then edits the start date, end date, hours, days of the week for the active period when the user being added will be part of the talk group so that walkietalkie service can only be had during the specified times. 60 One or more packets are then generated addressed to the Rubicon server and encapsulated in a cellular system packet and sent. These packets get routed to the Rubicon server which authenticates the initiator and recipient, creates a database entry for the user and contacts the Carrier server 65 and logs on. The Rubicon server then adds the user to the appropriate talk group and receives confirmation. The Rubi28

con server then adds the user to the appropriate talk group and updates its database and receives the confirmation. The confirmation is sent to the supervisor who added the user and to the user phone which was added to the talk group.

FIG. 35 is a flowchart of the process for a supervisor to edit a user in a talk group. The supervisor launches the TalkControl application and scrolls down to add/edit/delete user and selects that option. The supervisor logs in as the supervisor and selects edit user and selects a user already in a talk group and edits data in fields for name, phone number, project ID of the user to be edited and presses next. Start date, end date, hours, days of the week are then changed as desired. From that point, the process is the same as adding a new user.

FIG. 36 is a flowchart of a process for a supervisor to delete a user from a talk group. The supervisor launches TalkControl and scrolls down to add/edit/delete user and selects that. She logs in as a supervisor and scrolls down to delete a user and deletes data in name, phone number, project ID, start date, end date, hours and days of week field and presses send. One or more packets get routed to the Rubicon servers which authenticates the initiator and recipient. The Rubicon server then logs onto the Carrier server and deletes the user from the appropriate talk group and receives a confirmation. The Rubicon server receives the confirmation and updates its database to delete the user from a talk group. Confirmation is then sent from the Rubicon server to the supervisor phone and the user's phone, and the Rubicon server then logs out of the carrier server.

FIG. 37 is a flowchart of a process for a supervisor to issue a token. The supervisor launches TalkControl and scrolls down to add/edit/delete a user. She logs in as a supervisor and scrolls down to issue token menu option and selects it. She then scrolls down to select project to issue token menu option and presses next. The user selects token being issued and presses issue. The supervisor then informs the user of the project name and the token code. Packets are sent to the Rubicon server which removes the token from the list and replaces it with a new token. The Rubicon server then sends a message to the supervisor's phone to add the message send new token to the supervisor's handset.

FIG. 38 is a flowchart for the process of setting up preferences. The TalkControl application is launched on the handset and the user scrolls down to the add/edit/delete user option and presses select. The user logs in and presses send. The user then scrolls down to preferences and presses next. The user then selects the preference feature to be updated and presses select. This vectors processing to one of the four illustrated lines of processing to set the methods of notification as audio, vibrate or select auto login or set the new password or set a new ID. Processing then loops back to allow another preference to be selected and edited.

FIG. 39 is a flowchart for the process to allow a supervisor to request status. The supervisor launches TalkControl and scrolls down to view status. She logs in as a supervisor and presses send and then selects a user. The supervisor then scrolls and selects project to view status and presses next and scrolls down to select the project and the user and views the user's details.

FIG. 40 is a process flowchart of the process for a supervisor to create a group. The supervisor launches Talk-Control application and scrolls down to create a group and presses select. She then logs in as supervisor and presses send and enters group name. A talk group is then automatically created. The supervisor sets the duration of the group, its start date, end date, days, hours and presses next. One or more packets addressed to the Rubicon server are then

29

created and sent to the Rubicon server. The Rubicon server then authenticates the initiator and recipient and creates a database entry for a new group. The Rubicon server then contacts the carrier server and logs in and creates a talk group in the carrier server and receives a confirmation. The 5 Rubicon server then adds the group to the appropriate talk group and receives confirmation. The confirmation is then sent from the Rubicon server to the supervisor and the Rubicon server logs out of the carrier server. The supervisor phone then receives a message on the wireless device 10 displaying the group added profile updated request screen.

Although the invention has been disclosed in terms of the preferred and alternative embodiments disclosed herein, those skilled in the art will appreciate possible alternative embodiments and other modifications to the teachings disclosed herein which do not depart from the spirit and scope of the invention. All such alternative embodiments and other modifications are intended to be included within the scope of the claims appended hereto.

I claim:

1. A processor-implemented method of sending alerts to mobile devices in a group, the method comprising:

receiving information defining an event, including an event location and an event time, and information identifying the mobile devices in the group;

storing the information defining the event and the information identifying the mobile devices in the group in server-accessible storage;

receiving position information for each mobile device in the group; and

sending an alert to each mobile device in the group dependent on both the event time and position of the respective mobile device;

wherein each alert comprises a maplet with position information of each mobile device in the group plotted 35 thereon, at least within a predetermined distance radius from the event location; and

wherein the method further comprises obtaining each maplet from a third party map server, each maplet centered on the event location, each maplet further 40 displaying information for each mobile device superimposed over the maplet, at least within the predetermined distance, the information for each mobile device including both a user name and information dependent on distance of the respective mobile device from the 45 event location.

- 2. The method of claim 1, wherein the information superimposed over the maplet includes speed and direction of travel of each mobile device represented by the information superimposed over the maplet.
 - 3. The method of claim 1, wherein:

receiving the position information for each mobile device in the group further comprises receiving an update from each mobile device represented by the information superimposed over the maplet, dependent on a change 55 in position of the respective mobile device;

the method further comprises sending an updated maplet to each mobile device with position of each mobile device in the group, as updated, plotted thereon.

- **4**. The method of claim **3**, wherein sending the updated 60 maplet to each mobile device with positions, as updated, plotted thereon, further comprises superimposing on the updated maplet a route of at least one of the mobile devices in the group to the event location.
- **5**. The method of claim **1**, wherein the information 65 displayed on the maplet is restricted to mobile devices within a predetermined distance from the event location.

30

6. The method of claim **1**, wherein sending the alerts comprises sending SMS packets to the mobile devices.

7. The method of claim 6, wherein the method further comprises hosting application software for download to mobile devices in the group, the application software when downloaded and installed on a respective mobile device to cause the respective mobile device to intercept and render the SMS packets instead of delivering the SMS packets to SMS messaging software of the respective mobile device.

- **8**. The method of claim **7**, wherein the application software when downloaded and installed is to permit selective enabling and disabling of location sharing by a user of each respective mobile device.
 - 9. The method of claim 1, wherein:

the information identifying the mobile devices comprises a list of contacts; and

the list of contacts for each of the mobile devices in the group comprises at least one of an email or phone number to which messages should be sent.

10. The method of claim 1, wherein each alert comprises at least one of a predetermined email message or a predetermined voice mail message associated with the event.

11. The method of claim 1, wherein:

the event is a first event and the group of mobile devices is a first group of mobile devices;

the method further comprises sending alerts to mobile devices in a second group; and

the sending of the alerts to the mobile devices in the second group includes

receiving information defining a second event, including an event location and a second event time, and information identifying the mobile devices in the second group, the mobile devices in the second group free to be different than the mobile devices in the first group,

storing the information defining the second event and the information identifying the mobile devices in the second group in server-accessible storage,

receiving position information for each mobile device in the second group, and

sending an alert to each mobile device in the second group dependent on both the second event time and position of the respective mobile device in the second group.

12. The method of claim 11, wherein:

each alert comprises a maplet with at least one of (a) position information of each mobile device in the first group, at least within a predetermined distance radius from the first event location, or (b) position information of each mobile device in the second group, at least within a predetermined distance radius from the second event location, plotted thereon; and

the method further comprises, responsive to receiving information identifying mobile devices in the first group and receiving the information identifying mobile devices in the second group, sending a set-up message to unrecognized mobile devices permitting a user of each respective unrecognized mobile device to electively opt-in to location sharing, prior to sending a maplet with position information representing the respective unrecognized mobile device plotted thereon.

13. The method of claim 1, wherein the method further comprises hosting application software for download to mobile devices in the group, the application software when downloaded and installed on a respective mobile device to permit the respective mobile device to generate the infor-

mation defining the event including the event location, the event time, and the information identifying the mobile devices in the group.

- 14. The method of claim 13, wherein the application software is further to permit the respective mobile device on 5 which the application software is installed to append at least one of a photo, a message or a document to the event, wherein the method further comprises receiving the at least one and transmitting the at least one to each mobile device in the group.
- 15. The method of claim 13, wherein the application software is configured to permit each mobile device on which the application software is installed to directly communicate with any individual device in the group via user pushing of a button.
- 16. The method of claim 1, wherein the method further comprises receiving the information defining the event and the information identifying the mobile devices in the group from a specific mobile device in the group.
- 17. An apparatus comprising instructions stored on non- 20 transitory machine-readable media, the instructions when executed to cause at least one processor to:
 - receive information defining an event, including an event location and an event time, and information identifying the mobile devices in the group;
 - store the information defining the event and the information identifying the mobile devices in the group in server-accessible storage;
 - receive position information for each mobile device in the group; and
 - send an alert to each mobile device in the group dependent on both the event time and position of the respective mobile device:
 - wherein each alert comprises a maplet with position information of each mobile device in the group plotted 35 thereon, at least within a predetermined distance radius from the event location; and
 - wherein the instructions when executed are further to cause at least one processor to obtain each maplet from a third party map server, each maplet centered on the 40 event location, and to format each maplet to display information for each mobile device superimposed over the maplet, at least within the predetermined distance, the information for each mobile device including both a user name and information dependent on distance of 45 the respective mobile device from the event location.
- **18**. The apparatus of claim **17**, wherein the information superimposed over the maplet includes speed and direction of travel of each mobile device represented by the information superimposed over the maplet.
 - 19. The apparatus of claim 17, wherein:
 - the instructions when executed are further to cause at least one processor to receive an update from each mobile device represented by the information superimposed over the maplet, dependent on a change in position of 55 the respective mobile device;
 - the instructions when executed are further to cause at least one processor to send an updated maplet to each mobile device with position of each mobile device in the group, as updated, plotted thereon.
- 20. The apparatus of claim 19, wherein the instructions when executed are further to cause at least one processor to superimpose on the updated maplet a route of at least one of the mobile devices in the group to the event location.
- **21**. The apparatus of claim **17**, wherein the information 65 displayed on the maplet is restricted to mobile devices within a predetermined distance from the event location.

32

- 22. The apparatus of claim 17, wherein the instructions when executed are to send the alerts to the mobile devices in the form of SMS packets.
- 23. The apparatus of claim 22, wherein the apparatus further comprises instructions that define application software adapted for download to mobile devices in the group, the application software when downloaded and installed on a respective mobile device to cause the respective mobile device to intercept and render the SMS packets instead of delivering the SMS packets to SMS messaging software of the respective mobile device.
- 24. The apparatus of claim 23, wherein the application software when downloaded and installed is to permit selective enabling and disabling of location sharing by a user of each respective mobile device.
 - 25. The apparatus of claim 17, wherein:
 - the information identifying the mobile devices comprises a list of contacts; and
 - the list of contacts for each of the mobile devices in the group comprises at least one of an email or phone number to which messages should be sent.
- 26. The apparatus of claim 17, wherein each alert comprises at least one of a predetermined email message or a
 predetermined voice mail message associated with the event
 - 27. The apparatus of claim 17, wherein:
 - the event is a first event and the group of mobile devices is a first group of mobile devices;
 - the apparatus further comprises instructions that when executed are to cause at least one processor to send alerts to mobile devices in a second group; and
 - the instructions to cause at least one processor to send alerts to the mobile devices in the second group include instructions that cause at least one processor to
 - receive information defining a second event, including an event location and a second event time, and information identifying the mobile devices in the second group, the mobile devices in the second group free to be different than the mobile devices in the first group,
 - store the information defining the second event and the information identifying the mobile devices in the second group in server-accessible storage,
 - receive position information for each mobile device in the second group, and
 - send an alert to each mobile device in the second group dependent on both the second event time and position of the respective mobile device in the second group.
 - 28. The apparatus of claim 27, wherein:

50

60

- each alert comprises a maplet with at least one of (a) position information of each mobile device in the first group, at least within a predetermined distance radius from the first event location, or (b) position information of each mobile device in the second group, at least within a predetermined distance radius from the second event location, plotted thereon; and
- the apparatus further comprises, responsive to receiving information identifying mobile devices in the first group and receiving the information identifying mobile devices in the second group, sending a set-up message to unrecognized mobile devices permitting a user of each respective unrecognized mobile device to electively opt-in to location sharing, prior to sending a maplet with position information representing the respective unrecognized mobile device plotted thereon.

- 29. The apparatus of claim 17, wherein the apparatus further comprises instructions that define hosting application software adapted for download to mobile devices in the group, the application software when downloaded and installed on a respective mobile device to permit the respective mobile device to generate the information defining the event including the event location, the event time, and the information identifying the mobile devices in the group.
- **30**. The apparatus of claim **29**, wherein the application software is further to permit the respective mobile device on 10 which the application software is installed to append at least one of a photo, a message or a document to the event, wherein the apparatus further comprises instructions that when executed are to cause at least one processor to receive the at least one and to transmit the at least one to each mobile 15 device in the group.
- **31**. The apparatus of claim **29**, wherein the application software is configured to permit each mobile device on which the application software is installed to directly communicate with any individual device in the group via user 20 pushing of a button.
- **32**. The apparatus of claim **17**, wherein the instructions when executed are further to cause the at least one processor to receive the information defining the event and the information identifying the mobile devices in the group from a 25 specific mobile device in the group.
- 33. The method of claim 1, wherein receiving information includes receiving an event location and an event start date, and wherein sending the alert includes sending an alert to each mobile device in the group within the predetermined 30 radius of the event location at a time dependent on the event start date.
- **34**. The method of claim **1**, wherein the alert is to notify users of mobile devices in the group that a particular mobile device will be late for the event.
- **35**. The method of claim **34**, wherein each alert comprises a maplet with position information of the particular mobile device plotted thereon.
- **36**. The apparatus of claim **17**, wherein the instructions when executed are to cause the at least one processor to: receive an event location and an event start date as part of the information defining the event; and
 - send the alert to each mobile device in the group that is within the predetermined radius of the event location at a time dependent on the event start date.
- **37**. The apparatus of claim **35**, wherein the alert is to notify users of mobile devices in the group that a particular mobile device will be late for the event.
- **38**. The apparatus of claim **37**, wherein each alert comprises a maplet with position information of the particular 50 mobile device plotted thereon.
- **39**. A processor-implemented method of sending alerts to mobile devices in a group, the method comprising:
 - receiving information defining an event from a first mobile device, including an event location and an event 55 time, and information identifying the mobile devices in the group, wherein the information defining the event specifies a meeting place and a meeting time for the group:
 - storing the information defining the event and the information identifying the mobile devices in the group in server-accessible storage;
 - receiving position information for each mobile device in the group; and
 - sending an alert to each mobile device in the group 65 dependent on both the event time and position of the respective mobile device, wherein the alert further

34

- includes an estimated time of arrival of at least one of the mobile devices in the group;
- wherein each alert comprises a maplet with position information of each mobile device in the group plotted thereon, at least within a predetermined distance radius from the event location; and
- wherein the method further comprises obtaining each maplet from a third party map server, each maplet centered on the event location, each maplet further displaying information for each mobile device super-imposed over the maplet, at least within the predetermined distance, the information for each mobile device including both a user name and information dependent on distance of the respective mobile device from the event location.
- **40**. The method of claim **39**, wherein the estimated time of arrival is an estimated time of arrival of the respective mobile device.
- 41. The method of claim 40, wherein the alert is to notify users of mobile devices in the group that the respective mobile device will be late for the event.
- **42**. The method of claim **41**, wherein each alert comprises a maplet with position information of the respective mobile device plotted thereon.
- **43**. The method of claim **39**, wherein the alert is to notify users of mobile devices in the group that a particular mobile device will be late for the event.
- **44**. The method of claim **39**, wherein each alert comprises a maplet with position information of the particular mobile device plotted thereon.
- **45**. An apparatus comprising instructions stored on non-transitory machine-readable media, the instructions when executed to cause at least one processor to:
 - receiving information defining an event from a first mobile device, including an event location and an event time, and information identifying mobile devices in the group, wherein the information identifying the event specifies a meeting place and a meeting time for the group;
 - store the information defining the event and the information identifying the mobile devices in the group in server-accessible storage;
 - receive position information for each mobile device in the group; and
 - send an alert to each mobile device in the group dependent on both the event time and position of the respective mobile device, wherein the alert further includes an estimated time of arrival of at least one of the mobile devices in the group;
 - wherein each alert comprises a maplet with position information of each mobile device in the group plotted thereon, at least within a predetermined distance radius from the event location; and
 - wherein the instructions when executed are further to cause at least one processor to obtain each maplet from a third party map server, each maplet centered on the event location, and to format each maplet to display information for each mobile device superimposed over the maplet, at least within the predetermined distance, the information for each mobile device including both a user name and information dependent on distance of the respective mobile device from the event location.
 - **46**. The apparatus of claim **45**, wherein the estimated time of arrival is an estimated time of arrival of the respective mobile device.

35

47. The apparatus of claim **46**, wherein the alert is to notify users of mobile devices in the group that the respective mobile device will be late for the event.

- **48**. The apparatus of claim **47**, wherein each alert comprises a maplet with position information of the respective 5 mobile device plotted thereon.
- **49**. The apparatus of claim **45**, wherein the alert is to notify users of mobile devices in the group that a particular mobile device will be late for the event.
- **50**. The apparatus of claim **45**, wherein each alert comprises a maplet with position information of the particular mobile device plotted thereon.

* * * * *